

COMPANY

PRODUCTS

BUY ONLINE


## ÖLFLEX® CLASSIC 110 - Flexible Power and Control Cable

ÖLFLEX® CLASSIC 110 is VDE approved multi-core power and control cable from the LAPP Group. It is used for fixed installation with normal mechanical stress and applications with occasional flexible use.


The cable is designed for use in dry, damp and wet rooms. At room temperature, ÖLFLEX® CLASSIC 110 is extremely resistant to alkali, acids and certain oils. However for outdoor purposes,these cables have to be installed with UV protection bearing in mind the temperature range.

ÖLFLEX® CLASSIC 110 is ideal for free and limited continuously recurring movement without tensile load or compulsory guidance. The cables are best suited for torsion applications. For eg: Loop in Wind Turbine Generators (WTG).


ÖLFLEX® CLASSIC 110 is available in wide range of standardised lengths and individual cuts. To know more about the complete range [CLICK HERE](#)




### ADVANTAGE



WIDEST RANGE OF CABLING SOLUTIONS



ASSURANCE OF AUTHENTIC CABLES



EASY PAYMENT OPTIONS AVAILABLE

Click to Buy Online


## FEATURES




**Flame Retardant**  
*According to IEC 60332-1-2*




**Chemical Resistance**



**Oil Resistance**  
*According to DIN EN 50290-2-22 (TM54) impervious to oils, solvents, chemicals & acids*



**Space Saving**  
*Diameter reduction with innovative ultra thin wall thickness*



**Suitability**  
*Torsional application typical for loop in wind turbine generators*

Here are the variants of ÖLFLEX® CLASSIC 110 used across industry verticals

1. ÖLFLEX® CLASSIC 110


Oil resistant PVC control cable



2. ÖLFLEX® CLASSIC 110 ORANGE

Small cable diameters, high electrical performance

For warning purposes. e.g. circuits for maintenance or interlocking circuits.



3. ÖLFLEX® CLASSIC 110 BK

VDE-registered oil-resistant PVC control cable


UV resistant, suitable for outdoor applications.



4. ÖLFLEX® CLASSIC 110 CY

Screened PVC control cable with transparent outer sheath


Best suited for Electro Magnetic Compatibility (EMC) sensitive environments.



5. ÖLFLEX® CLASSIC 110 SY



Steel-wire braided PVC control cable

Best suited to heavy mechanical duty and Tray application.



Copyright © LAPP INDIA All rights reserved.

**Our mailing address is:**  
 Lapp India Private Limited  
 1/3, "Sumeru Enclave", 9th A Main Road, Behind " British Biologicals"  
 Jayanagar 2nd Block, Bangalore.- 560011  
[www.lappindia.com](http://www.lappindia.com)


Want to change how you receive these emails? You can update your preferences or unsubscribe from this list