



	<b>DATA SHEET</b>	
Valid from: 12-12-2018	<b>FLEXIMARK® Stainless Steel Character Strips &amp; Holders</b>	

Standard stainless steel marking on site.  
 FLEXIMARK® NM holders for cable, pipe and component marking.  
 FLEXIMARK® M holders for component marking.  
 Stainless steel high quality material (SS2348, AISI-316L).  
 For indoor and outdoor demanding aggressive environment.  
 Used together with FLEXIMARK® Stainless steel cable ties.  
 Embossed with different characters.



**Technical data FLEXIMARK® Character strips MR 10-20 :**

Material:	Stainless steel according to EN 1.4404 (SS2348, AISI-316L)
Temperature range:	≤500°C
Approval:	Achilles JQS
Characters available:	A-Ö Ü Æ 0-9 ~ + - / . : , x ø arrow earth blank
Russian characters available:	А Б В Г Д Е Ж З И Й К Л М Н О П Р С Т У Ф Х Ц Ч Ш Щ Ъ Ы Ь Э Ю Я
Size one character marker:	6 x 9,5 mm
Character height:	6,8 mm
Embossing:	Convex
Package:	200 characters/PU (10 strips à 20 characters on each strip)

**Technical data FLEXIMARK® Character holders NM**

Material:	Stainless steel according to EN 1.4404 (SS2348, AISI-316L)
Temperature range:	-80°C up to +539°C
Approval:	Achilles JQS
Screw holes:	3 mm
Package:	50 pcs/PU

**Technical data FLEXIMARK® Character holders M**


Material:	Stainless steel according to EN 1.4404 (SS2348, AISI-316L)
Temperature range:	-80°C up to +539°C
Approval:	Achilles JQS
Package:	50 pcs/PU

**Delivery:**

FLEXIMARK® Stainless steel holders are delivered in a package with 50 holders in each package.

The FLEXIMARK® Stainless steel characters are delivered in a package with 10 strips, where 1 strip has 20 characters. One PU consists of 10 strips, totally 200 characters.

Creator: Fleximark/LR	Document: DB83251402EN FLEXIMARK Stainless steel Character strips holders Version: 02	Page 1 of 7
-----------------------	---------------------------------------------------------------------------------------------	-------------

	<b>DATA SHEET</b>	
Valid from: 12-12-2018	<b>FLEXIMARK® Stainless Steel Character Strips &amp; Holders</b>	

**Mounting:**

FLEXIMARK® Stainless steel NM-holders are mounted together with FLEXIMARK® Stainless steel characters. Together with FLEXIMARK® Stainless steel cable ties and FLEXIMARK® Cable tie plier HT-338 they are mounted on the cable or pipe. (All articles available in our assortment)

Mounting FLEXIMARK® Stainless steel M- holder are used for component marking and mounted together with screws.

**Other product data:**

ETIM Classification:

EC001288

**Advantages:**

Durable marking for aggressive environment.

Easy and fast mounting together with FLEXIMARK® Stainless steel cable ties and FLEIXMARK® Cable tie plier.

High quality stainless steel material (SS2348, AISI-316L).

Chemical resistance.

Cable marking for indoor and outdoor marking.


Aggressive and demanding environment.

Delivered embossed, ready to mount on site.


Convex characters makes it easy to reach even when painted.

Break markings on FLEXIMARK® Character strips makes the mounting in FLEXIMARK® Stainless steel holders easy.

Creator: Fleximark/LR	Document: DB83251402EN FLEXIMARK Stainless steel Character strips holders Version: 02	Page 2 of 7
-----------------------	---------------------------------------------------------------------------------------------	-------------

	<b>DATA SHEET</b>	
Valid from: 12-12-2018	<b>FLEXIMARK® Stainless Steel Character Strips &amp; Holders</b>	

**Product data FLEXIMARK® Stainless steel character strips:**

FLEXIMARK® Stainless steel character strips					
Width 6,0 mm					
					
E-nr.	LAPP Part no.	Article designation	Character	Content (pcs/unit)	PU
2972000	83254150	Character strip MR10-20 A	A	200	1
2972001	83254151	Character strip MR10-20 B	B	200	1
2972002	83254152	Character strip MR10-20 C	C	200	1
2972003	83254153	Character strip MR10-20 D	D	200	1
2972004	83254154	Character strip MR10-20 E	E	200	1
2972005	83254155	Character strip MR10-20 F	F	200	1
2972006	83254156	Character strip MR10-20 G	G	200	1
2972007	83254157	Character strip MR10-20 H	H	200	1
2972008	83254158	Character strip MR10-20 I	I	200	1
2972009	83254159	Character strip MR10-20 J	J	200	1
2972010	83254160	Character strip MR10-20 K	K	200	1
2972011	83254161	Character strip MR10-20 L	L	200	1
2972012	83254162	Character strip MR10-20 M	M	200	1
2972013	83254163	Character strip MR10-20 N	N	200	1
2972014	83254164	Character strip MR10-20 O	O	200	1
2972015	83254165	Character strip MR10-20 P	P	200	1
2972016	83254166	Character strip MR10-20 Q	Q	200	1
2972017	83254167	Character strip MR10-20 R	R	200	1
2972018	83254168	Character strip MR10-20 S	S	200	1
2972019	83254169	Character strip MR10-20 T	T	200	1
2972020	83254170	Character strip MR10-20 U	U	200	1
2972021	83254171	Character strip MR10-20 V	V	200	1
2972214	83254172	Character strip MR10-20 W	W	200	1
2972023	83254173	Character strip MR10-20 X	X	200	1
2972024	83254174	Character strip MR10-20 Y	Y	200	1
2972025	83254175	Character strip MR10-20 Z	Z	200	1
2972215	83254176	Character strip MR10-20 Ä	Ä	200	1
2972216	83254177	Character strip MR10-20 Å	Å	200	1
2972217	83254178	Character strip MR10-20 Ö	Ö	200	1

Creator: Fleximark/LR	Document: DB83251402EN FLEXIMARK Stainless steel Character strips holders Version: 02	Page 3 of 7
-----------------------	------------------------------------------------------------------------------------------	-------------

# DATA SHEET




Valid from:  
12-12-2018

**FLEXIMARK® Stainless Steel Character Strips & Holders**

## FLEXIMARK® Stainless steel character strips


Width 6,0 mm



E-nr.	LAPP Part no.	Article designation	Character	Content (pcs/unit)	PU
2972026	83254179	Character strip MR10-20 1	1	200	1
2972027	83254180	Character strip MR10-20 2	2	200	1
2972028	83254181	Character strip MR10-20 3	3	200	1
2972029	83254182	Character strip MR10-20 4	4	200	1
2972030	83254183	Character strip MR10-20 5	5	200	1
2972031	83254184	Character strip MR10-20 6	6	200	1
2972032	83254185	Character strip MR10-20 7	7	200	1
2972033	83254186	Character strip MR10-20 8	8	200	1
2972039	83254187	Character strip MR10-20 9	9	200	1
2972218	83254201	Character strip MR10-20 Ü	Ü	200	1
2972035	83254191	Character strip MR10-20 -	-	200	1
2972036	83254192	Character strip MR10-20 +	+	200	1
2972219	83254193	Character strip MR10-20 =	=	200	1
2972037	83254194	Character strip MR10-20 /	/	200	1
2972038	83254195	Character strip MR10-20 .	.	200	1
2972220	83254196	Character strip MR10-20 ,	,	200	1
2972221	83254197	Character strip MR10-20 x	x	200	1
2972222	83254198	Character strip MR10-20 ~	~	200	1
2972223	83254199	Character strip MR10-20 :	:	200	1
2972034	83254188	Character strip MR10-20 Ø	Ø	200	1
2972224	83254200	Character strip MR10-20 EARTH	Earth	200	1
2972225	83254202	Character strip MR10-20 (	(	200	1
2972226	83254225	Character strip MR10-20 Arrow	Arrow	200	1
2972227	83254189	Character strip MR10-20 BLANK	Blank	200	1
2972228	83254280	Character strip MR10-20 _	_	200	1
2972229	83254190	Character strip MR10-20 Æ	Æ	200	1
2972230	83254230	Character strip MR10-20 a-e	a-e	200	1

## FLEXIMARK® Stainless steel character strips multipack

Width 6,0 mm



E-nr.	LAPP Part no.	Article designation	Character	Content (pcs/unit)	PU
2972231	83254122	Character strip MR SET 0-9	0-9	200 of each character	1
2972232	83254120	Character strip MR SET A-Z	A-Z	200 of each character	1
2972233	83254121	Character strip MR SET A-Ö	A-Ö	200 of each character	1

# DATA SHEET




Valid from:  
12-12-2018


**FLEXIMARK® Stainless Steel Character Strips & Holders**

**FLEXIMARK® Stainless steel character strips  
with Russian characters**

Width 6,0 mm



Artikel nr.	LAPP Part no.	Article designation	Character	Content (pcs/unit)	PU
83254150	83254150	Character strip MR10-20 A	A	200	1
83255100	83255100	Character strip MR10-20 Б	Б	200	1
83254151	83254151	Character strip MR10-20 B	B	200	1
83255101	83255101	Character strip MR10-20 Г	Г	200	1
83255102	83255102	Character strip MR10-20 Д	Д	200	1
83254154	83254154	Character strip MR10-20 E	E	200	1
83255103	83255103	Character strip MR10-20 Ж	Ж	200	1
83254181	83254181	Character strip MR10-20 З	З	200	1
83255104	83255104	Character strip MR10-20 И	И	200	1
83255105	83255105	Character strip MR10-20 Й	Й	200	1
83254160	83254160	Character strip MR10-20 К	К	200	1
83255106	83255106	Character strip MR10-20 Л	Л	200	1
83254162	83254162	Character strip MR10-20 М	М	200	1
83254157	83254157	Character strip MR10-20 Н	Н	200	1
83254164	83254164	Character strip MR10-20 O	O	200	1
83255107	83255107	Character strip MR10-20 П	П	200	1
83254165	83254165	Character strip MR10-20 P	P	200	1
83254152	83254152	Character strip MR10-20 C	C	200	1
83254169	83254169	Character strip MR10-20 T	T	200	1
83255108	83255108	Character strip MR10-20 У	У	200	1
83255109	83255109	Character strip MR10-20 Ф	Ф	200	1
83254173	83254173	Character strip MR10-20 X	X	200	1
83255110	83255110	Character strip MR10-20 Ц	Ц	200	1
83255111	83255111	Character strip MR10-20 Ч	Ч	200	1
83255112	83255112	Character strip MR10-20 Ш	Ш	200	1
83255113	83255113	Character strip MR10-20 Щ	Щ	200	1
83255114	83255114	Character strip MR10-20 Ъ	Ъ	200	1
83255115	83255115	Character strip MR10-20 Ь	Ь	200	1
83255116	83255116	Character strip MR10-20 Э	Э	200	1
83255117	83255117	Character strip MR10-20 Ю	Ю	200	1
83255118	83255118	Character strip MR10-20 Я	Я	200	1
83255119	83255119	Character strip MR10-20 0	0	200	1


	<b>DATA SHEET</b>	
Valid from: 12-12-2018	<b>FLEXIMARK® Stainless Steel Character Strips &amp; Holders</b>	

**Product data FLEXIMARK® Stainless steel character holders:**

<b>FLEXIMARK® Stainless steel character NM-holders</b>							
E-nr.	LAPP Part no.	Article designation	Holder	Amount of characters with cable tie mounting	Amount of characters with screw mounting	Content (pcs/unit)	PU
2972239	83254214	Stainless holder PR10 NM4	NM 4	6	2	50	1
2972051	83254213	Stainless holder PR10 NM5	NM 5	8	4	50	1
2972053	83254212	Stainless holder PR10 NM7	NM 7	12	8	50	1
2972050	83254211	Stainless holder PR10 NM9	NM 9	16	12	50	1
2972240	83254215	Stainless holder PR10 NM11	NM 11	26	22	50	1
2972241	83254210	Stainless holder PR10 NM24	NM 24	46	42	50	1


<b>FLEXIMARK® Stainless steel character NM-holders sizes</b>			
Part no.	Holder	Size area A	Size area B

83254214	NM 4	48,8	16,4
83254213	NM 5	60,4	28,3
83254212	NM 7	83,1	50,7
83254211	NM 9	109	76,8
83254215	NM 11	176	143
83254210	NM 24	286	253,8



<b>FLEXIMARK® Stainless steel character M-holders</b>						
E-nr	LAPP Part no.	Article designation	Holder	Amount of characters with cable tie mounting	Content (pcs/unit)	PU
2972234	83254105	Stainless holder PR10 NM4	NM 4	5	50	1
2972235	83254104	Stainless holder PR10 NM5	NM 5	7	50	1
2972236	83254103	Stainless holder PR10 NM7	NM 7	11	50	1
2972237	83254102	Stainless holder PR10 NM9	NM 9	15	50	1
2972238	83254101	Stainless holder PR10 NM24	NM 24	42	50	1

Creator: Fleximark/LR	Document: DB83251402EN FLEXIMARK Stainless steel Character strips holders Version: 02	Page 6 of 7
-----------------------	------------------------------------------------------------------------------------------	-------------

	<b>DATA SHEET</b>	
Valid from: 12-12-2018	<b>FLEXIMARK® Stainless Steel Character Strips &amp; Holders</b>	

**Related products:**

FLEXIMARK® Stainless steel cable ties LS and FLEXIMARK® Stainless steel cable ties LSC with polyester coating are available in different lengths. The material has the same good quality as the FLEXIMARK® Stainless steel marking (SS2348, AISI-316L).



For easier and more efficient mounting we recommend the FLEXIMARK® Cable tie plier HT-338. This tool automatically tightens and cuts stainless steel ties, coated and uncoated. It can handle cable ties in widths up to 7,9mm and thickness up to 0,3mm.



FLEXIMARK® Stainless steel marking kit with, or without, steel tie gun HT-338.



**Note:**

Pictures are not to scale and do not represent detailed images of each product.

Creator: Fleximark/LR	Document: DB83251402EN FLEXIMARK Stainless steel Character strips holders Version: 02	Page 7 of 7
-----------------------	------------------------------------------------------------------------------------------	-------------