83252051	DATA SHEET	
Valid from: 19.12.2023	FLEXIMARK® Mounting carrier MLM	•



For component identification, control cabinets and vented cable ducts. Easy and flexible to mount. Slim design.

Mounted on vented cable ducts with FLEXIMARK® Fixing clips MLMH.



Technical data:

Material Mounting carrier MLM: Material Fixing Clips MMH: Colours:

Temperature range:

ABS PA6.6 Grey

-20°C to +65°C

Advantages:

FLEXIMARK® Mounting carrier MLM is mounted simple in vented cable ducts by using the FLEXIMARK® Fixing clips MLMH.


Creator: Fleximark/LR Document: DB83252051EN FLEXIMARK® Mounting carrier MLM.docx FLEXIMARK® Mounting carrier MLM Version: 00	Page 1 of 2
--	-------------

83252051	DATA SHEET	
Valid from:	FLEXIMARK® Mounting carrier MLM	•



Product data:

Part no.	Article designation	Colour	Length (mm)	Picture	Quantity/PU
83252051	Mounting carrier MLM 10-1000	Grey	1000	1	10
83252053	Fixing clips MLMH	Grey	-	3	10
83250043	Plastic cover MLM/PGS TR	Transparent	1000	2	10



Related products:

Used with FLEXIMARK® Flexilabel and DYMO marking tape or similar.

Foot note:

Creator: Fleximark/LR	Document: DB83252051EN FLEXIMARK® Mounting carrier MLM.docx FLEXIMARK® Mounting carrier MLM Version: 00	Page 2 of 3
-----------------------	---	-------------

83252051	DATA SHEET	⊕ FLEXIMARK
Valid from: 19.12.2023	FLEXIMARK® Mounting carrier MLM	⊕ FLEXIMAKK

Photographs are not to scale and do not represent detailed images of the respective products.