




DATA SHEET	83259598
FLEXIMARK® Thermoprint EOS 4	Valid from: 2013-04-28

FLEXIMARK® Thermoprint EOS 4
“The small brother of FLEXIMARK® a4+m“



General description:

- Perfect for industrial marking: The thermal transfer printing increased the smudge and scratch resistance of the printed surface and provides increased resistance to oils and chemicals as well
- Compact for a small workspace
- Combines all functions of a solid industrial printer with highest ease of operation

Product features:

- Excellent print quality for a fair price
- No adjustments of the print head for different widths of material
- Printing on very narrow and very thick continuous material
- Operating manual: stand-alone operation, PC application or network

Technical data:

Print head:

Printing method:	Thermal transfer- or Thermal direct print
Print speed:	Up to 125 mm/s
Print width:	10,7 mm
Print resolution:	300 dpi

Material:

Material thickness:	0,055-0,7 mm
Label width:	10-116 mm
Label length:	Up to 1.000 mm
Max. roll- core diameter:	Up to 76 mm

Elaborated by: PSM: S. Scheiter	Document: DB_83259598_DE	Page 1 von 3
------------------------------------	--------------------------	--------------



DATA SHEET	83259598
FLEXIMARK® Thermoprint EOS 4	Valid from: 2013-04-28

Max. roll outer diameter	Up to 203,2 mm
--------------------------	----------------

Ribbon:

Roll diameter:	Up to 72 mm
Core diameter:	Up to 25,4 mm
Lauflänge	Up to 360 m

Dimensions of the printer:

Width:	253 mm
Height:	189 mm
Depth:	322 mm

Electronics:

Processor:	400 bit
RAM:	64 MB
Memory IFFS Flash	16 MB

Interfaces:

USB 2.0
Ethernet
Optional: RS 232 C, Cetronics, WLAN USB flash drive, Nano Bluetooth USB master

Environmental conditions:

Operation	5-40°C, 10-85 % humidity, non-condensing
Storage	0-60°C, 20-80 % humidity, non-condensing

Safety regulations:

FCC class A
CE
CB
UL
CCC

Accessories (optional):

External rewinder
USB Memory flash drive
Standard-keyboard
R RS232C interface
WLAN USB flash drive 54 Mbps
Nano Bluetooth USB master V2.1



DATA SHEET	83259598
FLEXIMARK® Thermoprint EOS 4	Valid from: 2013-04-28

Scope of delivery:

FLEXIMARK® EOS 4- printer
FLEXIMARK® Software 10.0
Ribbon black 102x110mm (article no. 83259809)

Following articles are specified:

83259598	FLEXIMARK® Thermoprint EOS4/300
83259584	FLEXIMARK® Cutter EOS4/300

Elaborated by: PSM: S. Scheiter	Document: DB_83259598_DE	Page 3 von 3
------------------------------------	--------------------------	--------------