

Type de certification				
Produit	Page	Gost R	Protection incendie	EAC R
ÖLFLEX® CLASSIC 100	24	✓	✓	
ÖLFLEX® CLASSIC 100 Yellow	26	✓	✓	
ÖLFLEX® CLASSIC 100 CY	27	✓	✓	
ÖLFLEX® CLASSIC 100 SY	28	✓	✓	
ÖLFLEX® CLASSIC 100 BK 0,6/1 kV	29	✓	✓	
ÖLFLEX® SMART 108	30	✓	✓	
ÖLFLEX® CLASSIC 110	31	✓	✓	
ÖLFLEX® CLASSIC 110 COLD	34	✓	✓	
ÖLFLEX® CLASSIC 110 Orange	35	✓	✓	
ÖLFLEX® CLASSIC 110 CY	36	✓	✓	
ÖLFLEX® CLASSIC 110 SY	37	✓	✓	
ÖLFLEX® CLASSIC 110 Black	38	✓	✓	
ÖLFLEX® CLASSIC 110 CY Black	39	✓	✓	
ÖLFLEX® CLASSIC 115 CY	40	✓	✓	
ÖLFLEX® EB	42	✓	✓	
ÖLFLEX® EB CY	43	✓	✓	
ÖLFLEX® 140	44	✓	✓	
ÖLFLEX® 140 CY	45	✓	✓	
ÖLFLEX® 150	46	✓	✓	
ÖLFLEX® 150 CY	47	✓	✓	
ÖLFLEX® 191	48	✓	✓	
ÖLFLEX® 191 CY	49	✓	✓	
ÖLFLEX® CONTROL TM	50	✓	✓	
ÖLFLEX® CONTROL TM CY	51	✓	✓	
ÖLFLEX® Tray II	52	✓	✓	
ÖLFLEX® Tray II CY	53	✓	✓	
ÖLFLEX® SF	54	✓	✓	
ÖLFLEX® CLASSIC 100 H	55	✓	✓	
ÖLFLEX® CLASSIC 110 H	56	✓	✓	
ÖLFLEX® CLASSIC 110 CH	57	✓	✓	
ÖLFLEX® 120 H	58	✓	✓	
ÖLFLEX® 120 CH	59	✓	✓	
ÖLFLEX® CLASSIC 130 H	60	✓	✓	
ÖLFLEX® CLASSIC 135 CH	61	✓	✓	
ÖLFLEX® CLASSIC 130 H BK 0,6/1 kV	63	✓	✓	
ÖLFLEX® CLASSIC 135 CH BK 0,6/1 kV	64	✓	✓	
ÖLFLEX® PETRO C HFFR	65	✓	✓	
ÖLFLEX® ROBUST 200	66	✓		
ÖLFLEX® ROBUST 210	67	✓		
ÖLFLEX® ROBUST 215 C	68	✓		
ÖLFLEX® CLASSIC 400 P	69	✓		
ÖLFLEX® CLASSIC 400 CP	70	✓		
ÖLFLEX® CLASSIC 415 CP	71	✓		
ÖLFLEX® 440 P	72	✓	✓	
ÖLFLEX® 440 CP	73	✓	✓	
ÖLFLEX® 491 P	74	✓	✓	
ÖLFLEX® 450 P	75	✓	✓	
ÖLFLEX® 500 P	76	✓	✓	
ÖLFLEX® 540 P	77	✓	✓	
ÖLFLEX® 540 CP	78	✓	✓	
ÖLFLEX® 550 P	79	✓	✓	
H05RR-F	80	✓		
H05RN-F	81	✓	✓	
H07RN-F	82	✓	✓	
H07ZZ-F	85	✓	✓	
H01N2-D	86	✓	✓	
NSSHÖU	87	✓	✓	
NSGAFÖU 1,8/3 kV	88	✓	✓	

Type de certification				
Produit	Page	Gost R	Protection incendie	EAC R
NSHXAFÖ 1,8/3 kV	89	✓	✓	
H07RN8-F	90	✓	✓	
ÖLFLEX® SERVO 700	91	✓	✓	
ÖLFLEX® SERVO 700 CY	92	✓	✓	
ÖLFLEX® SERVO 720 CY	93	✓	✓	
ÖLFLEX® SERVO 2YSLCY-JB	94	✓	✓	
ÖLFLEX® SERVO 2YSLCYK-JB	94	✓	✓	
ÖLFLEX® SERVO 709 CY	95	✓	✓	
ÖLFLEX® SERVO 9YSLCY-JB	96	✓	✓	
ÖLFLEX® SERVO 9YSLCY-JB BK	96	✓	✓	
SERVO LK SMS 6FX 5 (standard SIEMENS®)	97	✓	✓	
SERVO LK SEWX STATIC (standard SEW®)	98	✓	✓	
ÖLFLEX® SERVO FD 781 CY	99	✓	✓	
ÖLFLEX® SERVO FD 796 CP	101	✓	✓	
SERVO LK SMS 6FX 8PLUS (standard SIEMENS®)	103	✓	✓	
SERVO LK INX (standard INDRAMAT®)	104	✓	✓	
SERVO LK LZM (standard LENZE®)	105	✓	✓	
SERVO LK LZM-FD (standard LENZE®)	105	✓	✓	
SERVO LK LZR (standard LENZE®)	105	✓	✓	
SERVO LK LZR-FD (standard LENZE®)	105	✓	✓	
SERVO LK LZE (standard LENZE®)	105	✓	✓	
SERVO LK LZE-FD (standard LENZE®)	105	✓	✓	
SERVO LK HDH (standard HEIDENHAIN®)	106	✓	✓	
SERVO LK ELX (standard ELAU®)	106	✓	✓	
SERVO LK KEB (standard KEB®)	106	✓	✓	
SERVO LK BLX (standard BERGER LAHR)	106	✓	✓	
SERVO LK BRX (standard B&R)	106	✓	✓	
SERVO LK FNC (standard FANUC®)	106	✓	✓	
ÖLFLEX® FD CLASSIC 810	118	✓	✓	
ÖLFLEX® FD CLASSIC 810 CP	119	✓	✓	
ÖLFLEX® CHAIN 808 P	116	✓		
ÖLFLEX® CHAIN 808 CP	117	✓		
ÖLFLEX® FD CLASSIC 810 P	118	✓	✓	
ÖLFLEX® FD CLASSIC 810 CP	119	✓	✓	
ÖLFLEX® FD 855 P	120	✓	✓	
ÖLFLEX® FD 855 CP	121	✓	✓	
ÖLFLEX® PETRO FD 865 CP	122	✓	✓	
ÖLFLEX® FD ROBUST	123	✓		
ÖLFLEX® FD ROBUST C	124	✓		
ÖLFLEX® FD 90	111	✓	✓	
ÖLFLEX® FD 90 CY	109	✓	✓	
ÖLFLEX® CHAIN 809	112	✓	✓	
ÖLFLEX® CHAIN 809 CY	113	✓	✓	
ÖLFLEX® FD 891	114	✓	✓	
ÖLFLEX® FD 891 CY	115	✓	✓	
ÖLFLEX® FD 891 P	125	✓	✓	
ÖLFLEX® ROBOT 900 P	127	✓	✓	
ÖLFLEX® ROBOT 900 DP	128	✓	✓	
ÖLFLEX® ROBOT F1 + ROBOT F1 C	129/130	✓	✓	
LIFY	131	✓	✓	
X00V3-D	134	✓	✓	
ESUY	133	✓	✓	
ÖLFLEX® SOLAR XLR-R	138	✓	✓	
ÖLFLEX® SOLAR XLS-R	139	✓	✓	
ÖLFLEX® SOLAR XLSv	140	✓	✓	
ÖLFLEX® SOLAR XLS-R T	142	✓	✓	
ÖLFLEX® SOLAR V4A	143	✓	✓	
ÖLFLEX® TORSION	144	✓	✓	

Le tableau présente les certifications disponibles au moment de l'impression du catalogue. Veuillez nous contacter pour connaître les certifications actuelles de nos produits.

T26

Tableaux techniques

T26 : Produits certifiés pour la Russie

Type de certification				
Produit	Page	Gost R	Protection incendie	EAC R
ÖLFLEX® TORSION FRNC	145	✓	✓	
ÖLFLEX® TORSION D FRNC	145	✓	✓	
ÖLFLEX® CRANE NSHTÖU	152	✓	✓	
ÖLFLEX® CRANE VS (N)SHTÖU	153	✓	✓	
ÖLFLEX® CRANE PUR	154	✓	✓	
ÖLFLEX® CRANE	155	✓	✓	
ÖLFLEX® CRANE 2S	156	✓	✓	
ÖLFLEX® LIFT	157	✓	✓	
ÖLFLEX® LIFT T	158	✓	✓	
ÖLFLEX® LIFT S	159	✓	✓	
ÖLFLEX® CRANE CF	161	✓	✓	
ÖLFLEX® LIFT F	162	✓	✓	
ÖLFLEX® HEAT 105 MC	163	✓	✓	
ÖLFLEX® HEAT 145 MC	164	✓	✓	
ÖLFLEX® HEAT 145 C MC	165	✓	✓	
ÖLFLEX® HEAT 180 SiHF	166	✓	✓	
ÖLFLEX® HEAT 180 H05SS-F EWKF	167	✓	✓	
ÖLFLEX® HEAT 180 MS	168	✓	✓	
ÖLFLEX® HEAT 180 C MS	169	✓	✓	
ÖLFLEX® HEAT 180 EWKF	170	✓	✓	
ÖLFLEX® HEAT 180 EWKF C	171	✓	✓	
ÖLFLEX® HEAT 180 GLS	172	✓	✓	
ÖLFLEX® HEAT 205 MC	173	✓	✓	
ÖLFLEX® HEAT 205 PTFE/FEP	173	✓	✓	
ÖLFLEX® HEAT 260 MC	174	✓	✓	
ÖLFLEX® HEAT 260 C MC	175	✓	✓	
ÖLFLEX® HEAT 260 GLS	176	✓	✓	
ÖLFLEX® HEAT 350 MC	177	✓	✓	
ÖLFLEX® HEAT 1565 MC	178	✓	✓	
ÖLFLEX® HEAT 180 SiF	180	✓	✓	
ÖLFLEX® HEAT 180 SiD	181	✓	✓	
ÖLFLEX® HEAT 180 SiF/GL	182	✓	✓	
ÖLFLEX® HEAT 180 SiZ	182	✓	✓	
ÖLFLEX® HEAT 180 FZLSi	182	✓	✓	
ÖLFLEX® HEAT 205 SC	183	✓	✓	
ÖLFLEX® HEAT 260 SC	184	✓	✓	
ÖLFLEX® HEAT 350 SC	185	✓	✓	
ÖLFLEX® HEAT 1565 SC	186	✓	✓	
LiY	187	✓	✓	
ÖLFLEX® CRANE F	160	✓	✓	
H05V-K	191	✓	✓	
X05V-K	189	✓	✓	
H07V-K	193	✓	✓	
X07V-K	194	✓	✓	
S07V-K		✓	✓	
Multinorme SC 1	197	✓	✓	
Multinorme SC 2.1	198	✓	✓	
Multinorme SC 2.2	201	✓	✓	
H05Z-K (90°)	203	✓	✓	
H07Z-K (90°)	204	✓	✓	
LiYCY	206	✓	✓	
Li2YCY	206	✓	✓	
ÖLFLEX® STATIC CY BLACK	207	✓	✓	
NYM-J	209	✓	✓	
NHXMH	210	✓	✓	
NY-Y	211	✓	✓	
NY-Y-O	211	✓	✓	
NYCY	213	✓	✓	

Type de certification				
Produit	Page	Gost R	Protection incendie	EAC R
NYCWY	214	✓	✓	
SERVO KON. LK 6FX5002 (standard SIEMENS®)	216	✓	✓	
SERVO KON. LK 6FX8002 (standard SIEMENS®)	217	✓	✓	
SERVO KON. LK IKG (standard INDRAMAT®)	218	✓	✓	
SERVO KON. RKL (standard INDRAMAT®)	218	✓	✓	
SERVO KON. LK IKS (standard INDRAMAT®)	219	✓	✓	
SERVO KON. RKG (standard INDRAMAT®)	219	✓	✓	
SERVO KON. EYL (standard LENZE®)	220	✓	✓	
SERVO KON. EYP (standard LENZE®)	220	✓	✓	
SERVO KON. EYF (standard LENZE®)	220	✓	✓	
SERVO KON. LK-EWLM (standard LENZE®)	220	✓	✓	
SERVO KON. LK-EWLR (standard LENZE®)	220	✓	✓	
SERVO KON. LK-EWLL (standard LENZE®)	220	✓	✓	
SERVO KON. LK-EWLE (standard LENZE®)	220	✓	✓	
ÖLFLEX® SPIRAL 400 P	222	✓	✓	
SPIRAL H07BQ-F BLACK	224	✓	✓	
ÖLFLEX® SPIRAL 540 P	225	✓	✓	
UNITRONIC® SPIRAL	227		✓	
ÖLFLEX® PLUG H05VV-F	229		✓	
ÖLFLEX® PLUG 540 P	230		✓	
ÖLFLEX® PLUG CEE	233		✓	
SIM. S7-300 (SIMATIC®)		✓	✓	
SIM. S7-400 (SIMATIC®)		✓	✓	
UNITRONIC® 100	244		✓	
UNITRONIC® 100 CY	244		✓	
UNITRONIC® LiYY	246		✓	
UNITRONIC® LiYCY	248		✓	
UNITRONIC® LiYY (TP)	250		✓	
UNITRONIC® LiYCY (TP)	251		✓	
UNITRONIC® EB CY (TP)	252		✓	
UNITRONIC® LiYCY- CY	253		✓	
UNITRONIC® LiFYCY (TP)	254		✓	
UNITRONIC® CY PiDY (TP)	255		✓	
UNITRONIC® ST	256		✓	
UNITRONIC® PUR CP	258		✓	
UNITRONIC® PUR CP (TP)	259		✓	
UNITRONIC® LiYD 11Y	257		✓	
UNITRONIC® LiHH	263		✓	
UNITRONIC® LiHCH	264		✓	
UNITRONIC® LiHCH (TP)	265		✓	
UNITRONIC® LiYY A	266		✓	
UNITRONIC® LiYCY A	267		✓	
UNITRONIC® LiYCY (TP) A	268		✓	
UNITRONIC® 300	269		✓	
UNITRONIC® 300 CY	269		✓	
UNITRONIC® FD	270		✓	
UNITRONIC® FD CY	271		✓	
UNITRONIC® FD P plus	272		✓	
UNITRONIC® FD CP plus	273		✓	
UNITRONIC® FD CP (TP) plus	274		✓	
UNITRONIC® Li2YCY (TP)	260		✓	
UNITRONIC® Li2YCYv (TP)	260		✓	
UNITRONIC® Li2YCY PiMF	262		✓	
RE-2Y(ST)Yv	276		✓	
RE-2Y(ST)Yv PiMF	277		✓	
RD-Y(ST)Y	278		✓	
JE-Y(ST)Y...BD	279		✓	
JE-LiYCY...BD	280		✓	

Le tableau présente les certifications disponibles au moment de l'impression du catalogue. Veuillez nous contacter pour connaître les certifications actuelles de nos produits.

Type de certification		PCF	EN	EAC
Produit	Page	Gost R	Protection incendie	EAC R
J-Y(ST)Y...LG	281		✓	
J-H(ST)H...BD	284		✓	
J-2Y(ST)Y...ST III BD	283		✓	
UNITRONIC® BUS ASI (PVC) A	286		✓	
UNITRONIC® BUS ASI FD	287		✓	
UNITRONIC® BUS ASI FD (TPE) A	287		✓	
UNITRONIC® BUS ASI FD P FRNC	287		✓	
UNITRONIC® BUS PB	288		✓	
UNITRONIC® BUS PB A	288		✓	
UNITRONIC® BUS PB 7-W A	288		✓	
UNITRONIC® BUS PB H 7-W	288		✓	
UNITRONIC® BUS PB FC	288		✓	
UNITRONIC® BUS PB 7-W FC	288		✓	
UNITRONIC® BUS PB-H FC	288		✓	
UNITRONIC® BUS PB P FC	288		✓	
UNITRONIC® BUS PB TORSION	300		✓	
UNITRONIC® BUS PB 105	290		✓	
UNITRONIC® BUS PB ROBUST	289		✓	
UNITRONIC® BUS PB FRNC FC	291		✓	
UNITRONIC® BUS PB ARM	292		✓	
UNITRONIC® BUS PB Yv	292		✓	
UNITRONIC® BUS PB YY	293		✓	
UNITRONIC® BUS PB Y 7-W FC BK	294		✓	
UNITRONIC® BUS PB FD P	295		✓	
UNITRONIC® BUS PB FD P A	296		✓	
UNITRONIC® BUS PB FD P FC	297		✓	
UNITRONIC® BUS PB FD FRNC FC	298		✓	
UNITRONIC® BUS PB FD P COMBI	299		✓	
UNITRONIC® BUS PB FD P HYBRID	299		✓	
UNITRONIC® BUS PB FD Y HYBRID	300		✓	
UNITRO NIC® BUS PB FESTOON	301		✓	
UNITRONIC® BUS LD	310		✓	
UNITRONIC® BUS LD FD P	311		✓	
UNITRONIC® BUS LD FD P A	311		✓	
UNITRONIC® BUS PA	312		✓	
UNITRONIC® BUS PA FC	312		✓	
UNITRONIC® BUS PA (BK)	312		✓	
UNITRONIC® BUS PA FC (BK)	312		✓	
UNITRONIC® BUS DN THICK FRNC	313		✓	
UNITRONIC® BUS DN THIN FRNC	313		✓	
UNITRONIC® BUS DN THICK Y	313		✓	
UNITRONIC® BUS DN THIN Y	313		✓	
UNITRONIC® BUS DN THICK FD P	314		✓	
UNITRONIC® BUS DN THIN FD P	314		✓	
UNITRONIC® BUS DN THICK FD Y	314		✓	
UNITRONIC® BUS DN THIN FD Y	314		✓	
UNITRONIC® BUS CAN	315		✓	
UNITRONIC® BUS CAN FD P	315		✓	
UNITRONIC® BUS FF 2	320		✓	
UNITRONIC® BUS FF 3	320		✓	
UNITRONIC® BUS FF 3 ARM	320		✓	
UNITRONIC® BUS CC	321		✓	
UNITRONIC® BUS CC FD P FRNC	321		✓	
UNITRONIC® BUS SAFETY	322		✓	
UNITRONIC® BUS SAFETY FC			✓	
UNITRONIC® BUS SAFETY FD P	322		✓	
UNITRONIC® BUS IBS	323		✓	
UNITRONIC® BUS IBS P COMBI	323		✓	

Type de certification		PCF	EN	EAC
Produit	Page	Gost R	Protection incendie	EAC R
UNITRONIC® BUS IBS A	323		✓	
UNITRONIC® BUS IBS Yv	325		✓	
UNITRONIC® BUS IBS Yv COMBI	325		✓	
UNITRONIC® BUS IBS FD P	324		✓	
UNITRONIC® BUS IBS FD P COMBI	324		✓	
UNITRONIC® BUS IBS FD P COMBI A	324		✓	
UNITRONIC® BUS EIB	326		✓	
UNITRONIC® BUS EIB COMBI	326		✓	
UNITRONIC® BUS EIB-H	326		✓	
UNITRONIC® SENSOR	361		✓	
UNITRONIC® SENSOR FD	361		✓	
Coaxial RG	385		✓	
ETHERLINE® H CAT. 5e	390		✓	
ETHERLINE® P CAT. 5e	390		✓	
ETHERLINE® H Flex CAT. 5e	391		✓	
ETHERLINE® P Flex CAT. 5e	391		✓	
ETHERLINE® H-H CAT. 5e			✓	
ETHERLINE® Cat. 5 FRNC HYBRID	390		✓	
ETHERLINE® FD P FC CAT. 5			✓	
ETHERLINE® PN Cat. 5e Y	399		✓	
ETHERLINE® PN Cat. 5e YY	397		✓	
ETHERLINE® Y FC CAT. 5			✓	
ETHERLINE® PN CAT. 5 Y FLEX FC	397		✓	
ETHERLINE® Y CAT. 5e BK	400		✓	
ETHERLINE® TORSION CAT. 5	401		✓	
ETHERLINE® Cat. 6 _A P	405		✓	
ETHERLINE® Cat. 7 P	405		✓	
ETHERLINE® FD P CAT. 6	407		✓	
ETHERLINE® CAT. 6 _A H	405		✓	
ETHERLINE® CAT. 7 H	405		✓	
ETHERLINE® CAT. 6 _A Y	405		✓	
ETHERLINE® CAT. 7 Y	405		✓	
UNITRONIC® LAN 200 U/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 U/UTP Cat. 5e LSZH	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e LSZH	426		✓	
UNITRONIC® LAN 250 U/UTP Cat. 6	427		✓	
UNITRONIC® LAN 250 U/UTP Cat. 6 LSZH	427		✓	
UNITRONIC® LAN 250 F/UTP Cat. 6 LSZH	427		✓	
UNITRONIC® LAN 500 S/FTP Cat. 6 _A	428		✓	
UNITRONIC® LAN 500 U/FTP Cat. 6 _A LSZH	428		✓	
UNITRONIC® LAN 500 F/FTP Cat. 6 _A LSZH	428		✓	
UNITRONIC® LAN 1000 S/FTP Cat. 7 LSZH	429		✓	
UNITRONIC® LAN 1000 S/FTP Cat. 7 duplex	429		✓	
UNITRONIC® LAN 1200 S/FTP Cat. 7 _A LSZH	430		✓	
UNITRONIC® LAN 1500 S/FTP Cat. 7 _A LSZH	431		✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e FLEX	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e FLEX	426		✓	
UNITRONIC® LAN 600 S/FTP Cat. 7 Y FLEX			✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e LSZH FLEX	433		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e LSZH FLEX	426		✓	

Le tableau présente les certifications disponibles au moment de l'impression du catalogue. Veuillez nous contacter pour connaître les certifications actuelles de nos produits.