


CABLE TROLLEYS

Range of options

Sheet 11-00 2012



6mm steel wire:

Trolleys for round cable
Cable load 3 kg
Cable load 6 kg

Trolleys for flat cable
Cable load 6 kg



C-rails:

Trolleys for round cable
C-30 rail, Cable load 20 kg
C-40 rail, Cable load 32 kg
Trolleys for tool suspension available for booth C-30 & C-40 rails

Trolleys for flat cable
C-30 rail, Cable load 20 kg
C-40 rail, Cable load 32 kg




I-Beam:

Trolleys for round cable
Cable load 10 kg
Cable load 20 kg


Trolleys for flat cable
Cable load 10 kg
Cable load 20 kg

CABLE TROLLEYS for C-rail 30x32 mm Round cable

Sheet 11-30 2012




1. Girder clips
2. Support arm
3. End clamp
4. Support bracket
5. End stop
6. C-rail
7. Cable clamp
8. Cable trolley
9. Track coupler
10. Towing arm
11. Towing trolley



Cable trolley with 4 wheels for round cable

Material: Galvanized steel body
Wheel with dustproof bearings
Polyamide ball joint


Cable load, kg: 20
Weight, kg: 0,26
Article No.: 62200434



Towing trolley

Material: Galvanized steel body
Wheel with dustproof bearings
Polyamide affixing plate


Cable load, kg: 20
Weight, kg: 0,57
Article No.: 62200435



End clamp

Material: Polyamide, Galvanized steel


Weight, kg: 0,09
Article No.: 62200436



Adjustable clamps for cable or hose


Material: Polyamide

	10-16	17-25	26-36
Diameter, mm:	10-16	17-25	26-36
Radius, mm:	80	125	160
Length, mm:	70	100	140
Weight, kg:	0,04	0,06	0,12
Article No.:	62200437	62200438	62200439




Curve made from rail
Material: Galvanized steel


Article No.	Radius, mm	Curvelength, mm	Max. trolley-distance, mm	Max. trolley-length, mm	Weight, kg
62200426	1000	1570	700	160	2,45




Track coupler
Material: Galvanized steel
Weight, kg: 0,28
Article No.: 62200423




Support bracket with vertical plate
Material: Galvanized steel
Weight, kg: 0,20
Article No.: 62200423




Support bracket with square nuts
Material: Galvanized steel
Weight, kg: 0,24
Article No.: 62200427




Support bracket for ceiling mounting
Material: Galvanized steel
Weight, kg: 0,16
Article No.: 62200428




Support bracket for wall mounting
Material: Galvanized steel
Weight, kg: 0,20
Article No.: 62200429




End stop
Material: Galvanized steel
Weight, kg: 0,13
Article No.: 62200425



Towing arm
Material: Galvanized steel
Länge, mm: 400 630
Weight, kg: 0,6 0,8
Article No.: 62200430 62200431



Girder clips (2 for each support arm)
Material: Galvanized steel
Weight, kg: 0,15
Article No.: 62200433




Support arm
Material: Galvanized steel
Länge, mm: 800
Weight, kg: 1,25
Article No.: 62200432

CABLE TROLLEY


Acid proof, Stainless steel
for C-rail, 30x32 mm.

Round cable

S 11-30S 2012



1. Girder clips
2. Support arm
3. End clamp
4. Support bracket
5. End stop
6. C-rail
7. Cable clamp
8. Cable trolley
9. Track coupler
10. Towing arm
11. Towing trolley




Cable trolley with 4 wheels for round cable

Material: Acid proof steel SS 2343 (body)
Stainless & dustproof bearings
polyamide (ball joint)

Cable load, kg: 20

Weight, kg: 0,26

Article No.: on request




Towing trolley

Material: Acid proof steel SS 2343 (body)
Stainless & dustproof bearings
polyamide (ball joint)
Acid proof steel A4 (nuts & bolts)

Cable load, kg: 20

Weight, kg: 0,57

Article No.: on request




Affixing plate for cable clamp

Material: Polyamide
Acid proof steel A4 (nuts & bolts)

Weight, kg: 0,09


Article No.: on request



Adjustable clamp for cable or hose


Material: Polyamide
Acid proof steel A4 (nuts & bolts)

	10 - 16	17-25	26-36
Diameter, mm:	10 - 16	17-25	26-36
Radius, mm:	80	125	160
Length, mm:	70	100	140
Weight, kg:	0,04	0,06	0,12
Article No.:	on request	on request	on request




C-rail

Material: Acid proof steel SS 2343
 Length, mm: 4000 6000
 Weight, kg: 6,2 9,3
 Article No.: on request on request




Track coupler

Material: Acid proof steel SS 2343
 Weight, kg: 0,28
 Article No.: on request




Support bracket with square nuts

Material: Acid proof steel SS 2343
 Weight, kg: 0,24
 Article No.: on request




Support bracket for ceiling mounting

Material: Acid proof steel SS 2343
 Weight, kg: 0,16
 Article No.: on request




Support bracket for wall mounting

Material: Acid proof steel SS 2343
 Weight, kg: 0,20
 Article No.: on request




End stop

Material: Acid proof steel SS 2343
 Weight, kg: 0,13
 Article No.: on request




Towing arm

Material: Acid proof steel SS 2343
 Length, mm: 400
 Weight, kg: 0,6
 Article No.: on request



Girder clips 2 for each support arm

Material: Acid proof steel SS 2343
 Weight, kg: 0,15
 Article No.: on request




Support arm


Material: Acid proof steel SS 2343
 Length, mm: 800
 Weight, kg: 1,25
 Article No.: on request

CABLE TROLLEYS for C-rail 30x32 mm Flat cable

Sheet 11-32 2012



1. Girder clips
2. Support arm
3. End clamp
4. Support bracket
5. End stop
6. C-rail
7. Cable clamp
8. Cable trolley
9. Track coupler
10. Towing arm
11. Towing trolley




Cable trolley with 4 wheels for flat cable

Material: Galvanized steel body
Wheel with dustproof bearings
Polyamide Cable clamp

Cable load, kg: 20

Weight, kg: 0,28

Article No.: 62200421




Towing trolley

Material: Galvanized steel body and towing box
Wheel with dustproof bearings
Polyamide Cable clamp

Cable load, kg: 20

Weight, kg: 0,6

Article No.: 62200420




End clamp

Material: Polyamide, Galvanized steel


Weight, kg: 0,2

Article No.: 62200422




Curve made from rail
Material: Galvanized steel

Article No.	Radius, mm	Curvelength, mm	Max. trolley-distance, mm	Max. trolley-length, mm	Weight, kg
62200426	1000	1570	700	160	2,45




Track coupler

Material: Galvanized steel
Weight, kg: 0,28
Article No.: 62200423




Support bracket with vertical plate

Material: Galvanized steel
Weight, kg: 0,20
Article No.: 62200423




Support bracket with square nuts

Material: Galvanized steel
Weight, kg: 0,24
Article No.: 62200427




Support bracket for ceiling mounting

Material: Galvanized steel
Weight, kg: 0,16
Article No.: 62200428




Support bracket for wall mounting

Material: Galvanized steel
Weight, kg: 0,20
Article No.: 62200429




End stop

Material: Galvanized steel
Weight, kg: 0,13
Article No.: 62200425




Towing arm

Material: Galvanized steel
Length, mm: 400 630
Weight, kg: 0,6 0,8
Article No.: 62200430 62200431



Girder clips (2 for each support arm)

Material: Galvanized steel
Weight, kg: 0,15
Article No.: 62200433



Support arm

Material: Galvanized steel
Länge, mm: 800
Weight, kg: 1,25
Article No.: 62200432


CABLE TROLLEYS

Acid proof, Stainless steel



for C-rail, 30x32 mm.

Flat cable

Sheet 11-32S 2012





1. Girder clips
2. Support arm
3. End clamp
4. Support bracket
5. End stop
6. Cable trolley
7. Track coupler
8. C-rail
9. Towing arm
10. Towing trolley



Cable trolley for flat cable

Material: Acid proof steel SS 2343 (body)
Stainless & dust-proof bearings
Polyamide (cable clamp)
Acid proof steel A4 (Nuts & bolts)



Cable load, kg:	20	20
Weight, kg:	0,28	0,36
L, mm:	80	125
S, mm:	15	35
Article No.:	on request	on request



Towing trolley for flat cable

Material: Acid proof steel SS 2343 (body)
Stainless & dust-proof bearings
Polyamide (cable clamp)
Acid proof steel A4 (Nuts & bolts)

Cable load, kg:	20
Weight, kg:	0,6
Article No.:	on request



End clamp for flat cable


Material: Acid proof steel SS 2343 (body)
Polyamide (cable clamp)
Acid proof steel A4 (Nuts & bolts)

Weight, kg:	0,2
Article No.:	on request



C-rail

Material: Acid proof steel SS2343
Length, mm: 4000 6000
Weight, kg: 6,2 9,3
Article No.: on request



Track coupler

Material: Acid proof steel SS2343
Weight, kg: 0,28
Article No.: on request




Support bracket with square nuts

Material: Acid proof steel SS2343
Weight, kg: 0,24
Article No.: on request




Support bracket for ceiling mounting

Material: Acid proof steel SS2343
Weight, kg: 0,16
Article No.: on request




Support bracket for wall mounting

Material: Acid proof steel SS2343
Weight, kg: 0,20
Article No.: on request



End stop

Material: Acid proof steel SS2343
Weight, kg: 0,13
Article No.: on request




Towing arm

Material: Acid proof steel SS2343
Length, mm: 400
Weight, kg: 0,6
Article No.: on request



Girder clips (two for each support arm)

Material: Acid proof steel SS2343
Weight, kg: 0,15
Article No.: on request



Support arm

Material: Acid proof steel SS2343
Length, mm: 800
Weight, kg: 1,25
Article No.: on request