



ÖLFLEX® POWER LV 2X FR-LSH

XLPE Insulated Heavy Duty Application FR-LSH PVC Cable As per IS 7098 (Part-I) 1988

Info

- Low voltage power cable 650/1100 V
- Double sheathed FR-LSH cable for heavy duty application



Benefits

- Wide range products variants, with 300 plus variants
- FR-LSH for increased safety

Application range

- For main power distribution and lighting circuits in residential and commercial areas
- Power and control circuit
- Telecom power supply
- Suitable for direct burial installations as well as in air or ducts
- For expanded temperature application
- Particularly where human and animal life as well as valuable property are exposed to risk of fire hazards

Product features

- Flame retardant: According to IEC 60332-1-2 / IEC 60332-3-24

- UV - resistant outer sheath for outdoor application and AR best suitable anti rodent application
- Oxygen Index(Min.) : >29% as per ASTM D 2863 (only for FRLS Outer Sheath)
- Temp. Index (Min.) : >250 Deg C as per ASTM D 2863 (only for FRLS Outer Sheath)
- HCL gas emission (Max.): 20% By weight; Smoke Density : Min. Visibility 40% (only for FRLS Outer Sheath)

Norm references / Approvals

- IS 7098 (Part-I) 1988

Product Make-up

- Conductor : Annealed bare copper conductor of Class II as per IS 8130
- Insulation : XLPE as per IS 7098-I
- Inner Sheath :
 - i) PVC ST II as per IS 5831;
 - ii) FRLS PVC ST II
- Outer Sheath :
 - i) FRLS PVC ST II;
 - ii) FRLS PVC ST II with UVAR

Technical data

- Core identification code**
As per IS 7098 (Part-I) 1988
- Conductor stranding**
Class II as per IS 8130
- Minimum bending radius**
10 Times the OD
- Nominal voltage**
1100 Volts
- Temperature range**
-5°C to 90°C

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
ÖLFLEX® POWER LV 2X FR-LSH					
382000392	2 X 1.5	2 X 1.5	11.0	black	169.39
382000393	3 X 1.5	3 X 1.5	11.5	black	191.03
382000394	4 X 1.5	4 X 1.5	12.3	black	222.33
382000395	5 X 1.5	5 X 1.5	13.1	black	255.16
382000396	6 X 1.5	6 X 1.5	14.0	black	257.57
382000397	7 X 1.5	7 X 1.5	14.0	black	275.93
382000398	8 X 1.5	8 X 1.5	15.4	black	312.18
382000399	9 X 1.5	9 X 1.5	16.4	black	343.33
382000400	10 X 1.5	10 X 1.5	17.0	black	369.36
382000401	11 X 1.5	11 X 1.5	17.0	black	387.72
382000402	12 X 1.5	12 X 1.5	17.5	black	412.47
382000403	13 X 1.5	13 X 1.5	18.3	black	441.06
382000404	14 X 1.5	14 X 1.5	18.3	black	459.43
382000405	15 X 1.5	15 X 1.5	19.1	black	488.01
382000406	16 X 1.5	16 X 1.5	19.1	black	506.38
382000407	17 X 1.5	17 X 1.5	20.4	black	557.3
382000408	18 X 1.5	18 X 1.5	20.4	black	575.66
382000409	19 X 1.5	19 X 1.5	20.4	black	594.03
382000410	20 X 1.5	20 X 1.5	21.4	black	626.21
382000411	21 X 1.5	21 X 1.5	21.4	black	644.58
382000412	22 X 1.5	22 X 1.5	22.4	black	676.76
382000413	23 X 1.5	23 X 1.5	22.4	black	695.12
382000414	24 X 1.5	24 X 1.5	23.4	black	727.31
382000415	25 X 1.5	25 X 1.5	23.4	black	745.67
382000416	26 X 1.5	26 X 1.5	23.4	black	764.04
382000417	27 X 1.5	27 X 1.5	23.9	black	789.31
382000418	28 X 1.5	28 X 1.5	24.7	black	818.73
382000419	29 X 1.5	29 X 1.5	24.7	black	837.1
382000420	30 X 1.5	30 X 1.5	24.7	black	855.46
382000421	31 X 1.5	31 X 1.5	25.5	black	884.88
382000422	32 X 1.5	32 X 1.5	25.5	black	903.25
382000423	33 X 1.5	33 X 1.5	25.5	black	921.61
382000424	34 X 1.5	34 X 1.5	26.4	black	952.41
382000425	35 X 1.5	35 X 1.5	26.4	black	970.78
382000426	36 X 1.5	36 X 1.5	26.4	black	989.14
382000427	37 X 1.5	37 X 1.5	26.4	black	1,007.51
382000428	38 X 1.5	38 X 1.5	27.4	black	1,039.69

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000429	39 X 1.5	39 X 1.5	27.4	black	1,058.06
382000430	40 X 1.5	40 X 1.5	27.4	black	1,076.42
382000431	41 X 1.5	41 X 1.5	28.4	black	1,108.61
382000432	42 X 1.5	42 X 1.5	28.4	black	1,126.97
382000433	43 X 1.5	43 X 1.5	28.4	black	1,145.34
382000434	44 X 1.5	44 X 1.5	29.4	black	1,177.52
382000435	45 X 1.5	45 X 1.5	29.4	black	1,195.88
382000436	46 X 1.5	46 X 1.5	29.4	black	1,214.25
382000437	47 X 1.5	47 X 1.5	29.4	black	1,232.61
382000438	48 X 1.5	48 X 1.5	30.3	black	1,289.26
382000439	49 X 1.5	49 X 1.5	30.3	black	1,307.63
382000440	50 X 1.5	50 X 1.5	30.3	black	1,325.99
382000441	51 X 1.5	51 X 1.5	30.3	black	1,344.36
382000442	52 X 1.5	52 X 1.5	31.1	black	1,374.61
382000443	53 X 1.5	53 X 1.5	31.1	black	1,392.98
382000444	54 X 1.5	54 X 1.5	31.1	black	1,411.34
382000445	55 X 1.5	55 X 1.5	31.1	black	1,429.71
382000446	56 X 1.5	56 X 1.5	31.1	black	1,448.07
382000447	57 X 1.5	57 X 1.5	31.1	black	1,466.44
382000448	58 X 1.5	58 X 1.5	31.1	black	1,484.8
382000449	59 X 1.5	59 X 1.5	31.1	black	1,503.16
382000450	60 X 1.5	60 X 1.5	31.1	black	1,521.53
382000451	61 X 1.5	61 X 1.5	32.8	black	1,565.16
382000452	2 X 2.5	2 X 2.5	11.8	black	204.63
382000453	3 X 2.5	3 X 2.5	12.4	black	236.54
382000454	4 X 2.5	4 X 2.5	13.2	black	275.81
382000455	5 X 2.5	5 X 2.5	14.2	black	323.58
382000456	6 X 2.5	6 X 2.5	15.2	black	328.74
382000457	7 X 2.5	7 X 2.5	15.2	black	356.42
382000458	8 X 2.5	8 X 2.5	16.8	black	404.53
382000459	9 X 2.5	9 X 2.5	17.9	black	446.26
382000460	10 X 2.5	10 X 2.5	18.6	black	482.88
382000461	11 X 2.5	11 X 2.5	18.6	black	510.55
382000462	12 X 2.5	12 X 2.5	19.2	black	545.89
382000463	13 X 2.5	13 X 2.5	20.4	black	604.84
382000464	14 X 2.5	14 X 2.5	20.4	black	632.51
382000465	15 X 2.5	15 X 2.5	21.4	black	674
382000466	16 X 2.5	16 X 2.5	21.4	black	701.67
382000467	17 X 2.5	17 X 2.5	22.4	black	743.17
382000468	18 X 2.5	18 X 2.5	22.4	black	770.84
382000469	19 X 2.5	19 X 2.5	22.4	black	798.51
382000470	20 X 2.5	20 X 2.5	23.5	black	841.38
382000471	21 X 2.5	21 X 2.5	23.5	black	869.06
382000472	22 X 2.5	22 X 2.5	24.7	black	913.31
382000473	23 X 2.5	23 X 2.5	24.7	black	940.98
382000474	24 X 2.5	24 X 2.5	25.8	black	983.86
382000475	25 X 2.5	25 X 2.5	25.8	black	1,011.53
382000476	26 X 2.5	26 X 2.5	25.8	black	1,039.2
382000477	27 X 2.5	27 X 2.5	26.3	black	1,073.79
382000478	28 X 2.5	28 X 2.5	27.2	black	1,113.9
382000479	29 X 2.5	29 X 2.5	27.2	black	1,141.57
382000480	30 X 2.5	30 X 2.5	27.2	black	1,169.24
382000481	31 X 2.5	31 X 2.5	28.2	black	1,210.73
382000482	32 X 2.5	32 X 2.5	28.2	black	1,238.4
382000483	33 X 2.5	33 X 2.5	28.2	black	1,266.08
382000484	34 X 2.5	34 X 2.5	29.2	black	1,307.57
382000485	35 X 2.5	35 X 2.5	29.2	black	1,335.24
382000486	36 X 2.5	36 X 2.5	29.2	black	1,362.91
382000487	37 X 2.5	37 X 2.5	29.2	black	1,390.59
382000488	38 X 2.5	38 X 2.5	30.7	black	1,465.25
382000489	39 X 2.5	39 X 2.5	30.7	black	1,492.92
382000490	40 X 2.5	40 X 2.5	30.7	black	1,520.6
382000491	41 X 2.5	41 X 2.5	31.9	black	1,566.1
382000492	42 X 2.5	42 X 2.5	31.9	black	1,593.78
382000493	43 X 2.5	43 X 2.5	31.9	black	1,621.45
382000494	44 X 2.5	44 X 2.5	33.0	black	1,665.47
382000495	45 X 2.5	45 X 2.5	33.0	black	1,693.14
382000496	46 X 2.5	46 X 2.5	33.0	black	1,720.81
382000497	47 X 2.5	47 X 2.5	33.0	black	1,748.48
382000498	48 X 2.5	48 X 2.5	33.5	black	1,783.59
382000499	49 X 2.5	49 X 2.5	33.5	black	1,811.26
382000500	50 X 2.5	50 X 2.5	33.5	black	1,838.93
382000501	51 X 2.5	51 X 2.5	33.5	black	1,866.6
382000502	52 X 2.5	52 X 2.5	34.4	black	1,907.65
382000503	53 X 2.5	53 X 2.5	34.4	black	1,935.33
382000504	54 X 2.5	54 X 2.5	34.4	black	1,963
382000505	55 X 2.5	55 X 2.5	34.4	black	1,990.67
382000506	56 X 2.5	56 X 2.5	34.4	black	2,018.34
382000507	57 X 2.5	57 X 2.5	34.4	black	2,046.01
382000508	58 X 2.5	58 X 2.5	34.4	black	2,073.69
382000509	59 X 2.5	59 X 2.5	34.4	black	2,101.36
382000510	60 X 2.5	60 X 2.5	34.4	black	2,129.03
382000511	61 X 2.5	61 X 2.5	36.4	black	2,186.43
382000512	1 X 4	1 X 4.0	7.6	black	97.06
382000531	2 X 4	2 X 4.0	12.8	black	254.38

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000546	3 X 4	3 X 4.0	13.4	black	297.31
382000572	4 X 4	4 X 4.0	14.5	black	358.72
382000513	1 X 6	1 X 6.0	8.2	black	121.35
382000532	2 X 6	2 X 6.0	14.0	black	319.19
382000547	3 X 6	3 X 6.0	14.7	black	379.94
382000573	4 X 6	4 X 6.0	15.9	black	461.16
382000514	1 X 10	1 X 10.0	9.1	black	167.38
382000533	2 X 10	2 X 10.0	15.8	black	438.82
382000548	3 X 10	3 X 10.0	16.7	black	537.45
382000574	4 X 10	4 X 10.0	18.1	black	659.95
382000515	1 X 16	1 X 16.0	10.2	black	231.95
382000534	2 X 16	2 X 16.0	18.0	black	606.9
382000549	3 X 16	3 X 16.0	19.1	black	757.9
382000575	4 X 16	4 X 16.0	21.2	black	963.79
382000516	1 X 25	1 X 25.0	11.9	black	336.91
382000535	2 X 25	2 X 25.0	21.8	black	910.95
382000550	3 X 25	3 X 25.0	23.1	black	1,141.97
382000561	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,151.89
382000576	4 X 25	4 X 25.0	25.3	black	1,431.65
382000517	1 X 35	1 X 35.0	13.1	black	436.87
382000536	2 X 35	2 X 35.0	24.2	black	1,172.23
382000551	3 X 35	3 X 35.0	25.7	black	1,486.35
382000562	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,444.16
382000577	4 X 35	4 X 35.0	28.2	black	1,873.34
382000518	1 X 50	1 X 50.0	14.4	black	561.51
382000537	2 X 50	2 X 50.0	22.8	black	1,154.65
382000552	3 X 50	3 X 50.0	25.9	black	1,637.16
382000563	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,909.7
382000578	4 X 50	4 X 50.0	28.0	black	2,106.13
382000519	1 X 70	1 X 70.0	16.6	black	775.1
382000538	2 X 70	2 X 70.0	25.5	black	1,575.99
382000553	3 X 70	3 X 70.0	30.2	black	2,298.42
382000564	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,656.02
382000579	4 X 70	4 X 70.0	32.2	black	2,960.49
382000520	1 X 95	1 X 95.0	18.5	black	1,030.09
382000539	2 X 95	2 X 95.0	27.9	black	2,081.88
382000554	3 X 95	3 X 95.0	35.3	black	3,082.9
382000565	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,536.54
382000580	4 X 95	4 X 95.0	35.5	black	3,955.38
382000521	1 X 120	1 X 120.0	20.6	black	1,293.05
382000540	2 X 120	2 X 120.0	30.8	black	2,598.26
382000555	3 X 120	3 X 120.0	37.0	black	3,783.61
382000566	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,458.82
382000581	4 X 120	4 X 120.0	39.0	black	4,907.66
382000522	1 X 150	1 X 150.0	22.5	black	1,573
382000541	2 X 150	2 X 150.0	33.9	black	3,162.8
382000556	3 X 150	3 X 150.0	40.9	black	4,656.06
382000567	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,338.98
382000582	4 X 150	4 X 150.0	43.3	black	6,048.1
382000523	1 X 185	1 X 185.0	24.8	black	1,940.35
382000542	2 X 185	2 X 185.0	37.0	black	3,893.61
382000557	3 X 185	3 X 185.0	44.5	black	5,740.7
382000568	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,745.26
382000583	4 X 185	4 X 185.0	48.1	black	7,537.95
382000524	1 X 240	1 X 240.0	27.5	black	2,492.42
382000543	2 X 240	2 X 240.0	41.0	black	5,035.14
382000558	3 X 240	3 X 240.0	48.9	black	7,423.7
382000569	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,670.76
382000584	4 X 240	4 X 240.0	53.7	black	9,773.37
382000525	1 X 300	1 X 300.0	30.6	black	3,110.28
382000544	2 X 300	2 X 300.0	44.7	black	6,207.65
382000559	3 X 300	3 X 300.0	53.5	black	9,221.29
382000570	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,710.58
382000585	4 X 300	4 X 300.0	59.1	black	12,152.68
382000526	1 X 400	1 X 400.0	33.9	black	3,919.68
382000545	2 X 400	2 X 400.0	50.0	black	7,877.59
382000560	3 X 400	3 X 400.0	59.3	black	11,690.71
382000571	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,600.61
382000527	1 X 500	1 X 500.0	37.9	black	4,969.49
382000528	1 X 630	1 X 630.0	42.3	black	6,380.2
382000529	1 X 800	1 X 800.0	47.2	black	8,116.94
382000530	1 X 1000		52.4	black	10,138.8
382000586	2 X 1.5	2 X 1.5	11.0	black	169.39
382000587	3 X 1.5	3 X 1.5	11.5	black	191.03
382000588	4 X 1.5	4 X 1.5	12.3	black	222.33
382000589	5 X 1.5	5 X 1.5	13.1	black	255.16
382000590	6 X 1.5	6 X 1.5	14.0	black	257.57
382000591	7 X 1.5	7 X 1.5	14.0	black	275.93
382000592	8 X 1.5	8 X 1.5	15.4	black	312.18
382000593	9 X 1.5	9 X 1.5	16.4	black	343.33
382000594	10 X 1.5	10 X 1.5	17.0	black	369.36
382000595	11 X 1.5	11 X 1.5	17.0	black	387.72
382000596	12 X 1.5	12 X 1.5	17.5	black	412.47
382000597	13 X 1.5	13 X 1.5	18.3	black	441.06
382000598	14 X 1.5	14 X 1.5	18.3	black	459.43

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000599	15 X 1.5	15 X 1.5	19.1	black	488.01
382000600	16 X 1.5	16 X 1.5	19.1	black	506.38
382000601	17 X 1.5	17 X 1.5	20.4	black	557.3
382000602	18 X 1.5	18 X 1.5	20.4	black	575.66
382000603	19 X 1.5	19 X 1.5	20.4	black	594.03
382000604	20 X 1.5	20 X 1.5	21.4	black	626.21
382000605	21 X 1.5	21 X 1.5	21.4	black	644.58
382000606	22 X 1.5	22 X 1.5	22.4	black	676.76
382000607	23 X 1.5	23 X 1.5	22.4	black	695.12
382000608	24 X 1.5	24 X 1.5	23.4	black	727.31
382000609	25 X 1.5	25 X 1.5	23.4	black	745.67
382000610	26 X 1.5	26 X 1.5	23.4	black	764.04
382000611	27 X 1.5	27 X 1.5	23.9	black	789.31
382000612	28 X 1.5	28 X 1.5	24.7	black	818.73
382000613	29 X 1.5	29 X 1.5	24.7	black	837.1
382000614	30 X 1.5	30 X 1.5	24.7	black	855.46
382000615	31 X 1.5	31 X 1.5	25.5	black	884.88
382000616	32 X 1.5	32 X 1.5	25.5	black	903.25
382000617	33 X 1.5	33 X 1.5	25.5	black	921.61
382000618	34 X 1.5	34 X 1.5	26.4	black	952.41
382000619	35 X 1.5	35 X 1.5	26.4	black	970.78
382000620	36 X 1.5	36 X 1.5	26.4	black	989.14
382000621	37 X 1.5	37 X 1.5	26.4	black	1,007.51
382000622	38 X 1.5	38 X 1.5	27.4	black	1,039.69
382000623	39 X 1.5	39 X 1.5	27.4	black	1,058.06
382000624	40 X 1.5	40 X 1.5	27.4	black	1,076.42
382000625	41 X 1.5	41 X 1.5	28.4	black	1,108.61
382000626	42 X 1.5	42 X 1.5	28.4	black	1,126.97
382000627	43 X 1.5	43 X 1.5	28.4	black	1,145.34
382000628	44 X 1.5	44 X 1.5	29.4	black	1,177.52
382000629	45 X 1.5	45 X 1.5	29.4	black	1,195.88
382000630	46 X 1.5	46 X 1.5	29.4	black	1,214.25
382000631	47 X 1.5	47 X 1.5	29.4	black	1,232.61
382000632	48 X 1.5	48 X 1.5	30.3	black	1,289.26
382000633	49 X 1.5	49 X 1.5	30.3	black	1,307.63
382000634	50 X 1.5	50 X 1.5	30.3	black	1,325.99
382000635	51 X 1.5	51 X 1.5	30.3	black	1,344.36
382000636	52 X 1.5	52 X 1.5	31.1	black	1,374.61
382000637	53 X 1.5	53 X 1.5	31.1	black	1,392.98
382000638	54 X 1.5	54 X 1.5	31.1	black	1,411.34
382000639	55 X 1.5	55 X 1.5	31.1	black	1,429.71
382000640	56 X 1.5	56 X 1.5	31.1	black	1,448.07
382000641	57 X 1.5	57 X 1.5	31.1	black	1,466.44
382000642	58 X 1.5	58 X 1.5	31.1	black	1,484.8
382000643	59 X 1.5	59 X 1.5	31.1	black	1,503.16
382000644	60 X 1.5	60 X 1.5	31.1	black	1,521.53
382000645	61 X 1.5	61 X 1.5	32.8	black	1,565.16
382000646	2 X 2.5	2 X 2.5	11.8	black	204.63
382000647	3 X 2.5	3 X 2.5	12.4	black	236.54
382000648	4 X 2.5	4 X 2.5	13.2	black	275.81
382000649	5 X 2.5	5 X 2.5	14.2	black	323.58
382000650	6 X 2.5	6 X 2.5	15.2	black	328.74
382000651	7 X 2.5	7 X 2.5	15.2	black	356.42
382000652	8 X 2.5	8 X 2.5	16.8	black	404.53
382000653	9 X 2.5	9 X 2.5	17.9	black	446.26
382000654	10 X 2.5	10 X 2.5	18.6	black	482.88
382000655	11 X 2.5	11 X 2.5	18.6	black	510.55
382000656	12 X 2.5	12 X 2.5	19.2	black	545.89
382000657	13 X 2.5	13 X 2.5	20.4	black	604.84
382000658	14 X 2.5	14 X 2.5	20.4	black	632.51
382000659	15 X 2.5	15 X 2.5	21.4	black	674
382000660	16 X 2.5	16 X 2.5	21.4	black	701.67
382000661	17 X 2.5	17 X 2.5	22.4	black	743.17
382000662	18 X 2.5	18 X 2.5	22.4	black	770.84
382000663	19 X 2.5	19 X 2.5	22.4	black	798.51
382000664	20 X 2.5	20 X 2.5	23.5	black	841.38
382000665	21 X 2.5	21 X 2.5	23.5	black	869.06
382000666	22 X 2.5	22 X 2.5	24.7	black	913.31
382000667	23 X 2.5	23 X 2.5	24.7	black	940.98
382000668	24 X 2.5	24 X 2.5	25.8	black	983.86
382000669	25 X 2.5	25 X 2.5	25.8	black	1,011.53
382000670	26 X 2.5	26 X 2.5	25.8	black	1,039.2
382000671	27 X 2.5	27 X 2.5	26.3	black	1,073.79
382000672	28 X 2.5	28 X 2.5	27.2	black	1,113.9
382000673	29 X 2.5	29 X 2.5	27.2	black	1,141.57
382000674	30 X 2.5	30 X 2.5	27.2	black	1,169.24
382000675	31 X 2.5	31 X 2.5	28.2	black	1,210.73
382000676	32 X 2.5	32 X 2.5	28.2	black	1,238.4
382000677	33 X 2.5	33 X 2.5	28.2	black	1,266.08
382000678	34 X 2.5	34 X 2.5	29.2	black	1,307.57
382000679	35 X 2.5	35 X 2.5	29.2	black	1,335.24
382000680	36 X 2.5	36 X 2.5	29.2	black	1,362.91
382000681	37 X 2.5	37 X 2.5	29.2	black	1,390.59
382000682	38 X 2.5	38 X 2.5	30.7	black	1,465.25
382000683	39 X 2.5	39 X 2.5	30.7	black	1,492.92

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000684	40 X 2.5	40 X 2.5	30.7	black	1,520.6
382000685	41 X 2.5	41 X 2.5	31.9	black	1,566.1
382000686	42 X 2.5	42 X 2.5	31.9	black	1,593.78
382000687	43 X 2.5	43 X 2.5	31.9	black	1,621.45
382000688	44 X 2.5	44 X 2.5	33.0	black	1,665.47
382000689	45 X 2.5	45 X 2.5	33.0	black	1,693.14
382000690	46 X 2.5	46 X 2.5	33.0	black	1,720.81
382000691	47 X 2.5	47 X 2.5	33.0	black	1,748.48
382000692	48 X 2.5	48 X 2.5	33.5	black	1,783.59
382000693	49 X 2.5	49 X 2.5	33.5	black	1,811.26
382000694	50 X 2.5	50 X 2.5	33.5	black	1,838.93
382000695	51 X 2.5	51 X 2.5	33.5	black	1,866.6
382000696	52 X 2.5	52 X 2.5	34.4	black	1,907.65
382000697	53 X 2.5	53 X 2.5	34.4	black	1,935.33
382000698	54 X 2.5	54 X 2.5	34.4	black	1,963
382000699	55 X 2.5	55 X 2.5	34.4	black	1,990.67
382000700	56 X 2.5	56 X 2.5	34.4	black	2,018.34
382000701	57 X 2.5	57 X 2.5	34.4	black	2,046.01
382000702	58 X 2.5	58 X 2.5	34.4	black	2,073.69
382000703	59 X 2.5	59 X 2.5	34.4	black	2,101.36
382000704	60 X 2.5	60 X 2.5	34.4	black	2,129.03
382000705	61 X 2.5	61 X 2.5	36.4	black	2,186.43
382000706	1 X 4	1 X 4.0	7.6	black	97.06
382000725	2 X 4	2 X 4.0	12.8	black	254.38
382000740	3 X 4	3 X 4.0	13.4	black	297.31
382000766	4 X 4	4 X 4.0	14.5	black	358.72
382000707	1 X 6	1 X 6.0	8.2	black	121.35
382000726	2 X 6	2 X 6.0	14.0	black	319.19
382000741	3 X 6	3 X 6.0	14.7	black	379.94
382000767	4 X 6	4 X 6.0	15.9	black	461.16
382000708	1 X 10	1 X 10.0	9.1	black	167.38
382000727	2 X 10	2 X 10.0	15.8	black	438.82
382000742	3 X 10	3 X 10.0	16.7	black	537.45
382000768	4 X 10	4 X 10.0	18.1	black	659.95
382000709	1 X 16	1 X 16.0	10.2	black	231.95
382000728	2 X 16	2 X 16.0	18.0	black	606.9
382000743	3 X 16	3 X 16.0	19.1	black	757.9
382000769	4 X 16	4 X 16.0	21.2	black	963.79
382000710	1 X 25	1 X 25.0	11.9	black	336.91
382000729	2 X 25	2 X 25.0	21.8	black	910.95
382000744	3 X 25	3 X 25.0	23.1	black	1,141.97
382000755	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,151.89
382000770	4 X 25	4 X 25.0	25.3	black	1,431.65
382000711	1 X 35	1 X 35.0	13.1	black	436.87
382000730	2 X 35	2 X 35.0	24.2	black	1,172.23
382000745	3 X 35	3 X 35.0	25.7	black	1,486.35
382000756	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,444.16
382000771	4 X 35	4 X 35.0	28.2	black	1,873.34
382000712	1 X 50	1 X 50.0	14.4	black	561.51
382000731	2 X 50	2 X 50.0	22.8	black	1,154.65
382000746	3 X 50	3 X 50.0	25.9	black	1,637.16
382000757	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,909.7
382000772	4 X 50	4 X 50.0	28.0	black	2,106.13
382000713	1 X 70	1 X 70.0	16.6	black	775.1
382000732	2 X 70	2 X 70.0	25.5	black	1,575.99
382000747	3 X 70	3 X 70.0	30.2	black	2,298.42
382000758	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,656.02
382000773	4 X 70	4 X 70.0	32.2	black	2,960.49
382000714	1 X 95	1 X 95.0	18.5	black	1,030.09
382000733	2 X 95	2 X 95.0	27.9	black	2,081.88
382000748	3 X 95	3 X 95.0	35.3	black	3,082.9
382000759	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,536.54
382000774	4 X 95	4 X 95.0	35.5	black	3,955.38
382000715	1 X 120	1 X 120.0	20.6	black	1,293.05
382000734	2 X 120	2 X 120.0	30.8	black	2,598.26
382000749	3 X 120	3 X 120.0	37.0	black	3,783.61
382000760	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,458.82
382000775	4 X 120	4 X 120.0	39.0	black	4,907.66
382000716	1 X 150	1 X 150.0	22.5	black	1,573
382000735	2 X 150	2 X 150.0	33.9	black	3,162.8
382000750	3 X 150	3 X 150.0	40.9	black	4,656.06
382000761	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,338.98
382000776	4 X 150	4 X 150.0	43.3	black	6,048.1
382000717	1 X 185	1 X 185.0	24.8	black	1,940.35
382000736	2 X 185	2 X 185.0	37.0	black	3,893.61
382000751	3 X 185	3 X 185.0	44.5	black	5,740.7
382000762	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,745.26
382000777	4 X 185	4 X 185.0	48.1	black	7,537.95
382000718	1 X 240	1 X 240.0	27.5	black	2,492.42
382000737	2 X 240	2 X 240.0	41.0	black	5,035.14
382000752	3 X 240	3 X 240.0	48.9	black	7,423.7
382000763	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,670.76
382000778	4 X 240	4 X 240.0	53.7	black	9,773.37
382000719	1 X 300	1 X 300.0	30.6	black	3,110.28
382000738	2 X 300	2 X 300.0	44.7	black	6,207.65

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000753	3 X 300	3 X 300.0	53.5	black	9,221.29
382000764	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,710.58
382000779	4 X 300	4 X 300.0	59.1	black	12,152.68
382000720	1 X 400	1 X 400.0	33.9	black	3,919.68
382000739	2 X 400	2 X 400.0	50.0	black	7,877.59
382000754	3 X 400	3 X 400.0	59.3	black	11,690.71
382000765	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,600.61
382000721	1 X 500	1 X 500.0	37.9	black	4,969.49
382000722	1 X 630	1 X 630.0	42.3	black	6,380.2
382000723	1 X 800	1 X 800.0	47.2	black	8,116.94
382000724	1 X 1000		52.4	black	10,138.8
382000780	2 X 1.5	2 X 1.5	11.0	black	173.24
382000781	3 X 1.5	3 X 1.5	11.5	black	194.73
382000782	4 X 1.5	4 X 1.5	12.3	black	226.48
382000783	5 X 1.5	5 X 1.5	13.1	black	259.9
382000784	6 X 1.5	6 X 1.5	14.0	black	260.07
382000785	7 X 1.5	7 X 1.5	14.0	black	278.44
382000786	8 X 1.5	8 X 1.5	15.4	black	315.05
382000787	9 X 1.5	9 X 1.5	16.4	black	346.45
382000788	10 X 1.5	10 X 1.5	17.0	black	372.64
382000789	11 X 1.5	11 X 1.5	17.0	black	391
382000790	12 X 1.5	12 X 1.5	17.5	black	415.88
382000791	13 X 1.5	13 X 1.5	18.3	black	444.67
382000792	14 X 1.5	14 X 1.5	18.3	black	463.04
382000793	15 X 1.5	15 X 1.5	19.1	black	491.83
382000794	16 X 1.5	16 X 1.5	19.1	black	510.2
382000795	17 X 1.5	17 X 1.5	20.4	black	561.35
382000796	18 X 1.5	18 X 1.5	20.4	black	579.71
382000797	19 X 1.5	19 X 1.5	20.4	black	598.08
382000798	20 X 1.5	20 X 1.5	21.4	black	630.52
382000799	21 X 1.5	21 X 1.5	21.4	black	648.88
382000800	22 X 1.5	22 X 1.5	22.4	black	681.33
382000801	23 X 1.5	23 X 1.5	22.4	black	699.69
382000802	24 X 1.5	24 X 1.5	23.4	black	732.13
382000803	25 X 1.5	25 X 1.5	23.4	black	750.5
382000804	26 X 1.5	26 X 1.5	23.4	black	768.86
382000805	27 X 1.5	27 X 1.5	23.9	black	794.26
382000806	28 X 1.5	28 X 1.5	24.7	black	823.89
382000807	29 X 1.5	29 X 1.5	24.7	black	842.25
382000808	30 X 1.5	30 X 1.5	24.7	black	860.62
382000809	31 X 1.5	31 X 1.5	25.5	black	890.25
382000810	32 X 1.5	32 X 1.5	25.5	black	908.61
382000811	33 X 1.5	33 X 1.5	25.5	black	926.97
382000812	34 X 1.5	34 X 1.5	26.4	black	958.01
382000813	35 X 1.5	35 X 1.5	26.4	black	976.37
382000814	36 X 1.5	36 X 1.5	26.4	black	994.74
382000815	37 X 1.5	37 X 1.5	26.4	black	1,013.1
382000816	38 X 1.5	38 X 1.5	27.4	black	1,045.54
382000817	39 X 1.5	39 X 1.5	27.4	black	1,063.91
382000818	40 X 1.5	40 X 1.5	27.4	black	1,082.27
382000819	41 X 1.5	41 X 1.5	28.4	black	1,114.72
382000820	42 X 1.5	42 X 1.5	28.4	black	1,133.08
382000821	43 X 1.5	43 X 1.5	28.4	black	1,151.44
382000822	44 X 1.5	44 X 1.5	29.4	black	1,183.89
382000823	45 X 1.5	45 X 1.5	29.4	black	1,202.25
382000824	46 X 1.5	46 X 1.5	29.4	black	1,220.62
382000825	47 X 1.5	47 X 1.5	29.4	black	1,238.98
382000826	48 X 1.5	48 X 1.5	30.3	black	1,295.76
382000827	49 X 1.5	49 X 1.5	30.3	black	1,314.12
382000828	50 X 1.5	50 X 1.5	30.3	black	1,332.49
382000829	51 X 1.5	51 X 1.5	30.3	black	1,350.85
382000830	52 X 1.5	52 X 1.5	31.1	black	1,381.31
382000831	53 X 1.5	53 X 1.5	31.1	black	1,399.68
382000832	54 X 1.5	54 X 1.5	31.1	black	1,418.04
382000833	55 X 1.5	55 X 1.5	31.1	black	1,436.41
382000834	56 X 1.5	56 X 1.5	31.1	black	1,454.77
382000835	57 X 1.5	57 X 1.5	31.1	black	1,473.14
382000836	58 X 1.5	58 X 1.5	31.1	black	1,491.5
382000837	59 X 1.5	59 X 1.5	31.1	black	1,509.87
382000838	60 X 1.5	60 X 1.5	31.1	black	1,528.23
382000839	61 X 1.5	61 X 1.5	32.8	black	1,572.3
382000840	2 X 2.5	2 X 2.5	11.8	black	209.26
382000841	3 X 2.5	3 X 2.5	12.4	black	241.01
382000842	4 X 2.5	4 X 2.5	13.2	black	280.61
382000843	5 X 2.5	5 X 2.5	14.2	black	329.31
382000844	6 X 2.5	6 X 2.5	15.2	black	331.56
382000845	7 X 2.5	7 X 2.5	15.2	black	359.23
382000846	8 X 2.5	8 X 2.5	16.8	black	407.76
382000847	9 X 2.5	9 X 2.5	17.9	black	449.77
382000848	10 X 2.5	10 X 2.5	18.6	black	486.57
382000849	11 X 2.5	11 X 2.5	18.6	black	514.24
382000850	12 X 2.5	12 X 2.5	19.2	black	549.73
382000851	13 X 2.5	13 X 2.5	20.4	black	608.89
382000852	14 X 2.5	14 X 2.5	20.4	black	636.56
382000853	15 X 2.5	15 X 2.5	21.4	black	678.31

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000854	16 X 2.5	16 X 2.5	21.4	black	705.98
382000855	17 X 2.5	17 X 2.5	22.4	black	747.73
382000856	18 X 2.5	18 X 2.5	22.4	black	775.4
382000857	19 X 2.5	19 X 2.5	22.4	black	803.08
382000858	20 X 2.5	20 X 2.5	23.5	black	846.23
382000859	21 X 2.5	21 X 2.5	23.5	black	873.91
382000860	22 X 2.5	22 X 2.5	24.7	black	918.47
382000861	23 X 2.5	23 X 2.5	24.7	black	946.14
382000862	24 X 2.5	24 X 2.5	25.8	black	989.3
382000863	25 X 2.5	25 X 2.5	25.8	black	1,016.97
382000864	26 X 2.5	26 X 2.5	25.8	black	1,044.64
382000865	27 X 2.5	27 X 2.5	26.3	black	1,079.35
382000866	28 X 2.5	28 X 2.5	27.2	black	1,119.7
382000867	29 X 2.5	29 X 2.5	27.2	black	1,147.37
382000868	30 X 2.5	30 X 2.5	27.2	black	1,175.04
382000869	31 X 2.5	31 X 2.5	28.2	black	1,216.79
382000870	32 X 2.5	32 X 2.5	28.2	black	1,244.46
382000871	33 X 2.5	33 X 2.5	28.2	black	1,272.13
382000872	34 X 2.5	34 X 2.5	29.2	black	1,313.88
382000873	35 X 2.5	35 X 2.5	29.2	black	1,341.56
382000874	36 X 2.5	36 X 2.5	29.2	black	1,369.23
382000875	37 X 2.5	37 X 2.5	29.2	black	1,396.9
382000876	38 X 2.5	38 X 2.5	30.7	black	1,471.85
382000877	39 X 2.5	39 X 2.5	30.7	black	1,499.52
382000878	40 X 2.5	40 X 2.5	30.7	black	1,527.19
382000879	41 X 2.5	41 X 2.5	31.9	black	1,573.01
382000880	42 X 2.5	42 X 2.5	31.9	black	1,600.68
382000881	43 X 2.5	43 X 2.5	31.9	black	1,628.35
382000882	44 X 2.5	44 X 2.5	33.0	black	1,672.66
382000883	45 X 2.5	45 X 2.5	33.0	black	1,700.33
382000884	46 X 2.5	46 X 2.5	33.0	black	1,728
382000885	47 X 2.5	47 X 2.5	33.0	black	1,755.67
382000886	48 X 2.5	48 X 2.5	33.5	black	1,790.91
382000887	49 X 2.5	49 X 2.5	33.5	black	1,818.58
382000888	50 X 2.5	50 X 2.5	33.5	black	1,846.25
382000889	51 X 2.5	51 X 2.5	33.5	black	1,873.92
382000890	52 X 2.5	52 X 2.5	34.4	black	1,915.2
382000891	53 X 2.5	53 X 2.5	34.4	black	1,942.88
382000892	54 X 2.5	54 X 2.5	34.4	black	1,970.55
382000893	55 X 2.5	55 X 2.5	34.4	black	1,998.22
382000894	56 X 2.5	56 X 2.5	34.4	black	2,025.89
382000895	57 X 2.5	57 X 2.5	34.4	black	2,053.56
382000896	58 X 2.5	58 X 2.5	34.4	black	2,081.24
382000897	59 X 2.5	59 X 2.5	34.4	black	2,108.91
382000898	60 X 2.5	60 X 2.5	34.4	black	2,136.58
382000899	61 X 2.5	61 X 2.5	36.4	black	2,194.49
382000900	2 X 4	2 X 4.0	12.8	black	260.08
382000915	3 X 4	3 X 4.0	13.4	black	302.59
382000941	4 X 4	4 X 4.0	14.5	black	364.81
382000901	2 X 6	2 X 6.0	14.0	black	326.32
382000916	3 X 6	3 X 6.0	14.7	black	386.5
382000942	4 X 6	4 X 6.0	15.9	black	468.55
382000902	2 X 10	2 X 10.0	15.8	black	448.38
382000917	3 X 10	3 X 10.0	16.7	black	546.31
382000943	4 X 10	4 X 10.0	18.1	black	669.81
382000903	2 X 16	2 X 16.0	18.0	black	619.9
382000918	3 X 16	3 X 16.0	19.1	black	769.88
382000944	4 X 16	4 X 16.0	21.2	black	977.18
382000904	2 X 25	2 X 25.0	21.8	black	930.28
382000919	3 X 25	3 X 25.0	23.1	black	1,159.23
382000930	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,156.67
382000945	4 X 25	4 X 25.0	25.3	black	1,451.2
382000905	2 X 35	2 X 35.0	24.2	black	1,196.78
382000920	3 X 35	3 X 35.0	25.7	black	1,508.15
382000931	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,449.47
382000946	4 X 35	4 X 35.0	28.2	black	1,897.94
382000906	2 X 50	2 X 50.0	22.8	black	1,159.3
382000921	3 X 50	3 X 50.0	25.9	black	1,642.62
382000932	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,915.78
382000947	4 X 50	4 X 50.0	28.0	black	2,112.12
382000907	2 X 70	2 X 70.0	25.5	black	1,581.35
382000922	3 X 70	3 X 70.0	30.2	black	2,304.88
382000933	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,662.99
382000948	4 X 70	4 X 70.0	32.2	black	2,967.47
382000908	2 X 95	2 X 95.0	27.9	black	2,087.85
382000923	3 X 95	3 X 95.0	35.3	black	3,090.67
382000934	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,544.54
382000949	4 X 95	4 X 95.0	35.5	black	3,963.2
382000909	2 X 120	2 X 120.0	30.8	black	2,604.87
382000924	3 X 120	3 X 120.0	37.0	black	3,791.82
382000935	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,467.77
382000950	4 X 120	4 X 120.0	39.0	black	4,916.38
382000910	2 X 150	2 X 150.0	33.9	black	3,170.21
382000925	3 X 150	3 X 150.0	40.9	black	4,665.17
382000936	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,348.92

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000951	4 X 150	4 X 150.0	43.3	black	6,057.82
382000911	2 X 185	2 X 185.0	37.0	black	3,901.81
382000926	3 X 185	3 X 185.0	44.5	black	5,750.73
382000937	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,756.66
382000952	4 X 185	4 X 185.0	48.1	black	7,548.81
382000912	2 X 240	2 X 240.0	41.0	black	5,044.28
382000927	3 X 240	3 X 240.0	48.9	black	7,434.77
382000938	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,683.29
382000953	4 X 240	4 X 240.0	53.7	black	9,785.57
382000913	2 X 300	2 X 300.0	44.7	black	6,217.74
382000928	3 X 300	3 X 300.0	53.5	black	9,233.44
382000939	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,723.81
382000954	4 X 300	4 X 300.0	59.1	black	12,166.16
382000914	2 X 400	2 X 400.0	50.0	black	7,888.94
382000929	3 X 400	3 X 400.0	59.3	black	11,704.24
382000940	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,618.23
382000955	2 X 1.5	2 X 1.5	11.0	black	173.24
382000956	3 X 1.5	3 X 1.5	11.5	black	194.73
382000957	4 X 1.5	4 X 1.5	12.3	black	226.48
382000958	5 X 1.5	5 X 1.5	13.1	black	259.9
382000959	6 X 1.5	6 X 1.5	14.0	black	260.07
382000960	7 X 1.5	7 X 1.5	14.0	black	278.44
382000961	8 X 1.5	8 X 1.5	15.4	black	315.05
382000962	9 X 1.5	9 X 1.5	16.4	black	346.45
382000963	10 X 1.5	10 X 1.5	17.0	black	372.64
382000964	11 X 1.5	11 X 1.5	17.0	black	391
382000965	12 X 1.5	12 X 1.5	17.5	black	415.88
382000966	13 X 1.5	13 X 1.5	18.3	black	444.67
382000967	14 X 1.5	14 X 1.5	18.3	black	463.04
382000968	15 X 1.5	15 X 1.5	19.1	black	491.83
382000969	16 X 1.5	16 X 1.5	19.1	black	510.2
382000970	17 X 1.5	17 X 1.5	20.4	black	561.35
382000971	18 X 1.5	18 X 1.5	20.4	black	579.71
382000972	19 X 1.5	19 X 1.5	20.4	black	598.08
382000973	20 X 1.5	20 X 1.5	21.4	black	630.52
382000974	21 X 1.5	21 X 1.5	21.4	black	648.88
382000975	22 X 1.5	22 X 1.5	22.4	black	681.33
382000976	23 X 1.5	23 X 1.5	22.4	black	699.69
382000977	24 X 1.5	24 X 1.5	23.4	black	732.13
382000978	25 X 1.5	25 X 1.5	23.4	black	750.5
382000979	26 X 1.5	26 X 1.5	23.4	black	768.86
382000980	27 X 1.5	27 X 1.5	23.9	black	794.26
382000981	28 X 1.5	28 X 1.5	24.7	black	823.89
382000982	29 X 1.5	29 X 1.5	24.7	black	842.25
382000983	30 X 1.5	30 X 1.5	24.7	black	860.62
382000984	31 X 1.5	31 X 1.5	25.5	black	890.25
382000985	32 X 1.5	32 X 1.5	25.5	black	908.61
382000986	33 X 1.5	33 X 1.5	25.5	black	926.97
382000987	34 X 1.5	34 X 1.5	26.4	black	958.01
382000988	35 X 1.5	35 X 1.5	26.4	black	976.37
382000989	36 X 1.5	36 X 1.5	26.4	black	994.74
382000990	37 X 1.5	37 X 1.5	26.4	black	1,013.1
382000991	38 X 1.5	38 X 1.5	27.4	black	1,045.54
382000992	39 X 1.5	39 X 1.5	27.4	black	1,063.91
382000993	40 X 1.5	40 X 1.5	27.4	black	1,082.27
382000994	41 X 1.5	41 X 1.5	28.4	black	1,114.72
382000995	42 X 1.5	42 X 1.5	28.4	black	1,133.08
382000996	43 X 1.5	43 X 1.5	28.4	black	1,151.44
382000997	44 X 1.5	44 X 1.5	29.4	black	1,183.89
382000998	45 X 1.5	45 X 1.5	29.4	black	1,202.25
382000999	46 X 1.5	46 X 1.5	29.4	black	1,220.62
382001000	47 X 1.5	47 X 1.5	29.4	black	1,238.98
382001001	48 X 1.5	48 X 1.5	30.3	black	1,295.76
382001002	49 X 1.5	49 X 1.5	30.3	black	1,314.12
382001003	50 X 1.5	50 X 1.5	30.3	black	1,332.49
382001004	51 X 1.5	51 X 1.5	30.3	black	1,350.85
382001005	52 X 1.5	52 X 1.5	31.1	black	1,381.31
382001006	53 X 1.5	53 X 1.5	31.1	black	1,399.68
382001007	54 X 1.5	54 X 1.5	31.1	black	1,418.04
382001008	55 X 1.5	55 X 1.5	31.1	black	1,436.41
382001009	56 X 1.5	56 X 1.5	31.1	black	1,454.77
382001010	57 X 1.5	57 X 1.5	31.1	black	1,473.14
382001011	58 X 1.5	58 X 1.5	31.1	black	1,491.5
382001012	59 X 1.5	59 X 1.5	31.1	black	1,509.87
382001013	60 X 1.5	60 X 1.5	31.1	black	1,528.23
382001014	61 X 1.5	61 X 1.5	32.8	black	1,572.3
382001015	2 X 2.5	2 X 2.5	11.8	black	209.26
382001016	3 X 2.5	3 X 2.5	12.4	black	241.01
382001017	4 X 2.5	4 X 2.5	13.2	black	280.61
382001018	5 X 2.5	5 X 2.5	14.2	black	329.31
382001019	6 X 2.5	6 X 2.5	15.2	black	331.56
382001020	7 X 2.5	7 X 2.5	15.2	black	359.23
382001021	8 X 2.5	8 X 2.5	16.8	black	407.76
382001022	9 X 2.5	9 X 2.5	17.9	black	449.77
382001023	10 X 2.5	10 X 2.5	18.6	black	486.57

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382001024	11 X 2.5	11 X 2.5	18.6	black	514.24
382001025	12 X 2.5	12 X 2.5	19.2	black	549.73
382001026	13 X 2.5	13 X 2.5	20.4	black	608.89
382001027	14 X 2.5	14 X 2.5	20.4	black	636.56
382001028	15 X 2.5	15 X 2.5	21.4	black	678.31
382001029	16 X 2.5	16 X 2.5	21.4	black	705.98
382001030	17 X 2.5	17 X 2.5	22.4	black	747.73
382001031	18 X 2.5	18 X 2.5	22.4	black	775.4
382001032	19 X 2.5	19 X 2.5	22.4	black	803.08
382001033	20 X 2.5	20 X 2.5	23.5	black	846.23
382001034	21 X 2.5	21 X 2.5	23.5	black	873.91
382001035	22 X 2.5	22 X 2.5	24.7	black	918.47
382001036	23 X 2.5	23 X 2.5	24.7	black	946.14
382001037	24 X 2.5	24 X 2.5	25.8	black	989.3
382001038	25 X 2.5	25 X 2.5	25.8	black	1,016.97
382001039	26 X 2.5	26 X 2.5	25.8	black	1,044.64
382001040	27 X 2.5	27 X 2.5	26.3	black	1,079.35
382001041	28 X 2.5	28 X 2.5	27.2	black	1,119.7
382001042	29 X 2.5	29 X 2.5	27.2	black	1,147.37
382001043	30 X 2.5	30 X 2.5	27.2	black	1,175.04
382001044	31 X 2.5	31 X 2.5	28.2	black	1,216.79
382001045	32 X 2.5	32 X 2.5	28.2	black	1,244.46
382001046	33 X 2.5	33 X 2.5	28.2	black	1,272.13
382001047	34 X 2.5	34 X 2.5	29.2	black	1,313.88
382001048	35 X 2.5	35 X 2.5	29.2	black	1,341.56
382001049	36 X 2.5	36 X 2.5	29.2	black	1,369.23
382001050	37 X 2.5	37 X 2.5	29.2	black	1,396.9
382001051	38 X 2.5	38 X 2.5	30.7	black	1,471.85
382001052	39 X 2.5	39 X 2.5	30.7	black	1,499.52
382001053	40 X 2.5	40 X 2.5	30.7	black	1,527.19
382001054	41 X 2.5	41 X 2.5	31.9	black	1,573.01
382001055	42 X 2.5	42 X 2.5	31.9	black	1,600.68
382001056	43 X 2.5	43 X 2.5	31.9	black	1,628.35
382001057	44 X 2.5	44 X 2.5	33.0	black	1,672.66
382001058	45 X 2.5	45 X 2.5	33.0	black	1,700.33
382001059	46 X 2.5	46 X 2.5	33.0	black	1,728
382001060	47 X 2.5	47 X 2.5	33.0	black	1,755.67
382001061	48 X 2.5	48 X 2.5	33.5	black	1,790.91
382001062	49 X 2.5	49 X 2.5	33.5	black	1,818.58
382001063	50 X 2.5	50 X 2.5	33.5	black	1,846.25
382001064	51 X 2.5	51 X 2.5	33.5	black	1,873.92
382001065	52 X 2.5	52 X 2.5	34.4	black	1,915.2
382001066	53 X 2.5	53 X 2.5	34.4	black	1,942.88
382001067	54 X 2.5	54 X 2.5	34.4	black	1,970.55
382001068	55 X 2.5	55 X 2.5	34.4	black	1,998.22
382001069	56 X 2.5	56 X 2.5	34.4	black	2,025.89
382001070	57 X 2.5	57 X 2.5	34.4	black	2,053.56
382001071	58 X 2.5	58 X 2.5	34.4	black	2,081.24
382001072	59 X 2.5	59 X 2.5	34.4	black	2,108.91
382001073	60 X 2.5	60 X 2.5	34.4	black	2,136.58
382001074	61 X 2.5	61 X 2.5	36.4	black	2,194.49
382001075	2 X 4	2 X 4.0	12.8	black	260.08
382001090	3 X 4	3 X 4.0	13.4	black	302.59
382001116	4 X 4	4 X 4.0	14.5	black	364.81
382001076	2 X 6	2 X 6.0	14.0	black	326.32
382001091	3 X 6	3 X 6.0	14.7	black	386.5
382001117	4 X 6	4 X 6.0	15.9	black	468.55
382001077	2 X 10	2 X 10.0	15.8	black	448.38
382001092	3 X 10	3 X 10.0	16.7	black	546.31
382001118	4 X 10	4 X 10.0	18.1	black	669.81
382001078	2 X 16	2 X 16.0	18.0	black	619.9
382001093	3 X 16	3 X 16.0	19.1	black	769.88
382001119	4 X 16	4 X 16.0	21.2	black	977.18
382001079	2 X 25	2 X 25.0	21.8	black	930.28
382001094	3 X 25	3 X 25.0	23.1	black	1,159.23
382001105	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,156.67
382001120	4 X 25	4 X 25.0	25.3	black	1,451.2
382001080	2 X 35	2 X 35.0	24.2	black	1,196.78
382001095	3 X 35	3 X 35.0	25.7	black	1,508.15
382001106	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,449.47
382001121	4 X 35	4 X 35.0	28.2	black	1,897.94
382001081	2 X 50	2 X 50.0	22.8	black	1,159.3
382001096	3 X 50	3 X 50.0	25.9	black	1,642.62
382001107	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,915.78
382001122	4 X 50	4 X 50.0	28.0	black	2,112.12
382001082	2 X 70	2 X 70.0	25.5	black	1,581.35
382001097	3 X 70	3 X 70.0	30.2	black	2,304.88
382001108	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,662.99
382001123	4 X 70	4 X 70.0	32.2	black	2,967.47
382001083	2 X 95	2 X 95.0	27.9	black	2,087.85
382001098	3 X 95	3 X 95.0	35.3	black	3,090.67
382001109	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,544.54
382001124	4 X 95	4 X 95.0	35.5	black	3,963.2
382001084	2 X 120	2 X 120.0	30.8	black	2,604.87
382001099	3 X 120	3 X 120.0	37.0	black	3,791.82

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382001110	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,467.77
382001125	4 X 120	4 X 120.0	39.0	black	4,916.38
382001085	2 X 150	2 X 150.0	33.9	black	3,170.21
382001100	3 X 150	3 X 150.0	40.9	black	4,665.17
382001111	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,348.92
382001126	4 X 150	4 X 150.0	43.3	black	6,057.82
382001086	2 X 185	2 X 185.0	37.0	black	3,901.81
382001101	3 X 185	3 X 185.0	44.5	black	5,750.73
382001112	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,756.66
382001127	4 X 185	4 X 185.0	48.1	black	7,548.81
382001087	2 X 240	2 X 240.0	41.0	black	5,044.28
382001102	3 X 240	3 X 240.0	48.9	black	7,434.77
382001113	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,683.29
382001128	4 X 240	4 X 240.0	53.7	black	9,785.57
382001088	2 X 300	2 X 300.0	44.7	black	6,217.74
382001103	3 X 300	3 X 300.0	53.5	black	9,233.44
382001114	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,723.81
382001129	4 X 300	4 X 300.0	59.1	black	12,166.16
382001089	2 X 400	2 X 400.0	50.0	black	7,888.94
382001104	3 X 400	3 X 400.0	59.3	black	11,704.24
382001115	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,618.23

Unless specified otherwise, the shown product values are nominal values at room temperature. You can receive further values, such as tolerances, upon request if they are available and have been released for publication.

Photographs are not to scale and do not represent detailed images of the respective products.