



ÖLFLEX® POWER LV 2X FR

XLPE Insulated Heavy Duty Application FR PVC Cable As per IS 7098 (Part-I) 1988

Info

- Low voltage power cable 650/1100 V
- Double sheathed FR cable for heavy duty application



Benefits

- Wide range products variants, with 300 plus variants

Application range

- For main power distribution and lighting circuits in residential and commercial areas
- Power and control circuit
- Telecom power supply
- Suitable for direct burial installations as well as in air or ducts
- For expanded temperature application

Product features

- Flame retardant: According to IEC 60332-1

- UV - resistant outer sheath for outdoor application and AR best suitable anti rodent application

Norm references / Approvals

- IS 7098 (Part-I) 1988

Product Make-up

- Conductor : Annealed bare copper conductor of Class II as per IS 8130
- Insulation : XLPE as per IS 7098-I
- Inner Sheath : PVC
- Outer Sheath :
 - i) PVC ST II as per IS 5831;
 - ii) PVC ST II as per IS 5831 with UVAR

Technical data

- Core identification code**
As per IS 7098 (Part-I) 1988
- Conductor stranding**
Class II as per IS 8130
- Minimum bending radius**
10 Times the OD
- Nominal voltage**
1100 Volts
- Temperature range**
-5°C to 90°C

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
ÖLFLEX® POWER LV 2X FR					
382000004	2 X 1.5	2 X 1.5	11.0	black	162.2
382000005	3 X 1.5	3 X 1.5	11.5	black	183.45
382000006	4 X 1.5	4 X 1.5	12.3	black	214.12
382000007	5 X 1.5	5 X 1.5	13.1	black	246.33
382000008	6 X 1.5	6 X 1.5	14.0	black	248.02
382000009	7 X 1.5	7 X 1.5	14.0	black	266.39
382000010	8 X 1.5	8 X 1.5	15.4	black	301.54
382000011	9 X 1.5	9 X 1.5	16.4	black	331.9
382000012	10 X 1.5	10 X 1.5	17.0	black	357.46
382000013	11 X 1.5	11 X 1.5	17.0	black	375.83
382000014	12 X 1.5	12 X 1.5	17.5	black	400.19
382000015	13 X 1.5	13 X 1.5	18.3	black	428.15
382000016	14 X 1.5	14 X 1.5	18.3	black	446.51
382000017	15 X 1.5	15 X 1.5	19.1	black	474.47
382000018	16 X 1.5	16 X 1.5	19.1	black	492.84
382000019	17 X 1.5	17 X 1.5	20.4	black	541.32
382000020	18 X 1.5	18 X 1.5	20.4	black	559.68
382000021	19 X 1.5	19 X 1.5	20.4	black	578.05
382000022	20 X 1.5	20 X 1.5	21.4	black	609.36
382000023	21 X 1.5	21 X 1.5	21.4	black	627.73
382000024	22 X 1.5	22 X 1.5	22.4	black	659.04
382000025	23 X 1.5	23 X 1.5	22.4	black	677.41
382000026	24 X 1.5	24 X 1.5	23.4	black	708.72
382000027	25 X 1.5	25 X 1.5	23.4	black	727.09
382000028	26 X 1.5	26 X 1.5	23.4	black	745.45
382000029	27 X 1.5	27 X 1.5	23.9	black	770.29
382000030	28 X 1.5	28 X 1.5	24.7	black	799.02
382000031	29 X 1.5	29 X 1.5	24.7	black	817.38
382000032	30 X 1.5	30 X 1.5	24.7	black	835.75
382000033	31 X 1.5	31 X 1.5	25.5	black	864.47
382000034	32 X 1.5	32 X 1.5	25.5	black	882.83
382000035	33 X 1.5	33 X 1.5	25.5	black	901.2
382000036	34 X 1.5	34 X 1.5	26.4	black	931.22
382000037	35 X 1.5	35 X 1.5	26.4	black	949.58
382000038	36 X 1.5	36 X 1.5	26.4	black	967.95
382000039	37 X 1.5	37 X 1.5	26.4	black	986.31
382000040	38 X 1.5	38 X 1.5	27.4	black	1,017.63
382000041	39 X 1.5	39 X 1.5	27.4	black	1,035.99
382000042	40 X 1.5	40 X 1.5	27.4	black	1,054.36
382000043	41 X 1.5	41 X 1.5	28.4	black	1,085.67
382000044	42 X 1.5	42 X 1.5	28.4	black	1,104.04
382000045	43 X 1.5	43 X 1.5	28.4	black	1,122.4
382000046	44 X 1.5	44 X 1.5	29.4	black	1,153.71
382000047	45 X 1.5	45 X 1.5	29.4	black	1,172.08
382000048	46 X 1.5	46 X 1.5	29.4	black	1,190.44
382000049	47 X 1.5	47 X 1.5	29.4	black	1,208.81

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000050	48 X 1.5	48 X 1.5	30.3	black	1,262.44
382000051	49 X 1.5	49 X 1.5	30.3	black	1,280.81
382000052	50 X 1.5	50 X 1.5	30.3	black	1,299.17
382000053	51 X 1.5	51 X 1.5	30.3	black	1,317.54
382000054	52 X 1.5	52 X 1.5	31.1	black	1,347.03
382000055	53 X 1.5	53 X 1.5	31.1	black	1,365.39
382000056	54 X 1.5	54 X 1.5	31.1	black	1,383.76
382000057	55 X 1.5	55 X 1.5	31.1	black	1,402.12
382000058	56 X 1.5	56 X 1.5	31.1	black	1,420.49
382000059	57 X 1.5	57 X 1.5	31.1	black	1,438.85
382000060	58 X 1.5	58 X 1.5	31.1	black	1,457.21
382000061	59 X 1.5	59 X 1.5	31.1	black	1,475.58
382000062	60 X 1.5	60 X 1.5	31.1	black	1,493.94
382000063	61 X 1.5	61 X 1.5	32.8	black	1,535.95
382000064	2 X 2.5	2 X 2.5	11.8	black	196.81
382000065	3 X 2.5	3 X 2.5	12.4	black	228.25
382000066	4 X 2.5	4 X 2.5	13.2	black	266.89
382000067	5 X 2.5	5 X 2.5	14.2	black	313.88
382000068	6 X 2.5	6 X 2.5	15.2	black	318.26
382000069	7 X 2.5	7 X 2.5	15.2	black	345.93
382000070	8 X 2.5	8 X 2.5	16.8	black	392.8
382000071	9 X 2.5	9 X 2.5	17.9	black	433.66
382000072	10 X 2.5	10 X 2.5	18.6	black	469.73
382000073	11 X 2.5	11 X 2.5	18.6	black	497.4
382000074	12 X 2.5	12 X 2.5	19.2	black	532.27
382000075	13 X 2.5	13 X 2.5	20.4	black	588.86
382000076	14 X 2.5	14 X 2.5	20.4	black	616.53
382000077	15 X 2.5	15 X 2.5	21.4	black	657.15
382000078	16 X 2.5	16 X 2.5	21.4	black	684.83
382000079	17 X 2.5	17 X 2.5	22.4	black	725.45
382000080	18 X 2.5	18 X 2.5	22.4	black	753.12
382000081	19 X 2.5	19 X 2.5	22.4	black	780.79
382000082	20 X 2.5	20 X 2.5	23.5	black	822.71
382000083	21 X 2.5	21 X 2.5	23.5	black	850.38
382000084	22 X 2.5	22 X 2.5	24.7	black	893.6
382000085	23 X 2.5	23 X 2.5	24.7	black	921.27
382000086	24 X 2.5	24 X 2.5	25.8	black	963.19
382000087	25 X 2.5	25 X 2.5	25.8	black	990.86
382000088	26 X 2.5	26 X 2.5	25.8	black	1,018.53
382000089	27 X 2.5	27 X 2.5	26.3	black	1,052.68
382000090	28 X 2.5	28 X 2.5	27.2	black	1,092
382000091	29 X 2.5	29 X 2.5	27.2	black	1,119.68
382000092	30 X 2.5	30 X 2.5	27.2	black	1,147.35
382000093	31 X 2.5	31 X 2.5	28.2	black	1,187.97
382000094	32 X 2.5	32 X 2.5	28.2	black	1,215.64
382000095	33 X 2.5	33 X 2.5	28.2	black	1,243.32
382000096	34 X 2.5	34 X 2.5	29.2	black	1,283.94
382000097	35 X 2.5	35 X 2.5	29.2	black	1,311.61
382000098	36 X 2.5	36 X 2.5	29.2	black	1,339.28
382000099	37 X 2.5	37 X 2.5	29.2	black	1,366.95
382000100	38 X 2.5	38 X 2.5	30.7	black	1,438.05
382000101	39 X 2.5	39 X 2.5	30.7	black	1,465.72
382000102	40 X 2.5	40 X 2.5	30.7	black	1,493.39
382000103	41 X 2.5	41 X 2.5	31.9	black	1,537.75
382000104	42 X 2.5	42 X 2.5	31.9	black	1,565.43
382000105	43 X 2.5	43 X 2.5	31.9	black	1,593.1
382000106	44 X 2.5	44 X 2.5	33.0	black	1,636.07
382000107	45 X 2.5	45 X 2.5	33.0	black	1,663.74
382000108	46 X 2.5	46 X 2.5	33.0	black	1,691.41
382000109	47 X 2.5	47 X 2.5	33.0	black	1,719.08
382000110	48 X 2.5	48 X 2.5	33.5	black	1,753.71
382000111	49 X 2.5	49 X 2.5	33.5	black	1,781.38
382000112	50 X 2.5	50 X 2.5	33.5	black	1,809.05
382000113	51 X 2.5	51 X 2.5	33.5	black	1,836.73
382000114	52 X 2.5	52 X 2.5	34.4	black	1,876.91
382000115	53 X 2.5	53 X 2.5	34.4	black	1,904.59
382000116	54 X 2.5	54 X 2.5	34.4	black	1,932.26
382000117	55 X 2.5	55 X 2.5	34.4	black	1,959.93
382000118	56 X 2.5	56 X 2.5	34.4	black	1,987.6
382000119	57 X 2.5	57 X 2.5	34.4	black	2,015.28
382000120	58 X 2.5	58 X 2.5	34.4	black	2,042.95
382000121	59 X 2.5	59 X 2.5	34.4	black	2,070.62
382000122	60 X 2.5	60 X 2.5	34.4	black	2,098.29
382000123	61 X 2.5	61 X 2.5	36.4	black	2,153.78
382000124	1 X 4	1 X 4.0	7.6	black	92.5
382000143	2 X 4	2 X 4.0	12.8	black	245.78
382000158	3 X 4	3 X 4.0	13.4	black	288.24
382000184	4 X 4	4 X 4.0	14.5	black	348.79
382000125	1 X 6	1 X 6.0	8.2	black	116.32
382000144	2 X 6	2 X 6.0	14.0	black	309.65
382000159	3 X 6	3 X 6.0	14.7	black	369.85
382000185	4 X 6	4 X 6.0	15.9	black	450.13
382000126	1 X 10	1 X 10.0	9.1	black	161.63
382000145	2 X 10	2 X 10.0	15.8	black	427.86
382000160	3 X 10	3 X 10.0	16.7	black	525.79

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000186	4 X 10	4 X 10.0	18.1	black	647.19
382000127	1 X 16	1 X 16.0	10.2	black	225.32
382000146	2 X 16	2 X 16.0	18.0	black	594.23
382000161	3 X 16	3 X 16.0	19.1	black	744.36
382000187	4 X 16	4 X 16.0	21.2	black	947.12
382000128	1 X 25	1 X 25.0	11.9	black	328.94
382000147	2 X 25	2 X 25.0	21.8	black	893.75
382000162	3 X 25	3 X 25.0	23.1	black	1,123.65
382000173	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,133.21
382000188	4 X 25	4 X 25.0	25.3	black	1,411.42
382000129	1 X 35	1 X 35.0	13.1	black	427.95
382000148	2 X 35	2 X 35.0	24.2	black	1,152.94
382000163	3 X 35	3 X 35.0	25.7	black	1,465.76
382000174	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,423.73
382000189	4 X 35	4 X 35.0	28.2	black	1,850.58
382000130	1 X 50	1 X 50.0	14.4	black	551.55
382000149	2 X 50	2 X 50.0	22.8	black	1,136.4
382000164	3 X 50	3 X 50.0	25.9	black	1,616.2
382000175	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,886.63
382000190	4 X 50	4 X 50.0	28.0	black	2,083.31
382000131	1 X 70	1 X 70.0	16.6	black	763.39
382000150	2 X 70	2 X 70.0	25.5	black	1,555.38
382000165	3 X 70	3 X 70.0	30.2	black	2,271.46
382000176	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,627.12
382000191	4 X 70	4 X 70.0	32.2	black	2,931.6
382000132	1 X 95	1 X 95.0	18.5	black	1,016.89
382000151	2 X 95	2 X 95.0	27.9	black	2,059.16
382000166	3 X 95	3 X 95.0	35.3	black	3,051.02
382000177	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,503.78
382000192	4 X 95	4 X 95.0	35.5	black	3,923.3
382000133	1 X 120	1 X 120.0	20.6	black	1,276.74
382000152	2 X 120	2 X 120.0	30.8	black	2,570.71
382000167	3 X 120	3 X 120.0	37.0	black	3,750.08
382000178	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,422.49
382000193	4 X 120	4 X 120.0	39.0	black	4,872.2
382000134	1 X 150	1 X 150.0	22.5	black	1,555.02
382000153	2 X 150	2 X 150.0	33.9	black	3,132.26
382000168	3 X 150	3 X 150.0	40.9	black	4,615.67
382000179	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,295.23
382000194	4 X 150	4 X 150.0	43.3	black	6,005.18
382000135	1 X 185	1 X 185.0	24.8	black	1,920.35
382000154	2 X 185	2 X 185.0	37.0	black	3,860.08
382000169	3 X 185	3 X 185.0	44.5	black	5,696.52
382000180	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,691.22
382000195	4 X 185	4 X 185.0	48.1	black	7,486.3
382000136	1 X 240	1 X 240.0	27.5	black	2,470.05
382000155	2 X 240	2 X 240.0	41.0	black	4,994.64
382000170	3 X 240	3 X 240.0	48.9	black	7,371.14
382000181	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,607.03
382000196	4 X 240	4 X 240.0	53.7	black	9,711.23
382000137	1 X 300	1 X 300.0	30.6	black	3,082.93
382000156	2 X 300	2 X 300.0	44.7	black	6,163.26
382000171	3 X 300	3 X 300.0	53.5	black	9,159.39
382000182	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,638.58
382000197	4 X 300	4 X 300.0	59.1	black	12,079.37
382000138	1 X 400	1 X 400.0	33.9	black	3,889.14
382000157	2 X 400	2 X 400.0	50.0	black	7,823.79
382000172	3 X 400	3 X 400.0	59.3	black	11,617.13
382000183	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,513.29
382000139	1 X 500	1 X 500.0	37.9	black	4,935.09
382000140	1 X 630	1 X 630.0	42.3	black	6,338.33
382000141	1 X 800	1 X 800.0	47.2	black	8,066.31
382000142	1 X 1000		52.4	black	10,078.24
382000198	2 X 1.5	2 X 1.5	11.0	black	162.2
382000199	3 X 1.5	3 X 1.5	11.5	black	183.45
382000200	4 X 1.5	4 X 1.5	12.3	black	214.12
382000201	5 X 1.5	5 X 1.5	13.1	black	246.33
382000202	6 X 1.5	6 X 1.5	14.0	black	248.02
382000203	7 X 1.5	7 X 1.5	14.0	black	266.39
382000204	8 X 1.5	8 X 1.5	15.4	black	301.54
382000205	9 X 1.5	9 X 1.5	16.4	black	331.9
382000206	10 X 1.5	10 X 1.5	17.0	black	357.46
382000207	11 X 1.5	11 X 1.5	17.0	black	375.83
382000208	12 X 1.5	12 X 1.5	17.5	black	400.19
382000209	13 X 1.5	13 X 1.5	18.3	black	428.15
382000210	14 X 1.5	14 X 1.5	18.3	black	446.51
382000211	15 X 1.5	15 X 1.5	19.1	black	474.47
382000212	16 X 1.5	16 X 1.5	19.1	black	492.84
382000213	17 X 1.5	17 X 1.5	20.4	black	541.32
382000214	18 X 1.5	18 X 1.5	20.4	black	559.68
382000215	19 X 1.5	19 X 1.5	20.4	black	578.05
382000216	20 X 1.5	20 X 1.5	21.4	black	609.36
382000217	21 X 1.5	21 X 1.5	21.4	black	627.73
382000218	22 X 1.5	22 X 1.5	22.4	black	659.04
382000219	23 X 1.5	23 X 1.5	22.4	black	677.41

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000220	24 X 1.5	24 X 1.5	23.4	black	708.72
382000221	25 X 1.5	25 X 1.5	23.4	black	727.09
382000222	26 X 1.5	26 X 1.5	23.4	black	745.45
382000223	27 X 1.5	27 X 1.5	23.9	black	770.29
382000224	28 X 1.5	28 X 1.5	24.7	black	799.02
382000225	29 X 1.5	29 X 1.5	24.7	black	817.38
382000226	30 X 1.5	30 X 1.5	24.7	black	835.75
382000227	31 X 1.5	31 X 1.5	25.5	black	864.47
382000228	32 X 1.5	32 X 1.5	25.5	black	882.83
382000229	33 X 1.5	33 X 1.5	25.5	black	901.2
382000230	34 X 1.5	34 X 1.5	26.4	black	931.22
382000231	35 X 1.5	35 X 1.5	26.4	black	949.58
382000232	36 X 1.5	36 X 1.5	26.4	black	967.95
382000233	37 X 1.5	37 X 1.5	26.4	black	986.31
382000234	38 X 1.5	38 X 1.5	27.4	black	1,017.63
382000235	39 X 1.5	39 X 1.5	27.4	black	1,035.99
382000236	40 X 1.5	40 X 1.5	27.4	black	1,054.36
382000237	41 X 1.5	41 X 1.5	28.4	black	1,085.67
382000238	42 X 1.5	42 X 1.5	28.4	black	1,104.04
382000239	43 X 1.5	43 X 1.5	28.4	black	1,122.4
382000240	44 X 1.5	44 X 1.5	29.4	black	1,153.71
382000241	45 X 1.5	45 X 1.5	29.4	black	1,172.08
382000242	46 X 1.5	46 X 1.5	29.4	black	1,190.44
382000243	47 X 1.5	47 X 1.5	29.4	black	1,208.81
382000244	48 X 1.5	48 X 1.5	30.3	black	1,262.44
382000245	49 X 1.5	49 X 1.5	30.3	black	1,280.81
382000246	50 X 1.5	50 X 1.5	30.3	black	1,299.17
382000247	51 X 1.5	51 X 1.5	30.3	black	1,317.54
382000248	52 X 1.5	52 X 1.5	31.1	black	1,347.03
382000249	53 X 1.5	53 X 1.5	31.1	black	1,365.39
382000250	54 X 1.5	54 X 1.5	31.1	black	1,383.76
382000251	55 X 1.5	55 X 1.5	31.1	black	1,402.12
382000252	56 X 1.5	56 X 1.5	31.1	black	1,420.49
382000253	57 X 1.5	57 X 1.5	31.1	black	1,438.85
382000254	58 X 1.5	58 X 1.5	31.1	black	1,457.21
382000255	59 X 1.5	59 X 1.5	31.1	black	1,475.58
382000256	60 X 1.5	60 X 1.5	31.1	black	1,493.94
382000257	61 X 1.5	61 X 1.5	32.8	black	1,535.95
382000258	2 X 2.5	2 X 2.5	11.8	black	196.81
382000259	3 X 2.5	3 X 2.5	12.4	black	228.25
382000260	4 X 2.5	4 X 2.5	13.2	black	266.89
382000261	5 X 2.5	5 X 2.5	14.2	black	313.88
382000262	6 X 2.5	6 X 2.5	15.2	black	318.26
382000263	7 X 2.5	7 X 2.5	15.2	black	345.93
382000264	8 X 2.5	8 X 2.5	16.8	black	392.8
382000265	9 X 2.5	9 X 2.5	17.9	black	433.66
382000266	10 X 2.5	10 X 2.5	18.6	black	469.73
382000267	11 X 2.5	11 X 2.5	18.6	black	497.4
382000268	12 X 2.5	12 X 2.5	19.2	black	532.27
382000269	13 X 2.5	13 X 2.5	20.4	black	588.86
382000270	14 X 2.5	14 X 2.5	20.4	black	616.53
382000271	15 X 2.5	15 X 2.5	21.4	black	657.15
382000272	16 X 2.5	16 X 2.5	21.4	black	684.83
382000273	17 X 2.5	17 X 2.5	22.4	black	725.45
382000274	18 X 2.5	18 X 2.5	22.4	black	753.12
382000275	19 X 2.5	19 X 2.5	22.4	black	780.79
382000276	20 X 2.5	20 X 2.5	23.5	black	822.71
382000277	21 X 2.5	21 X 2.5	23.5	black	850.38
382000278	22 X 2.5	22 X 2.5	24.7	black	893.6
382000279	23 X 2.5	23 X 2.5	24.7	black	921.27
382000280	24 X 2.5	24 X 2.5	25.8	black	963.19
382000281	25 X 2.5	25 X 2.5	25.8	black	990.86
382000282	26 X 2.5	26 X 2.5	25.8	black	1,018.53
382000283	27 X 2.5	27 X 2.5	26.3	black	1,052.68
382000284	28 X 2.5	28 X 2.5	27.2	black	1,092
382000285	29 X 2.5	29 X 2.5	27.2	black	1,119.68
382000286	30 X 2.5	30 X 2.5	27.2	black	1,147.35
382000287	31 X 2.5	31 X 2.5	28.2	black	1,187.97
382000288	32 X 2.5	32 X 2.5	28.2	black	1,215.64
382000289	33 X 2.5	33 X 2.5	28.2	black	1,243.32
382000290	34 X 2.5	34 X 2.5	29.2	black	1,283.94
382000291	35 X 2.5	35 X 2.5	29.2	black	1,311.61
382000292	36 X 2.5	36 X 2.5	29.2	black	1,339.28
382000293	37 X 2.5	37 X 2.5	29.2	black	1,366.95
382000294	38 X 2.5	38 X 2.5	30.7	black	1,438.05
382000295	39 X 2.5	39 X 2.5	30.7	black	1,465.72
382000296	40 X 2.5	40 X 2.5	30.7	black	1,493.39
382000297	41 X 2.5	41 X 2.5	31.9	black	1,537.75
382000298	42 X 2.5	42 X 2.5	31.9	black	1,565.43
382000299	43 X 2.5	43 X 2.5	31.9	black	1,593.1
382000300	44 X 2.5	44 X 2.5	33.0	black	1,636.07
382000301	45 X 2.5	45 X 2.5	33.0	black	1,663.74
382000302	46 X 2.5	46 X 2.5	33.0	black	1,691.41
382000303	47 X 2.5	47 X 2.5	33.0	black	1,719.08
382000304	48 X 2.5	48 X 2.5	33.5	black	1,753.71

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000305	49 X 2.5	49 X 2.5	33.5	black	1,781.38
382000306	50 X 2.5	50 X 2.5	33.5	black	1,809.05
382000307	51 X 2.5	51 X 2.5	33.5	black	1,836.73
382000308	52 X 2.5	52 X 2.5	34.4	black	1,876.91
382000309	53 X 2.5	53 X 2.5	34.4	black	1,904.59
382000310	54 X 2.5	54 X 2.5	34.4	black	1,932.26
382000311	55 X 2.5	55 X 2.5	34.4	black	1,959.93
382000312	56 X 2.5	56 X 2.5	34.4	black	1,987.6
382000313	57 X 2.5	57 X 2.5	34.4	black	2,015.28
382000314	58 X 2.5	58 X 2.5	34.4	black	2,042.95
382000315	59 X 2.5	59 X 2.5	34.4	black	2,070.62
382000316	60 X 2.5	60 X 2.5	34.4	black	2,098.29
382000317	61 X 2.5	61 X 2.5	36.4	black	2,153.78
382000318	1 X 4	1 X 4.0	7.6	black	92.5
382000337	2 X 4	2 X 4.0	12.8	black	245.78
382000352	3 X 4	3 X 4.0	13.4	black	288.24
382000378	4 X 4	4 X 4.0	14.5	black	348.79
382000319	1 X 6	1 X 6.0	8.2	black	116.32
382000338	2 X 6	2 X 6.0	14.0	black	309.65
382000353	3 X 6	3 X 6.0	14.7	black	369.85
382000379	4 X 6	4 X 6.0	15.9	black	450.13
382000320	1 X 10	1 X 10.0	9.1	black	161.63
382000339	2 X 10	2 X 10.0	15.8	black	427.86
382000354	3 X 10	3 X 10.0	16.7	black	525.79
382000380	4 X 10	4 X 10.0	18.1	black	647.19
382000321	1 X 16	1 X 16.0	10.2	black	225.32
382000340	2 X 16	2 X 16.0	18.0	black	594.23
382000355	3 X 16	3 X 16.0	19.1	black	744.36
382000381	4 X 16	4 X 16.0	21.2	black	947.12
382000322	1 X 25	1 X 25.0	11.9	black	328.94
382000341	2 X 25	2 X 25.0	21.8	black	893.75
382000356	3 X 25	3 X 25.0	23.1	black	1,123.65
382000367	3 x 25 + 1 x 16	4 X 25.0	23.3	black	1,133.21
382000382	4 X 25	4 X 25.0	25.3	black	1,411.42
382000323	1 X 35	1 X 35.0	13.1	black	427.95
382000342	2 X 35	2 X 35.0	24.2	black	1,152.94
382000357	3 X 35	3 X 35.0	25.7	black	1,465.76
382000368	3 x 35 + 1 x 16	4 X 35.0	25.3	black	1,423.73
382000383	4 X 35	4 X 35.0	28.2	black	1,850.58
382000324	1 X 50	1 X 50.0	14.4	black	551.55
382000343	2 X 50	2 X 50.0	22.8	black	1,136.4
382000358	3 X 50	3 X 50.0	25.9	black	1,616.2
382000369	3 x 50 + 1 x 25	4 X 50.0	28.3	black	1,886.63
382000384	4 X 50	4 X 50.0	28.0	black	2,083.31
382000325	1 X 70	1 X 70.0	16.6	black	763.39
382000344	2 X 70	2 X 70.0	25.5	black	1,555.38
382000359	3 X 70	3 X 70.0	30.2	black	2,271.46
382000370	3 x 70 + 1 x 35	4 X 70.0	32.2	black	2,627.12
382000385	4 X 70	4 X 70.0	32.2	black	2,931.6
382000326	1 X 95	1 X 95.0	18.5	black	1,016.89
382000345	2 X 95	2 X 95.0	27.9	black	2,059.16
382000360	3 X 95	3 X 95.0	35.3	black	3,051.02
382000371	3 x 95 + 1 x 50	4 X 95.0	36.2	black	3,503.78
382000386	4 X 95	4 X 95.0	35.5	black	3,923.3
382000327	1 X 120	1 X 120.0	20.6	black	1,276.74
382000346	2 X 120	2 X 120.0	30.8	black	2,570.71
382000361	3 X 120	3 X 120.0	37.0	black	3,750.08
382000372	3 x 120 + 1 x 70	4 X 120.0	39.9	black	4,422.49
382000387	4 X 120	4 X 120.0	39.0	black	4,872.2
382000328	1 X 150	1 X 150.0	22.5	black	1,555.02
382000347	2 X 150	2 X 150.0	33.9	black	3,132.26
382000362	3 X 150	3 X 150.0	40.9	black	4,615.67
382000373	3 x 150 + 1 x 70	4 X 150.0	44.1	black	5,295.23
382000388	4 X 150	4 X 150.0	43.3	black	6,005.18
382000329	1 X 185	1 X 185.0	24.8	black	1,920.35
382000348	2 X 185	2 X 185.0	37.0	black	3,860.08
382000363	3 X 185	3 X 185.0	44.5	black	5,696.52
382000374	3 x 185 + 1 x 95	4 X 185.0	50.2	black	6,691.22
382000389	4 X 185	4 X 185.0	48.1	black	7,486.3
382000330	1 X 240	1 X 240.0	27.5	black	2,470.05
382000349	2 X 240	2 X 240.0	41.0	black	4,994.64
382000364	3 X 240	3 X 240.0	48.9	black	7,371.14
382000375	3 x 240 + 1 x 120	4 X 240.0	55.0	black	8,607.03
382000390	4 X 240	4 X 240.0	53.7	black	9,711.23
382000331	1 X 300	1 X 300.0	30.6	black	3,082.93
382000350	2 X 300	2 X 300.0	44.7	black	6,163.26
382000365	3 X 300	3 X 300.0	53.5	black	9,159.39
382000376	3 x 300 + 1 x 150	4 X 300.0	58.1	black	10,638.58
382000391	4 X 300	4 X 300.0	59.1	black	12,079.37
382000332	1 X 400	1 X 400.0	33.9	black	3,889.14
382000351	2 X 400	2 X 400.0	50.0	black	7,823.79
382000366	3 X 400	3 X 400.0	59.3	black	11,617.13
382000377	3 x 400 + 1 x 185	4 X 400.0	65.9	black	13,513.29
382000333	1 X 500	1 X 500.0	37.9	black	4,935.09
382000334	1 X 630	1 X 630.0	42.3	black	6,338.33

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382000335	1 X 800	1 X 800.0	47.2	black	8,066.31
382000336	1 X 1000		52.4	black	10,078.24

Unless specified otherwise, the shown product values are nominal values at room temperature. You can receive further values, such as tolerances, upon request if they are available and have been released for publication.

Photographs are not to scale and do not represent detailed images of the respective products.