



ÖLFLEX® POWER LV PVC FR

PVC Insulated Heavy Duty Application FR PVC Cable As per IS 1554 (Part-I) 1988

Info

- Low voltage power cable 650/1100 V
- Double sheathed FR cable for heavy duty application



Benefits

- Wide range products variants, up to 400 articles

Application range

- For main power distribution and lighting circuits in residential and commercial areas
- Power and control circuit
- Telecom power supply
- Suitable for direct burial installations as well as in air or ducts

Product features

- Flame retardant: According to IEC 60332-1

- UV - resistant outer sheath for outdoor application and AR best suitable anti rodent application

Norm references / Approvals

- IS 1554 (Part-I) 1988

Product Make-up

- Conductor : Annealed bare copper conductor of Class II as per IS 8130
- Insulation : PVC Type A as per IS 5831
- Inner Sheath : PVC
- Outer Sheath :
 - i) PVC ST I as per IS 5831;
 - ii) PVC ST I as per IS 5831 with UVAR

Technical data

- Core identification code**
As per IS 1554 (Part-I) 1988
- Conductor stranding**
Class II as per IS 8130
- Minimum bending radius**
10 Times the OD
- Nominal voltage**
1100 Volts
- Temperature range**
-5°C up to +70°C

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
ÖLFLEX® POWER LV PVC FR					
382003146	2 X 1.5	2 X 1.5	11.4	black	178.38
382003147	3 X 1.5	3 X 1.5	11.9	black	202.76
382003148	4 X 1.5	4 X 1.5	12.8	black	239.94
382003149	5 X 1.5	5 X 1.5	13.7	black	279.06
382003150	6 X 1.5	6 X 1.5	14.6	black	280.05
382003151	7 X 1.5	7 X 1.5	14.6	black	302.55
382003152	8 X 1.5	8 X 1.5	16.1	black	343.05
382003153	9 X 1.5	9 X 1.5	17.2	black	378.74
382003154	10 X 1.5	10 X 1.5	17.8	black	408.44
382003155	11 X 1.5	11 X 1.5	17.8	black	430.94
382003156	12 X 1.5	12 X 1.5	18.3	black	459.44
382003157	13 X 1.5	13 X 1.5	19.1	black	491.54
382003158	14 X 1.5	14 X 1.5	19.1	black	514.04
382003159	15 X 1.5	15 X 1.5	20.5	black	567.96
382003160	16 X 1.5	16 X 1.5	20.5	black	590.46
382003161	17 X 1.5	17 X 1.5	21.4	black	624.62
382003162	18 X 1.5	18 X 1.5	21.4	black	647.12
382003163	19 X 1.5	19 X 1.5	21.4	black	669.62
382003164	20 X 1.5	20 X 1.5	22.5	black	706.37
382003165	21 X 1.5	21 X 1.5	22.5	black	728.88
382003166	22 X 1.5	22 X 1.5	23.6	black	765.62
382003167	23 X 1.5	23 X 1.5	23.6	black	788.13
382003168	24 X 1.5	24 X 1.5	24.6	black	823.58
382003169	25 X 1.5	25 X 1.5	24.6	black	846.08
382003170	26 X 1.5	26 X 1.5	24.6	black	868.58
382003171	27 X 1.5	27 X 1.5	25.1	black	897.56
382003172	28 X 1.5	28 X 1.5	25.9	black	930.43
382003173	29 X 1.5	29 X 1.5	25.9	black	952.93
382003174	30 X 1.5	30 X 1.5	25.9	black	975.43
382003175	31 X 1.5	31 X 1.5	26.9	black	1,010.88
382003176	32 X 1.5	32 X 1.5	26.9	black	1,033.39
382003177	33 X 1.5	33 X 1.5	26.9	black	1,055.89
382003178	34 X 1.5	34 X 1.5	27.8	black	1,090.05
382003179	35 X 1.5	35 X 1.5	27.8	black	1,112.55
382003180	36 X 1.5	36 X 1.5	27.8	black	1,135.05
382003181	37 X 1.5	37 X 1.5	27.8	black	1,157.56
382003182	38 X 1.5	38 X 1.5	28.9	black	1,194.3
382003183	39 X 1.5	39 X 1.5	28.9	black	1,216.81
382003184	40 X 1.5	40 X 1.5	28.9	black	1,239.31
382003185	41 X 1.5	41 X 1.5	30.4	black	1,304.95
382003186	42 X 1.5	42 X 1.5	30.4	black	1,327.45
382003187	43 X 1.5	43 X 1.5	30.4	black	1,349.95
382003188	44 X 1.5	44 X 1.5	31.4	black	1,386.36
382003189	45 X 1.5	45 X 1.5	31.4	black	1,408.86
382003190	46 X 1.5	46 X 1.5	31.4	black	1,431.37
382003191	47 X 1.5	47 X 1.5	31.4	black	1,453.87
382003192	48 X 1.5	48 X 1.5	31.9	black	1,483.33

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382003193	49 X 1.5	49 X 1.5	31.9	black	1,505.83
382003194	50 X 1.5	50 X 1.5	31.9	black	1,528.33
382003195	51 X 1.5	51 X 1.5	31.9	black	1,550.84
382003196	52 X 1.5	52 X 1.5	32.7	black	1,584.46
382003197	53 X 1.5	53 X 1.5	32.7	black	1,606.97
382003198	54 X 1.5	54 X 1.5	32.7	black	1,629.47
382003199	55 X 1.5	55 X 1.5	32.7	black	1,651.97
382003200	56 X 1.5	56 X 1.5	32.7	black	1,674.47
382003201	57 X 1.5	57 X 1.5	32.7	black	1,696.98
382003202	58 X 1.5	58 X 1.5	32.7	black	1,719.48
382003203	59 X 1.5	59 X 1.5	32.7	black	1,741.98
382003204	60 X 1.5	60 X 1.5	32.7	black	1,764.49
382003205	61 X 1.5	61 X 1.5	34.6	black	1,813.41
382003206	2 X 2.5	2 X 2.5	12.6	black	226.69
382003207	3 X 2.5	3 X 2.5	13.2	black	262.39
382003208	4 X 2.5	4 X 2.5	14.2	black	312.5
382003209	5 X 2.5	5 X 2.5	15.3	black	368.69
382003210	6 X 2.5	6 X 2.5	16.4	black	372.02
382003211	7 X 2.5	7 X 2.5	16.4	black	406.25
382003212	8 X 2.5	8 X 2.5	18.1	black	460.88
382003213	9 X 2.5	9 X 2.5	19.9	black	530.75
382003214	10 X 2.5	10 X 2.5	20.6	black	574.04
382003215	11 X 2.5	11 X 2.5	20.6	black	608.28
382003216	12 X 2.5	12 X 2.5	21.2	black	650.28
382003217	13 X 2.5	13 X 2.5	22.2	black	697.46
382003218	14 X 2.5	14 X 2.5	22.2	black	731.7
382003219	15 X 2.5	15 X 2.5	23.3	black	780.18
382003220	16 X 2.5	16 X 2.5	23.3	black	814.41
382003221	17 X 2.5	17 X 2.5	24.4	black	862.89
382003222	18 X 2.5	18 X 2.5	24.4	black	897.12
382003223	19 X 2.5	19 X 2.5	24.4	black	931.35
382003224	20 X 2.5	20 X 2.5	25.7	black	982.42
382003225	21 X 2.5	21 X 2.5	25.7	black	1,016.66
382003226	22 X 2.5	22 X 2.5	27.0	black	1,067.72
382003227	23 X 2.5	23 X 2.5	27.0	black	1,101.96
382003228	24 X 2.5	24 X 2.5	28.2	black	1,151.73
382003229	25 X 2.5	25 X 2.5	28.2	black	1,185.96
382003230	26 X 2.5	26 X 2.5	28.2	black	1,220.2
382003231	27 X 2.5	27 X 2.5	28.8	black	1,262.2
382003232	28 X 2.5	28 X 2.5	29.8	black	1,309.38
382003233	29 X 2.5	29 X 2.5	29.8	black	1,343.62
382003234	30 X 2.5	30 X 2.5	29.8	black	1,377.85
382003235	31 X 2.5	31 X 2.5	31.3	black	1,456.08
382003236	32 X 2.5	32 X 2.5	31.3	black	1,490.31
382003237	33 X 2.5	33 X 2.5	31.3	black	1,524.55
382003238	34 X 2.5	34 X 2.5	32.4	black	1,574.08
382003239	35 X 2.5	35 X 2.5	32.4	black	1,608.31
382003240	36 X 2.5	36 X 2.5	32.4	black	1,642.54
382003241	37 X 2.5	37 X 2.5	32.4	black	1,676.78
382003242	38 X 2.5	38 X 2.5	33.7	black	1,729.09
382003243	39 X 2.5	39 X 2.5	33.7	black	1,763.32
382003244	40 X 2.5	40 X 2.5	33.7	black	1,797.56
382003245	41 X 2.5	41 X 2.5	35.0	black	1,849.87
382003246	42 X 2.5	42 X 2.5	35.0	black	1,884.1
382003247	43 X 2.5	43 X 2.5	35.0	black	1,918.33
382003248	44 X 2.5	44 X 2.5	36.2	black	1,969.26
382003249	45 X 2.5	45 X 2.5	36.2	black	2,003.49
382003250	46 X 2.5	46 X 2.5	36.2	black	2,037.72
382003251	47 X 2.5	47 X 2.5	36.2	black	2,071.96
382003252	48 X 2.5	48 X 2.5	36.8	black	2,114.53
382003253	49 X 2.5	49 X 2.5	36.8	black	2,148.77
382003254	50 X 2.5	50 X 2.5	36.8	black	2,183
382003255	51 X 2.5	51 X 2.5	36.8	black	2,217.23
382003256	52 X 2.5	52 X 2.5	37.8	black	2,265.37
382003257	53 X 2.5	53 X 2.5	37.8	black	2,299.61
382003258	54 X 2.5	54 X 2.5	37.8	black	2,333.84
382003259	55 X 2.5	55 X 2.5	37.8	black	2,368.07
382003260	56 X 2.5	56 X 2.5	37.8	black	2,402.31
382003261	57 X 2.5	57 X 2.5	37.8	black	2,436.54
382003262	58 X 2.5	58 X 2.5	37.8	black	2,470.77
382003263	59 X 2.5	59 X 2.5	37.8	black	2,505.01
382003264	60 X 2.5	60 X 2.5	37.8	black	2,539.24
382003265	61 X 2.5	61 X 2.5	40.0	black	2,604.07
382003266	1 X 4	1 X 4.0	8.2	black	107.53
382003285	2 X 4	2 X 4.0	14.0	black	292.08
382003300	3 X 4	3 X 4.0	14.7	black	343.5
382003326	4 X 4	4 X 4.0	15.9	black	414.99
382003267	1 X 6	1 X 6.0	8.8	black	132.9
382003286	2 X 6	2 X 6.0	15.2	black	360.78
382003301	3 X 6	3 X 6.0	16.0	black	431.23
382003327	4 X 6	4 X 6.0	17.4	black	527.97
382003268	1 X 10	1 X 10.0	9.7	black	180.55
382003287	2 X 10	2 X 10.0	17.0	black	486.24
382003302	3 X 10	3 X 10.0	18.0	black	596.51
382003328	4 X 10	4 X 10.0	19.9	black	751.22

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382003269	1 X 16	1 X 16.0	10.8	black	247.09
382003288	2 X 16	2 X 16.0	19.2	black	661.45
382003303	3 X 16	3 X 16.0	20.8	black	846.05
382003329	4 X 16	4 X 16.0	22.6	black	1,047.76
382003270	1 X 25	1 X 25.0	12.5	black	357.28
382003289	2 X 25	2 X 25.0	23.0	black	980.16
382003304	3 X 25	3 X 25.0	24.4	black	1,230.49
382003315	3 x 25 + 1 x 16	4 X 25.0	25.3	black	1,244.11
382003330	4 X 25	4 X 25.0	26.7	black	1,542.34
382003271	1 X 35	1 X 35.0	13.7	black	459.79
382003290	2 X 35	2 X 35.0	25.4	black	1,249.81
382003305	3 X 35	3 X 35.0	27.0	black	1,586.03
382003316	3 x 35 + 1 x 16	4 X 35.0	27.3	black	1,545.14
382003331	4 X 35	4 X 35.0	29.6	black	1,998.34
382003272	1 X 50	1 X 50.0	15.2	black	595.87
382003291	2 X 50	2 X 50.0	25.3	black	1,242.56
382003306	3 X 50	3 X 50.0	28.0	black	1,754.52
382003317	3 x 50 + 1 x 25	4 X 50.0	30.4	black	2,071.8
382003332	4 X 50	4 X 50.0	32.2	black	2,311.03
382003273	1 X 70	1 X 70.0	17.2	black	809.05
382003292	2 X 70	2 X 70.0	27.0	black	1,655.09
382003307	3 X 70	3 X 70.0	31.2	black	2,406.14
382003318	3 x 70 + 1 x 35	4 X 70.0	33.2	black	2,788.34
382003333	4 X 70	4 X 70.0	36.2	black	3,147.52
382003274	1 X 95	1 X 95.0	19.9	black	1,106.03
382003293	2 X 95	2 X 95.0	31.2	black	2,248.46
382003308	3 X 95	3 X 95.0	35.2	black	3,233.99
382003319	3 x 95 + 1 x 50	4 X 95.0	38.2	black	3,752.62
382003334	4 X 95	4 X 95.0	39.9	black	4,229.06
382003275	1 X 120	1 X 120.0	21.4	black	1,347.2
382003294	2 X 120	2 X 120.0	33.2	black	2,728.66
382003309	3 X 120	3 X 120.0	37.9	black	3,950.2
382003320	3 x 120 + 1 x 70	4 X 120.0	41.1	black	4,700.72
382003335	4 X 120	4 X 120.0	43.8	black	5,224.35
382003276	1 X 150	1 X 150.0	23.3	black	1,638.08
382003295	2 X 150	2 X 150.0	34.9	black	3,296.34
382003310	3 X 150	3 X 150.0	41.8	black	4,854.47
382003321	3 x 150 + 1 x 70	4 X 150.0	44.8	black	5,571.46
382003336	4 X 150	4 X 150.0	48.2	black	6,417.64
382003277	1 X 185	1 X 185.0	25.6	black	2,018.96
382003296	2 X 185	2 X 185.0	38.4	black	4,060.71
382003311	3 X 185	3 X 185.0	44.8	black	5,973.21
382003322	3 x 185 + 1 x 95	4 X 185.0	49.8	black	7,018.77
382003337	4 X 185	4 X 185.0	54.0	black	7,986.35
382003278	1 X 240	1 X 240.0	28.5	black	2,597.86
382003297	2 X 240	2 X 240.0	43.4	black	5,265.66
382003312	3 X 240	3 X 240.0	51.7	black	7,811.72
382003323	3 x 240 + 1 x 120	4 X 240.0	57.1	black	9,106.13
382003338	4 X 240	4 X 240.0	60.8	black	10,351.77
382003279	1 X 300	1 X 300.0	31.8	black	3,244.61
382003298	2 X 300	2 X 300.0	47.3	black	6,537.95
382003313	3 X 300	3 X 300.0	57.8	black	9,725.15
382003324	3 x 300 + 1 x 150	4 X 300.0	62.2	black	11,284.01
382003339	4 X 300	4 X 300.0	67.3	black	12,959.89
382003280	1 X 400	1 X 400.0	35.1	black	4,078.54
382003299	2 X 400	2 X 400.0	52.2	black	8,254.47
382003314	3 X 400	3 X 400.0	63.9	black	12,307.67
382003325	3 x 400 + 1 x 185	4 X 400.0	70.0	black	14,270.18
382003281	1 X 500	1 X 500.0	39.5	black	5,196.38
382003282	1 X 630	1 X 630.0	44.3	black	6,683.98
382003283	1 X 800	1 X 800.0	48.8	black	8,418.51
382003284	1 X 1000		53.6	black	10,433.08
382003340	2 X 1.5	2 X 1.5	11.4	black	178.38
382003341	3 X 1.5	3 X 1.5	11.9	black	202.76
382003342	4 X 1.5	4 X 1.5	12.8	black	239.94
382003343	5 X 1.5	5 X 1.5	13.7	black	279.06
382003344	6 X 1.5	6 X 1.5	14.6	black	280.05
382003345	7 X 1.5	7 X 1.5	14.6	black	302.55
382003346	8 X 1.5	8 X 1.5	16.1	black	343.05
382003347	9 X 1.5	9 X 1.5	17.2	black	378.74
382003348	10 X 1.5	10 X 1.5	17.8	black	408.44
382003349	11 X 1.5	11 X 1.5	17.8	black	430.94
382003350	12 X 1.5	12 X 1.5	18.3	black	459.44
382003351	13 X 1.5	13 X 1.5	19.1	black	491.54
382003352	14 X 1.5	14 X 1.5	19.1	black	514.04
382003353	15 X 1.5	15 X 1.5	20.5	black	567.96
382003354	16 X 1.5	16 X 1.5	20.5	black	590.46
382003355	17 X 1.5	17 X 1.5	21.4	black	624.62
382003356	18 X 1.5	18 X 1.5	21.4	black	647.12
382003357	19 X 1.5	19 X 1.5	21.4	black	669.62
382003358	20 X 1.5	20 X 1.5	22.5	black	706.37
382003359	21 X 1.5	21 X 1.5	22.5	black	728.88
382003360	22 X 1.5	22 X 1.5	23.6	black	765.62
382003361	23 X 1.5	23 X 1.5	23.6	black	788.13
382003362	24 X 1.5	24 X 1.5	24.6	black	823.58

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382003363	25 X 1.5	25 X 1.5	24.6	black	846.08
382003364	26 X 1.5	26 X 1.5	24.6	black	868.58
382003365	27 X 1.5	27 X 1.5	25.1	black	897.56
382003366	28 X 1.5	28 X 1.5	25.9	black	930.43
382003367	29 X 1.5	29 X 1.5	25.9	black	952.93
382003368	30 X 1.5	30 X 1.5	25.9	black	975.43
382003369	31 X 1.5	31 X 1.5	26.9	black	1,010.88
382003370	32 X 1.5	32 X 1.5	26.9	black	1,033.39
382003371	33 X 1.5	33 X 1.5	26.9	black	1,055.89
382003372	34 X 1.5	34 X 1.5	27.8	black	1,090.05
382003373	35 X 1.5	35 X 1.5	27.8	black	1,112.55
382003374	36 X 1.5	36 X 1.5	27.8	black	1,135.05
382003375	37 X 1.5	37 X 1.5	27.8	black	1,157.56
382003376	38 X 1.5	38 X 1.5	28.9	black	1,194.3
382003377	39 X 1.5	39 X 1.5	28.9	black	1,216.81
382003378	40 X 1.5	40 X 1.5	28.9	black	1,239.31
382003379	41 X 1.5	41 X 1.5	30.4	black	1,304.95
382003380	42 X 1.5	42 X 1.5	30.4	black	1,327.45
382003381	43 X 1.5	43 X 1.5	30.4	black	1,349.95
382003382	44 X 1.5	44 X 1.5	31.4	black	1,386.36
382003383	45 X 1.5	45 X 1.5	31.4	black	1,408.86
382003384	46 X 1.5	46 X 1.5	31.4	black	1,431.37
382003385	47 X 1.5	47 X 1.5	31.4	black	1,453.87
382003386	48 X 1.5	48 X 1.5	31.9	black	1,483.33
382003387	49 X 1.5	49 X 1.5	31.9	black	1,505.83
382003388	50 X 1.5	50 X 1.5	31.9	black	1,528.33
382003389	51 X 1.5	51 X 1.5	31.9	black	1,550.84
382003390	52 X 1.5	52 X 1.5	32.7	black	1,584.46
382003391	53 X 1.5	53 X 1.5	32.7	black	1,606.97
382003392	54 X 1.5	54 X 1.5	32.7	black	1,629.47
382003393	55 X 1.5	55 X 1.5	32.7	black	1,651.97
382003394	56 X 1.5	56 X 1.5	32.7	black	1,674.47
382003395	57 X 1.5	57 X 1.5	32.7	black	1,696.98
382003396	58 X 1.5	58 X 1.5	32.7	black	1,719.48
382003397	59 X 1.5	59 X 1.5	32.7	black	1,741.98
382003398	60 X 1.5	60 X 1.5	32.7	black	1,764.49
382003399	61 X 1.5	61 X 1.5	34.6	black	1,813.41
382003400	2 X 2.5	2 X 2.5	12.6	black	226.69
382003401	3 X 2.5	3 X 2.5	13.2	black	262.39
382003402	4 X 2.5	4 X 2.5	14.2	black	312.5
382003403	5 X 2.5	5 X 2.5	15.3	black	368.69
382003404	6 X 2.5	6 X 2.5	16.4	black	372.02
382003405	7 X 2.5	7 X 2.5	16.4	black	406.25
382003406	8 X 2.5	8 X 2.5	18.1	black	460.88
382003407	9 X 2.5	9 X 2.5	19.9	black	530.75
382003408	10 X 2.5	10 X 2.5	20.6	black	574.04
382003409	11 X 2.5	11 X 2.5	20.6	black	608.28
382003410	12 X 2.5	12 X 2.5	21.2	black	650.28
382003411	13 X 2.5	13 X 2.5	22.2	black	697.46
382003412	14 X 2.5	14 X 2.5	22.2	black	731.7
382003413	15 X 2.5	15 X 2.5	23.3	black	780.18
382003414	16 X 2.5	16 X 2.5	23.3	black	814.41
382003415	17 X 2.5	17 X 2.5	24.4	black	862.89
382003416	18 X 2.5	18 X 2.5	24.4	black	897.12
382003417	19 X 2.5	19 X 2.5	24.4	black	931.35
382003418	20 X 2.5	20 X 2.5	25.7	black	982.42
382003419	21 X 2.5	21 X 2.5	25.7	black	1,016.66
382003420	22 X 2.5	22 X 2.5	27.0	black	1,067.72
382003421	23 X 2.5	23 X 2.5	27.0	black	1,101.96
382003422	24 X 2.5	24 X 2.5	28.2	black	1,151.73
382003423	25 X 2.5	25 X 2.5	28.2	black	1,185.96
382003424	26 X 2.5	26 X 2.5	28.2	black	1,220.2
382003425	27 X 2.5	27 X 2.5	28.8	black	1,262.2
382003426	28 X 2.5	28 X 2.5	29.8	black	1,309.38
382003427	29 X 2.5	29 X 2.5	29.8	black	1,343.62
382003428	30 X 2.5	30 X 2.5	29.8	black	1,377.85
382003429	31 X 2.5	31 X 2.5	31.3	black	1,456.08
382003430	32 X 2.5	32 X 2.5	31.3	black	1,490.31
382003431	33 X 2.5	33 X 2.5	31.3	black	1,524.55
382003432	34 X 2.5	34 X 2.5	32.4	black	1,574.08
382003433	35 X 2.5	35 X 2.5	32.4	black	1,608.31
382003434	36 X 2.5	36 X 2.5	32.4	black	1,642.54
382003435	37 X 2.5	37 X 2.5	32.4	black	1,676.78
382003436	38 X 2.5	38 X 2.5	33.7	black	1,729.09
382003437	39 X 2.5	39 X 2.5	33.7	black	1,763.32
382003438	40 X 2.5	40 X 2.5	33.7	black	1,797.56
382003439	41 X 2.5	41 X 2.5	35.0	black	1,849.87
382003440	42 X 2.5	42 X 2.5	35.0	black	1,884.1
382003441	43 X 2.5	43 X 2.5	35.0	black	1,918.33
382003442	44 X 2.5	44 X 2.5	36.2	black	1,969.26
382003443	45 X 2.5	45 X 2.5	36.2	black	2,003.49
382003444	46 X 2.5	46 X 2.5	36.2	black	2,037.72
382003445	47 X 2.5	47 X 2.5	36.2	black	2,071.96
382003446	48 X 2.5	48 X 2.5	36.8	black	2,114.53
382003447	49 X 2.5	49 X 2.5	36.8	black	2,148.77

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382003448	50 X 2.5	50 X 2.5	36.8	black	2,183
382003449	51 X 2.5	51 X 2.5	36.8	black	2,217.23
382003450	52 X 2.5	52 X 2.5	37.8	black	2,265.37
382003451	53 X 2.5	53 X 2.5	37.8	black	2,299.61
382003452	54 X 2.5	54 X 2.5	37.8	black	2,333.84
382003453	55 X 2.5	55 X 2.5	37.8	black	2,368.07
382003454	56 X 2.5	56 X 2.5	37.8	black	2,402.31
382003455	57 X 2.5	57 X 2.5	37.8	black	2,436.54
382003456	58 X 2.5	58 X 2.5	37.8	black	2,470.77
382003457	59 X 2.5	59 X 2.5	37.8	black	2,505.01
382003458	60 X 2.5	60 X 2.5	37.8	black	2,539.24
382003459	61 X 2.5	61 X 2.5	40.0	black	2,604.07
382003460	1 X 4	1 X 4.0	8.2	black	107.53
382003479	2 X 4	2 X 4.0	14.0	black	292.08
382003494	3 X 4	3 X 4.0	14.7	black	343.5
382003520	4 X 4	4 X 4.0	15.9	black	414.99
382003461	1 X 6	1 X 6.0	8.8	black	132.9
382003480	2 X 6	2 X 6.0	15.2	black	360.78
382003495	3 X 6	3 X 6.0	16.0	black	431.23
382003521	4 X 6	4 X 6.0	17.4	black	527.97
382003462	1 X 10	1 X 10.0	9.7	black	180.55
382003481	2 X 10	2 X 10.0	17.0	black	486.24
382003496	3 X 10	3 X 10.0	18.0	black	596.51
382003522	4 X 10	4 X 10.0	19.9	black	751.22
382003463	1 X 16	1 X 16.0	10.8	black	247.09
382003482	2 X 16	2 X 16.0	19.2	black	661.45
382003497	3 X 16	3 X 16.0	20.8	black	846.05
382003523	4 X 16	4 X 16.0	22.6	black	1,047.76
382003464	1 X 25	1 X 25.0	12.5	black	357.28
382003483	2 X 25	2 X 25.0	23.0	black	980.16
382003498	3 X 25	3 X 25.0	24.4	black	1,230.49
382003509	3 x 25 + 1 x 16	4 X 25.0	25.3	black	1,244.11
382003524	4 X 25	4 X 25.0	26.7	black	1,542.34
382003465	1 X 35	1 X 35.0	13.7	black	459.79
382003484	2 X 35	2 X 35.0	25.4	black	1,249.81
382003499	3 X 35	3 X 35.0	27.0	black	1,586.03
382003510	3 x 35 + 1 x 16	4 X 35.0	27.3	black	1,545.14
382003525	4 X 35	4 X 35.0	29.6	black	1,998.34
382003466	1 X 50	1 X 50.0	15.2	black	595.87
382003485	2 X 50	2 X 50.0	25.3	black	1,242.56
382003500	3 X 50	3 X 50.0	28.0	black	1,754.52
382003511	3 x 50 + 1 x 25	4 X 50.0	30.4	black	2,071.8
382003526	4 X 50	4 X 50.0	32.2	black	2,311.03
382003467	1 X 70	1 X 70.0	17.2	black	809.05
382003486	2 X 70	2 X 70.0	27.0	black	1,655.09
382003501	3 X 70	3 X 70.0	31.2	black	2,406.14
382003512	3 x 70 + 1 x 35	4 X 70.0	33.2	black	2,788.34
382003527	4 X 70	4 X 70.0	36.2	black	3,147.52
382003468	1 X 95	1 X 95.0	19.9	black	1,106.03
382003487	2 X 95	2 X 95.0	31.2	black	2,248.46
382003502	3 X 95	3 X 95.0	35.2	black	3,233.99
382003513	3 x 95 + 1 x 50	4 X 95.0	38.2	black	3,752.62
382003528	4 X 95	4 X 95.0	39.9	black	4,229.06
382003469	1 X 120	1 X 120.0	21.4	black	1,347.2
382003488	2 X 120	2 X 120.0	33.2	black	2,728.66
382003503	3 X 120	3 X 120.0	37.9	black	3,950.2
382003514	3 x 120 + 1 x 70	4 X 120.0	41.1	black	4,700.72
382003529	4 X 120	4 X 120.0	43.8	black	5,224.35
382003470	1 X 150	1 X 150.0	23.3	black	1,638.08
382003489	2 X 150	2 X 150.0	34.9	black	3,296.34
382003504	3 X 150	3 X 150.0	41.8	black	4,854.47
382003515	3 x 150 + 1 x 70	4 X 150.0	44.8	black	5,571.46
382003530	4 X 150	4 X 150.0	48.2	black	6,417.64
382003471	1 X 185	1 X 185.0	25.6	black	2,018.96
382003490	2 X 185	2 X 185.0	38.4	black	4,060.71
382003505	3 X 185	3 X 185.0	44.8	black	5,973.21
382003516	3 x 185 + 1 x 95	4 X 185.0	49.8	black	7,018.77
382003531	4 X 185	4 X 185.0	54.0	black	7,986.35
382003472	1 X 240	1 X 240.0	28.5	black	2,597.86
382003491	2 X 240	2 X 240.0	43.4	black	5,265.66
382003506	3 X 240	3 X 240.0	51.7	black	7,811.72
382003517	3 x 240 + 1 x 120	4 X 240.0	57.1	black	9,106.13
382003532	4 X 240	4 X 240.0	60.8	black	10,351.77
382003473	1 X 300	1 X 300.0	31.8	black	3,244.61
382003492	2 X 300	2 X 300.0	47.3	black	6,537.95
382003507	3 X 300	3 X 300.0	57.8	black	9,725.15
382003518	3 x 300 + 1 x 150	4 X 300.0	62.2	black	11,284.01
382003533	4 X 300	4 X 300.0	67.3	black	12,959.89
382003474	1 X 400	1 X 400.0	35.1	black	4,078.54
382003493	2 X 400	2 X 400.0	52.2	black	8,254.47
382003508	3 X 400	3 X 400.0	63.9	black	12,307.67
382003519	3 x 400 + 1 x 185	4 X 400.0	70.0	black	14,270.18
382003475	1 X 500	1 X 500.0	39.5	black	5,196.38
382003476	1 X 630	1 X 630.0	44.3	black	6,683.98
382003477	1 X 800	1 X 800.0	48.8	black	8,418.51

Article number	Design	Number of cores and mm ² per conductor	Outer diameter [mm]	Colour	Weight (kg/km)
382003478	1 X 1000		53.6	black	10,433.08

Unless specified otherwise, the shown product values are nominal values at room temperature. You can receive further values, such as tolerances, upon request if they available and have been released for publication.

Photographs are not to scale and do not represent detailed images of the respective products.