

FLEXIMARK® SAFETY MARKING



THE LAPP GROUP

The Lapp Group is based in Stuttgart, Germany. The Lapp Group has remained in continuous family ownership since it was founded in 1959. From its headquarters in Stuttgart the Lapp Group, through great determination, has evolved into a global player that currently has 18 production plants in Europe, Asia and America, over 40 sales companies, about 100 sales partners and 3,200 employees worldwide.

The Lapp Group is a leading supplier of integrated wire, cabling and connector products and solutions. Its offering includes electrical and fibre-optic cables, industrial plug-in and screw connectors, cabling solutions, automation, technical accessories and marking systems.



BRAND QUALITY

The Lapp brands are currently some of the best-known in the field of cable technology, and have earned an outstanding reputation as premium brands. All over the world they stand for the values that we and our customers consider paramount: quality, precision and reliability.

CERTIFICATES AND QUALITY SEALS

Many of our products are certified, just like our sales companies and production plants. Certificates are always awarded by independent bodies. They are both a seal of quality and a certificate of non-objection, representing technical “passports” for international use.

OUR GUIDING PRINCIPLES



Symbols according to EN ISO 7010 for safety signage in industrial environments

The self-adhesive labels are distinguished by very high adhesiveness and high durability and are therefore ideally suited for industrial safety marking.



Benefits

- Very resistant to UV, moisture, chemicals (e.g glass cleaner, alcohol, oil)
- Scratch resistant
- Powerful adhesive


Application range

- Control cabinet manufacturing
- Mechanical engineering
- Robotics
- Warehouses
- Company grounds
- Production halls
- Indoor and outdoor applications

Technical data	
	Dimensions: 25, 50 and 100 mm (size definition according to ASR A1.3)
	Purchasing units: 10 labels/pack
	Material: Laminated polyester (halogen free)
	Temperature range: -40°C to 150°C Application: min 10°C

FLEXIMARK® Prohibition, warning and mandatory signs according to ISO7010

The FLEXIMARK® prohibition, warning and mandatory signs are characterized by a smooth surface (easy wiping is possible during cleaning), high resistance to alcohols, moisture and oils with a strong adhesiveness.



Sweden

Further information on FLEXIMARK® Safety marking can be found at www.fleximarkshop.se
Contact: info@fleximark.se or +46 (0)155 77790




International



























Further information on FLEXIMARK® Safety marking can be found at www.lappgroup.com



Warning signs 10 labels/pack

<p>ISO 7010: W001</p> <p>Generic warning sign</p> 	<p>ISO 7010: W002</p> <p>Explosive material, warning</p> 	<p>ISO 7010: W003</p> <p>Radioactive material or ionising radiation, warning</p> 	<p>ISO 7010: W004</p> <p>Laser beam, warning</p> 	<p>ISO 7010: W005</p> <p>Non-ionising radiation, warning</p> 
83880016: 25 mm	83880019: 25 mm	83880022: 25 mm	83880025: 25 mm	83880028: 25 mm
83880017: 50 mm	83880020: 50 mm	83880023: 25 mm	83880026: 50 mm	83880029: 50 mm
83880018: 100 mm	83880021: 100 mm	83880024: 50 mm	83880027: 100 mm	83880030: 100 mm
<p>ISO 7010: W006</p> <p>Magnetic field, warning</p> 	<p>ISO 7010: W007</p> <p>Floor-level obstacle, warning</p> 	<p>ISO 7010: W008</p> <p>Drop (fall), warning</p> 	<p>ISO 7010: W009</p> <p>Biological hazard, warning</p> 	<p>ISO 7010: W010</p> <p>Low temperature/freezing conditions, warning</p> 
83880031: 25 mm	83880034: 25 mm	83880037: 25 mm	83880040: 25 mm	83880043: 25 mm
83880032: 50 mm	83880035: 50 mm	83880038: 50 mm	83880041: 50 mm	83880044: 50 mm
83880033: 100 mm	83880036: 100 mm	83880039: 100 mm	83880042: 100 mm	83880045: 100 mm
<p>ISO 7010: W011</p> <p>Slippery surface, warning</p> 	<p>ISO 7010: W012</p> <p>Electricity, warning</p> 	<p>ISO 7010: W013</p> <p>Guard dog, warning</p> 	<p>ISO 7010: W014</p> <p>Fork lift trucks and other industrial vehicles, warning</p> 	<p>ISO 7010: W015</p> <p>Overhead load, warning</p> 
83880046: 25 mm	83880049: 25 mm	83880052: 25 mm	83880055: 25 mm	83880058: 25 mm
83880047: 50 mm	83880050: 50 mm	83880053: 50 mm	83880056: 50 mm	83880059: 50 mm
83880048: 100 mm	83880051: 100 mm	83880054: 100 mm	83880057: 100 mm	83880060: 100 mm
<p>ISO 7010: W016</p> <p>Toxic material, warning</p> 	<p>ISO 7010: W017</p> <p>Hot surface, warning</p> 	<p>ISO 7010: W018</p> <p>Automatic start-up, warning</p> 	<p>ISO 7010: W019</p> <p>Crushing, warning</p> 	<p>ISO 7010: W020</p> <p>Overhead obstacle, warning</p> 
83880061: 25 mm	83880064: 25 mm	83880067: 25 mm	83880070: 25 mm	83880073: 25 mm
83880062: 50 mm	83880065: 50 mm	83880068: 50 mm	83880071: 50 mm	83880074: 50 mm
83880063: 100 mm	83880066: 100 mm	83880069: 100 mm	83880072: 100 mm	83880075: 100 mm
<p>ISO 7010: W021</p> <p>Flammable, material, warning</p> 	<p>ISO 7010: W022</p> <p>Sharp element, warning</p> 	<p>ISO 7010: W023</p> <p>Corrosive substance, warning</p> 	<p>ISO 7010: W024</p> <p>Crushing of hands, warning</p> 	<p>ISO 7010: W025</p> <p>Counter-rotating rollers, warning</p> 
83880076: 25 mm	83880079: 25 mm	83880082: 25 mm	83880085: 25 mm	83880088: 25 mm
83880077: 50 mm	83880080: 50 mm	83880083: 50 mm	83880086: 50 mm	83880089: 50 mm
83880078: 100 mm	83880081: 100 mm	83880084: 100 mm	83880087: 100 mm	83880090: 100 mm
<p>ISO 7010: W026</p> <p>Battery charging, warning</p> 	<p>ISO 7010: W027</p> <p>Optical radiation, warning</p> 	<p>ISO 7010: W028</p> <p>Oxidizing substance, warning</p> 	<p>ISO 7010: W029</p> <p>Pressurized cylinder, warning</p> 	
83880091: 25 mm	83880094: 25 mm	83880097: 25 mm	83880100: 25 mm	
83880092: 50 mm	83880095: 50 mm	83880098: 50 mm	83880101: 50 mm	
83880093: 100 mm	83880096: 100 mm	83880099: 100 mm	83880102: 100 mm	

Mandatory signs 10 labels/pack

<p>ISO 7010: M001</p> <p>General mandatory action sign</p> 	<p>ISO 7010: M002</p> <p>Refer to instruction manual/booklet</p> 	<p>ISO 7010: M003</p> <p>Wear ear protection</p> 	<p>ISO 7010: M004</p> <p>Wear eye protection</p> 	<p>ISO 7010: M005</p> <p>Connect an earth terminal to the ground</p> 
83880106: 25 mm	83880109: 25 mm	83880112: 25 mm	83880115: 25 mm	83880118: 25 mm
83880107: 50 mm	83880110: 50 mm	83880113: 50 mm	83880116: 50 mm	83880119: 50 mm
83880108: 100 mm	83880111: 100 mm	83880114: 100 mm	83880117: 100 mm	83880120: 100 mm
<p>ISO 7010: M006</p> <p>Disconnect mains plug from electrical outlet</p> 	<p>ISO 7010: M007</p> <p>Opaque eye protection must be worn</p> 	<p>ISO 7010: M008</p> <p>Wear safety footwear</p> 	<p>ISO 7010: M009</p> <p>Wear protective gloves</p> 	<p>ISO 7010: M010</p> <p>Wear protective clothing</p> 
83880121: 25 mm	83880124: 25 mm	83880127: 25 mm	83880130: 25 mm	83880133: 25 mm
83880122: 50 mm	83880125: 50 mm	83880128: 50 mm	83880131: 50 mm	83880134: 50 mm
83880123: 100 mm	83880126: 100 mm	83880129: 100 mm	83880132: 100 mm	83880135: 100 mm
<p>ISO 7010: M011</p> <p>Wash your hands</p> 	<p>ISO 7010: M012</p> <p>Use handrail</p> 	<p>ISO 7010: M013</p> <p>Wear a face shield</p> 	<p>ISO 7010: M014</p> <p>Wear head protection</p> 	<p>ISO 7010: M015</p> <p>Wear high-visibility clothing</p> 
83880136: 25 mm	83880139: 25 mm	83880142: 25 mm	83880145: 25 mm	83880148: 25 mm
83880137: 50 mm	83880140: 50 mm	83880143: 50 mm	83880146: 50 mm	83880149: 50 mm
83880138: 100 mm	83880141: 100 mm	83880144: 100 mm	83880147: 100 mm	83880150: 100 mm
<p>ISO 7010: M016</p> <p>Wear a mask</p> 	<p>ISO 7010: M017</p> <p>Wear respiratory protection</p> 	<p>ISO 7010: M018</p> <p>Wear a safety harness</p> 	<p>ISO 7010: M019</p> <p>Wear a welding mask</p> 	<p>ISO 7010: M020</p> <p>Wear safety belts</p> 
83880151: 25 mm	83880154: 25 mm	83880157: 25 mm	83880160: 25 mm	83880163: 25 mm
83880152: 50 mm	83880155: 50 mm	83880158: 50 mm	83880161: 50 mm	83880164: 50 mm
83880153: 100 mm	83880156: 100 mm	83880159: 100 mm	83880162: 100 mm	83880165: 100 mm
<p>ISO 7010: M021</p> <p>Disconnect before carrying out maintenance or repair</p> 	<p>ISO 7010: M022</p> <p>Use barrier cream</p> 	<p>ISO 7010: M023</p> <p>Use footbridge</p> 	<p>ISO 7010: M024</p> <p>Use this walkway</p> 	<p>ISO 7010: M025</p> <p>Protect infants eyes with opaque eye protection</p> 
83880166: 25 mm	83880169: 25 mm	83880172: 25 mm	83880175: 25 mm	83880178: 25 mm
83880167: 50 mm	83880170: 50 mm	83880173: 50 mm	83880176: 50 mm	83880179: 50 mm
83880168: 100 mm	83880171: 100 mm	83880174: 100 mm	83880177: 100 mm	83880180: 100 mm
<p>ISO 7010: M026</p> <p>Use protective apron</p> 				
83880181: 25 mm				
83880182: 50 mm				
83880183: 100 mm				

Prohibition signs 10 labels/pack

<p>ISO 7010: P001</p> <p>General prohibition sign</p> 	<p>ISO 7010: P002</p> <p>No smoking</p> 	<p>ISO 7010: P003</p> <p>No open flame; Fire, open ignition source and smoking prohibited</p> 	<p>ISO 7010: P004</p> <p>No thoroughfare</p> 	<p>ISO 7010: P005</p> <p>Not drinking water</p> 
83880184: 25 mm	83880187: 25 mm	83880190: 25 mm	83880193: 25 mm	83880196: 25 mm
83880185: 50 mm	83880188: 50 mm	83880191: 50 mm	83880194: 50 mm	83880197: 50 mm
83880186: 100 mm	83880189: 100 mm	83880192: 100 mm	83880195: 100 mm	83880198: 100 mm
<p>ISO 7010: P006</p> <p>No access for forklift trucks and other industrial vehicles</p> 	<p>ISO 7010: P007</p> <p>No access for people with active implanted cardiac devices</p> 	<p>ISO 7010: P008</p> <p>No metallic articles or watches</p> 	<p>ISO 7010: P010</p> <p>Do not touch</p> 	<p>ISO 7010: P011</p> <p>Do not extinguish with water</p> 
83880199: 25 mm	83880201: 25 mm	83880205: 25 mm	83880211: 25 mm	83880214: 25 mm
83880200: 50 mm	83880203: 50 mm	83880206: 50 mm	83880212: 50 mm	83880215: 50 mm
83880201: 100 mm	83880204: 100 mm	83880207: 100 mm	83880213: 100 mm	83880216: 100 mm
<p>ISO 7010: P012</p> <p>No heavy load</p> 	<p>ISO 7010: P013</p> <p>No activated mobile phones</p> 	<p>ISO 7010: P014</p> <p>No access for people with metallic implants</p> 	<p>ISO 7010: P015</p> <p>No reaching in</p> 	<p>ISO 7010: P016</p> <p>Do not spray with water</p> 
83880217: 25 mm	83880220: 25 mm	83880223: 25 mm	83880226: 25 mm	83880229: 25 mm
83880218: 50 mm	83880221: 50 mm	83880224: 50 mm	83880227: 50 mm	83880230: 50 mm
83880219: 100 mm	83880222: 100 mm	83880225: 100 mm	83880228: 100 mm	83880231: 100 mm

Actual sizes



25 mm



50 mm



100 mm

Precautions for hygiene-critical applications

<p>ISO 7010: P017</p> <p>No pushing</p> 	<p>ISO 7010: P018</p> <p>No sitting</p> 	<p>ISO 7010: P019</p> <p>No stepping on surface</p> 	<p>ISO 7010: P020</p> <p>Do not use lift in the event of fire</p> 	<p>ISO 7010: P021</p> <p>No dogs</p> 
83880232: 25 mm	83880235: 25 mm	83880238: 25 mm	83880241: 25 mm	83880244: 25 mm
83880233: 50 mm	83880236: 50 mm	83880239: 50 mm	83880242: 50 mm	83880245: 50 mm
83880234: 100 mm	83880237: 100 mm	83880240: 100 mm	83880243: 100 mm	83880246: 100 mm
<p>ISO 7010: P022</p> <p>No eating or drinking</p> 	<p>ISO 7010: P023</p> <p>Do not obstruct</p> 	<p>ISO 7010: P024</p> <p>Do not walk or stand here</p> 	<p>ISO 7010: P025</p> <p>Do not use this incomplete scaffold</p> 	<p>ISO 7010: P026</p> <p>Do not use this device in a bathtub, shower or water-filled reservoir</p> 
83880247: 25 mm	83880250: 25 mm	83880253: 25 mm	83880256: 25 mm	83880259: 25 mm
83880248: 50 mm	83880251: 50 mm	83880254: 50 mm	83880257: 50 mm	83880260: 50 mm
83880249: 100 mm	83880252: 100 mm	83880255: 100 mm	83880258: 100 mm	83880261: 100 mm
<p>ISO 7010: P027</p> <p>Do not use this lift for people</p> 	<p>ISO 7010: P028</p> <p>Do not wear gloves</p> 	<p>ISO 7010: P029</p> <p>No photography</p> 	<p>ISO 7010: P030</p> <p>Do not tie knots in rope</p> 	<p>ISO 7010: P031</p> <p>Do not alter the state of the switch</p> 
83880262: 25 mm	83880265: 25 mm	83880268: 25 mm	83880271: 25 mm	83880274: 25 mm
83880263: 50 mm	83880266: 50 mm	83880269: 50 mm	83880272: 50 mm	83880275: 50 mm
83880264: 100 mm	83880267: 100 mm	83880270: 100 mm	83880273: 100 mm	83880276: 100 mm
<p>ISO 7010: P032</p> <p>Do not use for face grinding</p> 	<p>ISO 7010: P033</p> <p>Do not use for wet grinding</p> 	<p>ISO 7010: P034</p> <p>Do not use with hand-held grinding machine</p> 		
83880277: 25 mm	83880280: 25 mm	83880283: 25 mm		
83880278: 50 mm	83880281: 50 mm	83880284: 50 mm		
83880279: 100 mm	83880282: 100 mm	83880285: 100 mm		



ÖLFLEX®
Power and control cables



UNITRONIC®
Data communication systems



ETHERLINE®
Data communication systems
for ETHERNET technology



HITRONIC®
Optical transmission systems



EPIC®
Industrial connectors



SKINTOP®
Cable glands



SILVYN®
Protective cable conduit systems
and cable carrier systems



FLEXIMARK®
Marking systems

 **FLEXIMARK**

Fleximark AB
Kungshagsvägen 9 • Box 1022 • 611 29 Nyköping
Tel: +46 (0)155 777 90 • Fax: +46 (0)155 777 91
www.fleximark.se • info@fleximark.se
A Lapp Group Company

Villkor för handel:
Våra allmänna försäljningsvillkor
samt leveransbestämmelser
finns presenterade på
www.fleximark.se