

Тип сертификата				
Продукт	стр.	ГОСТ Р	ССПБ	ТР ТС
ÖLFLEX® CLASSIC 100	24	✓	✓	✓
ÖLFLEX® CLASSIC 100 Yellow	26	✓	✓	✓
ÖLFLEX® CLASSIC 100 CY	27	✓	✓	✓
ÖLFLEX® CLASSIC 100 SY	28	✓	✓	✓
ÖLFLEX® CLASSIC 100 BK 0.6/1 кВ	29	✓	✓	✓
ÖLFLEX® SMART 108	30	✓	✓	✓
ÖLFLEX® CLASSIC 110	31	✓	✓	✓
ÖLFLEX® CLASSIC 110 COLD	34	✓	✓	✓
ÖLFLEX® CLASSIC 110 Orange	35	✓	✓	✓
ÖLFLEX® CLASSIC 110 CY	36	✓	✓	✓
ÖLFLEX® CLASSIC 110 SY	37	✓	✓	✓
ÖLFLEX® CLASSIC 110 BLACK	38	✓	✓	✓
ÖLFLEX® CLASSIC 110 CY BLACK	39	✓	✓	✓
ÖLFLEX® CLASSIC 115 CY	40	✓	✓	✓
ÖLFLEX® EB	42	✓	✓	✓
ÖLFLEX® EB CY	43	✓	✓	✓
ÖLFLEX® 140	44	✓	✓	✓
ÖLFLEX® 140 CY	45	✓	✓	✓
ÖLFLEX® 150	46	✓	✓	✓
ÖLFLEX® 150 CY	47	✓	✓	✓
ÖLFLEX® 191	48	✓	✓	✓
ÖLFLEX® 191 CY	49	✓	✓	✓
ÖLFLEX® CONTROL TM	50	✓	✓	✓
ÖLFLEX® CONTROL TM CY	51	✓	✓	✓
ÖLFLEX® Tray II	52	✓	✓	✓
ÖLFLEX® Tray II CY	53	✓	✓	✓
ÖLFLEX® SF	54	✓	✓	✓
ÖLFLEX® CLASSIC 100 H	55	✓	✓	✓
ÖLFLEX® CLASSIC 110 H	56	✓	✓	✓
ÖLFLEX® CLASSIC 110 CH	57	✓	✓	✓
ÖLFLEX® 120 H	58	✓	✓	✓
ÖLFLEX® 120 CH	59	✓	✓	✓
ÖLFLEX® CLASSIC 130 H	60	✓	✓	✓
ÖLFLEX® CLASSIC 135 CH	61	✓	✓	✓
ÖLFLEX® CLASSIC 130 H BK 0.6/1 кВ	63	✓	✓	✓
ÖLFLEX® CLASSIC 135 CH BK 0.6/1 кВ	64	✓	✓	✓
ÖLFLEX® PETRO C HFFR	65	✓	✓	✓
ÖLFLEX® ROBUST 200	66	✓	✓	✓
ÖLFLEX® ROBUST 210	67	✓	✓	✓
ÖLFLEX® ROBUST 215 C	68	✓	✓	✓
ÖLFLEX® CLASSIC 400 P	69	✓	✓	✓
ÖLFLEX® CLASSIC 400 CP	70	✓	✓	✓
ÖLFLEX® CLASSIC 415 CP	71	✓	✓	✓
ÖLFLEX® 440 P	72	✓	✓	✓
ÖLFLEX® 440 CP	73	✓	✓	✓
ÖLFLEX® 491 P	74	✓	✓	✓
ÖLFLEX® 450 P	75	✓	✓	✓
ÖLFLEX® 500 P	76	✓	✓	✓
ÖLFLEX® 540 P	77	✓	✓	✓
ÖLFLEX® 540 CP	78	✓	✓	✓
ÖLFLEX® 550 P	79	✓	✓	✓
H05RR-F	80	✓	✓	✓
H05RN-F	81	✓	✓	✓
H07RN-F	82	✓	✓	✓
H07ZZ-F	85	✓	✓	✓
H01N2-D	86	✓	✓	✓
NSSHÖU	87	✓	✓	✓
NSGAFÖU 1.8/3 кВ	88	✓	✓	✓

Тип сертификата				
Продукт	стр.	ГОСТ Р	ССПБ	ТР ТС
NSHXAFÖ 1.8/3 кВ	89	✓	✓	✓
H07RN8-F	90	✓	✓	✓
ÖLFLEX® SERVO 700	91	✓	✓	✓
ÖLFLEX® SERVO 700 CY	92	✓	✓	✓
ÖLFLEX® SERVO 720 CY	93	✓	✓	✓
ÖLFLEX® SERVO 2YSLCY-JB	94	✓	✓	✓
ÖLFLEX® SERVO 2YSLCYK-JB	94	✓	✓	✓
ÖLFLEX® SERVO 709 CY	95	✓	✓	✓
ÖLFLEX® SERVO 9YSLCY-JB	96	✓	✓	✓
ÖLFLEX® SERVO 9YSLCY-JB BK	96	✓	✓	✓
SERVO LK SMS 6FX 5 (SIEMENS® Standard)	97	✓	✓	✓
SERVO LK SEWX STATIC (SEW® Standard)	98	✓	✓	✓
ÖLFLEX® SERVO FD 781 CY	99	✓	✓	✓
ÖLFLEX® SERVO FD 796 CP	101	✓	✓	✓
SERVO LK SMS 6FX 8PLUS (SIEMENS® Standard)	103	✓	✓	✓
SERVO LK INX (INDRAMAT® Standard)	104	✓	✓	✓
SERVO LK LZM (LENZE® Standard)	105	✓	✓	✓
SERVO LK LZM-FD (LENZE® Standard)	106	✓	✓	✓
SERVO LK LZR (LENZE® Standard)	106	✓	✓	✓
SERVO LK LZR-FD (LENZE® Standard)	106	✓	✓	✓
SERVO LK LZE (LENZE® Standard)	106	✓	✓	✓
SERVO LK LZE-FD (LENZE® Standard)	106	✓	✓	✓
SERVO LK HDH (HEIDENHAIN® Standard)	106	✓	✓	✓
SERVO LK ELX (ELAU® Standard)	106	✓	✓	✓
SERVO LK KEB (KEB® Standard)	106	✓	✓	✓
SERVO LK BLX (BERGER LAHR Standard)	106	✓	✓	✓
SERVO LK BRX (B&R Standard)	106	✓	✓	✓
SERVO LK FNC (FANUC® Standard)	106	✓	✓	✓
ÖLFLEX® FD CLASSIC 810	118	✓	✓	✓
ÖLFLEX® FD CLASSIC 810 CP	119	✓	✓	✓
ÖLFLEX® CHAIN 808 P	116	✓	✓	✓
ÖLFLEX® CHAIN 808 CP	117	✓	✓	✓
ÖLFLEX® FD CLASSIC 810 P	118	✓	✓	✓
ÖLFLEX® FD CLASSIC 810 CP	119	✓	✓	✓
ÖLFLEX® FD 855 P	120	✓	✓	✓
ÖLFLEX® FD 855 CP	121	✓	✓	✓
ÖLFLEX® PETRO FD 865 CP	122	✓	✓	✓
ÖLFLEX® FD ROBUST	123	✓	✓	✓
ÖLFLEX® FD ROBUST C	124	✓	✓	✓
ÖLFLEX® FD 90	111	✓	✓	✓
ÖLFLEX® FD 90 CY	109	✓	✓	✓
ÖLFLEX® CHAIN 809	112	✓	✓	✓
ÖLFLEX® CHAIN 809 CY	113	✓	✓	✓
ÖLFLEX® FD 891	114	✓	✓	✓
ÖLFLEX® FD 891 CY	115	✓	✓	✓
ÖLFLEX® FD 891 P	114	✓	✓	✓
ÖLFLEX® ROBOT 900 P	127	✓	✓	✓
ÖLFLEX® ROBOT 900 DP	128	✓	✓	✓
ÖLFLEX® ROBOT F1 + ROBOT F1 C	129	✓	✓	✓
LIFY	131	✓	✓	✓
X00V3-D	134	✓	✓	✓
ESUY	133	✓	✓	✓
ÖLFLEX® SOLAR XLR-R	138	✓	✓	✓
ÖLFLEX® SOLAR XLS-R	139	✓	✓	✓
ÖLFLEX® SOLAR XLSv	140	✓	✓	✓
ÖLFLEX® SOLAR XLS-R T	142	✓	✓	✓
ÖLFLEX® SOLAR V4A	143	✓	✓	✓
ÖLFLEX® TORSION	144	✓	✓	✓

Таблица отражает наличие сертификатов на момент сдачи каталога в печать. Актуальный статус по сертификации нашей продукции Вы можете узнать у нас.

T26 Технические таблицы

T26: Кабели и провода с сертификатами для России

Тип сертификата				
	Продукт	стр.	ГОСТ Р	ССПБ
ÖLFLEX® TORSION FRNC	145	✓	✓	✓
ÖLFLEX® TORSION D FRNC	145	✓	✓	✓
ÖLFLEX® CRANE NSHTÖU	152	✓	✓	✓
ÖLFLEX® CRANE VS (N)SHTÖU	153	✓	✓	✓
ÖLFLEX® CRANE PUR	154	✓	✓	✓
ÖLFLEX® CRANE	155	✓	✓	✓
ÖLFLEX® CRANE 2S	156	✓	✓	✓
ÖLFLEX® LIFT	157	✓	✓	✓
ÖLFLEX® LIFT T	158	✓	✓	✓
ÖLFLEX® LIFT S	159	✓	✓	✓
ÖLFLEX® CRANE CF	161	✓	✓	✓
ÖLFLEX® LIFT F	162	✓	✓	✓
ÖLFLEX® HEAT 105 MC	163	✓	✓	✓
ÖLFLEX® HEAT 145 MC	164	✓	✓	✓
ÖLFLEX® HEAT 145 C MC	165	✓	✓	✓
ÖLFLEX® HEAT 180 SiHF	166	✓	✓	✓
ÖLFLEX® HEAT 180 H05SS-F EWKF	167	✓	✓	✓
ÖLFLEX® HEAT 180 MS	168	✓	✓	✓
ÖLFLEX® HEAT 180 C MS	169	✓	✓	✓
ÖLFLEX® HEAT 180 EWKF	170	✓	✓	✓
ÖLFLEX® HEAT 180 EWKF C	171	✓	✓	✓
ÖLFLEX® HEAT 180 GLS	172	✓	✓	✓
ÖLFLEX® HEAT 205 MC	173	✓	✓	✓
ÖLFLEX® HEAT 205 PTFE/FEP	173	✓	✓	✓
ÖLFLEX® HEAT 260 MC	174	✓	✓	✓
ÖLFLEX® HEAT 260 C MC	175	✓	✓	✓
ÖLFLEX® HEAT 260 GLS	176	✓	✓	✓
ÖLFLEX® HEAT 350 MC	177	✓	✓	✓
ÖLFLEX® HEAT 1565 MC	178	✓	✓	✓
ÖLFLEX® HEAT 180 SiF	180	✓	✓	✓
ÖLFLEX® HEAT 180 SiD	181	✓	✓	✓
ÖLFLEX® HEAT 180 SiF/GL	182	✓	✓	✓
ÖLFLEX® HEAT 180 SiZ	182	✓	✓	✓
ÖLFLEX® HEAT 180 FZLSi	182	✓	✓	✓
ÖLFLEX® HEAT 205 SC	183	✓	✓	✓
ÖLFLEX® HEAT 260 SC	184	✓	✓	✓
ÖLFLEX® HEAT 350 SC	185	✓	✓	✓
ÖLFLEX® HEAT 1565 SC	186	✓	✓	✓
LiY	187	✓	✓	✓
ÖLFLEX® CRANE F	160	✓	✓	✓
H05V-K	191	✓	✓	✓
X05V-K	189	✓	✓	✓
H07V-K	192	✓	✓	✓
X07V-K	194	✓	✓	✓
S07V-K	194	✓	✓	✓
Multi-Standard SC 1	197	✓	✓	✓
Multi-Standard SC 2.1	198	✓	✓	✓
Multi-Standard SC 2.2	201	✓	✓	✓
H05Z-K (90°)	203	✓	✓	✓
H07Z-K (90°)	204	✓	✓	✓
LiYCY	206	✓	✓	✓
Li2YCY	206	✓	✓	✓
ÖLFLEX® STATIC CY BLACK	207	✓	✓	✓
NYM-J	209	✓	✓	✓
NHXMH	210	✓	✓	✓
NYY-J	211	✓	✓	✓
NYY-O	211	✓	✓	✓
NYCY	213	✓	✓	✓

Тип сертификата				
	Продукт	стр.	ГОСТ Р	ССПБ
NYCWY	214	✓	✓	✓
SERVO KON. LK 6FX5002 (SIEMENS® Standard)	216	✓	✓	✓
SERVO KON. LK 6FX8002 (SIEMENS® Standard)	217	✓	✓	✓
SERVO KON. LK IKG (INDRAMAT® Standard)	218	✓	✓	✓
SERVO KON. RKL (INDRAMAT® Standard)	218	✓	✓	✓
SERVO KON. LK IKS (INDRAMAT® Standard)	219	✓	✓	✓
SERVO KON. RKG (INDRAMAT® Standard)	219	✓	✓	✓
SERVO KON. EYL (LENZE® Standard)	220	✓	✓	✓
SERVO KON. EYP (LENZE® Standard)	220	✓	✓	✓
SERVO KON. EYF (LENZE® Standard)	220	✓	✓	✓
SERVO KON. LK-EWLM (LENZE® Standard)	220	✓	✓	✓
SERVO KON. LK-EWLR (LENZE® Standard)	220	✓	✓	✓
SERVO KON. LK-EWLL (LENZE® Standard)	220	✓	✓	✓
SERVO KON. LK-EWLE (LENZE® Standard)	220	✓	✓	✓
ÖLFLEX® SPIRAL 400 P	222	✓	✓	✓
SPIRAL H07BQ-F BLACK	224	✓	✓	✓
ÖLFLEX® SPIRAL 540 P	225	✓	✓	✓
UNITRONIC® SPIRAL	227		✓	✓
ÖLFLEX® PLUG H05VV-F	229		✓	✓
ÖLFLEX® PLUG 540 P	230		✓	✓
ÖLFLEX® PLUG CEE	233		✓	✓
SIM. S7-300 (SIMATIC®)	233	✓	✓	✓
SIM. S7-400 (SIMATIC®)	233	✓	✓	✓
UNITRONIC® 100	244		✓	✓
UNITRONIC® 100 CY	244		✓	✓
UNITRONIC® LiYY	246		✓	✓
UNITRONIC® LiYCY	248		✓	✓
UNITRONIC® LiYY (TP)	250		✓	✓
UNITRONIC® LiYCY (TP)	251		✓	✓
UNITRONIC® EB CY (TP)	252		✓	✓
UNITRONIC® LiYCY-CY	253		✓	✓
UNITRONIC® LiFYCY (TP)	254		✓	✓
UNITRONIC® CY PiDY (TP)	255		✓	✓
UNITRONIC® ST	256		✓	✓
UNITRONIC® PUR CP	258		✓	✓
UNITRONIC® PUR CP (TP)	259		✓	✓
UNITRONIC® LiYD 11Y	257		✓	✓
UNITRONIC® LiHH	263		✓	✓
UNITRONIC® LiHCH	264		✓	✓
UNITRONIC® LiHCH (TP)	265		✓	✓
UNITRONIC® LiYY A	266		✓	✓
UNITRONIC® LiYCY A	267		✓	✓
UNITRONIC® LiYCY (TP) A	268		✓	✓
UNITRONIC® 300	269		✓	✓
UNITRONIC® 300 CY	269		✓	✓
UNITRONIC® FD	270		✓	✓
UNITRONIC® FD CY	271		✓	✓
UNITRONIC® FD P plus	272		✓	✓
UNITRONIC® FD CP plus	273		✓	✓
UNITRONIC® FD CP (TP) plus	274		✓	✓
UNITRONIC® Li2YCY (TP)	260		✓	✓
UNITRONIC® Li2YCYv (TP)	260		✓	✓
UNITRONIC® Li2YCY PiMF	262		✓	✓
RE-2Y(ST)Yv	276		✓	✓
RE-2Y(ST)Yv PiMF	277		✓	✓
RD-Y(ST)Y	278		✓	✓
JE-Y(ST)Y...BD	279		✓	✓
JE-LiYCY...BD	280		✓	✓

Таблица отражает наличие сертификатов на момент сдачи каталога в печать. Актуальный статус по сертификации нашей продукции Вы можете узнать у нас.

ÖLFLEX® UNITRONIC® ETHERLINE® HITRONIC® EPIC® SKINTOP® SILVYN® FLEXIMARK® АКСЕССУАРЫ ПРИЛОЖЕНИЕ

Тип сертификата	PCF	CE	EAC	
Продукт	стр.	ГОСТ Р	ССПБ	ТР ТС
J-Y(ST)Y...LG	281		✓	✓
J-H(ST)H...BD	284		✓	✓
J-2Y(ST)Y...ST III BD	285		✓	✓
UNITRONIC® BUS ASI (PVC) A	286		✓	
UNITRONIC® BUS ASI FD	287		✓	
UNITRONIC® BUS ASI FD (TPE) A	287		✓	
UNITRONIC® BUS ASI FD P FRNC	287		✓	
UNITRONIC® BUS PB	288		✓	
UNITRONIC® BUS PB A	292		✓	
UNITRONIC® BUS PB 7-W A	294		✓	
UNITRONIC® BUS PB H 7-W	294		✓	
UNITRONIC® BUS PB FC	293		✓	
UNITRONIC® BUS PB 7-W FC	294		✓	
UNITRONIC® BUS PB-H FC	290		✓	
UNITRONIC® BUS PB P FC	297		✓	
UNITRONIC® BUS PB TORSION	300		✓	
UNITRONIC® BUS PB 105	290		✓	
UNITRONIC® BUS PB ROBUST	289		✓	
UNITRONIC® BUS PB FRNC FC	291		✓	
UNITRONIC® BUS PB ARM	292		✓	
UNITRONIC® BUS PB Yv	292		✓	
UNITRONIC® BUS PB YY	293		✓	
UNITRONIC® BUS PB Y 7-W FC BK	294		✓	
UNITRONIC® BUS PB FD P	295		✓	
UNITRONIC® BUS PB FD P A	296		✓	
UNITRONIC® BUS PB FD P FC	297		✓	
UNITRONIC® BUS PB FD FRNC FC	298		✓	
UNITRONIC® BUS PB FD P COMBI	299		✓	
UNITRONIC® BUS PB FD P HYBRID	299		✓	
UNITRONIC® BUS PB FD Y HYBRID	300		✓	
UNITRONIC® BUS PB FESTOON	301		✓	
UNITRONIC® BUS LD	310		✓	
UNITRONIC® BUS LD FD P	311		✓	
UNITRONIC® BUS LD FD P A	311		✓	
UNITRONIC® BUS PA	312		✓	
UNITRONIC® BUS PA FC	312		✓	
UNITRONIC® BUS PA (BK)	312		✓	
UNITRONIC® BUS PA FC (BK)	312		✓	
UNITRONIC® BUS DN THICK FRNC	313		✓	
UNITRONIC® BUS DN THIN FRNC	313		✓	
UNITRONIC® BUS DN THICK Y	313		✓	
UNITRONIC® BUS DN THIN Y	313		✓	
UNITRONIC® BUS DN THICK FD P	314		✓	
UNITRONIC® BUS DN THIN FD P	314		✓	
UNITRONIC® BUS DN THICK FD Y	314		✓	
UNITRONIC® BUS DN THIN FD Y	314		✓	
UNITRONIC® BUS CAN	315		✓	
UNITRONIC® BUS CAN FD P	315		✓	
UNITRONIC® BUS FF 2	320		✓	
UNITRONIC® BUS FF 3	320		✓	
UNITRONIC® BUS FF 3 ARM	320		✓	
UNITRONIC® BUS CC	321		✓	
UNITRONIC® BUS CC FD P FRNC	321		✓	
UNITRONIC® BUS SAFETY	322		✓	
UNITRONIC® BUS SAFETY FC	322		✓	
UNITRONIC® BUS SAFETY FD P	322		✓	
UNITRONIC® BUS IBS	323		✓	
UNITRONIC® BUS IBS P COMBI	324		✓	

Тип сертификата	PCF	CE	EAC	
Продукт	стр.	ГОСТ Р	ССПБ	ТР ТС
UNITRONIC® BUS IBS A	323		✓	
UNITRONIC® BUS IBS Yv	325		✓	
UNITRONIC® BUS IBS Yv COMBI	325		✓	
UNITRONIC® BUS IBS FD P	324		✓	
UNITRONIC® BUS IBS FD P COMBI	324		✓	
UNITRONIC® BUS IBS FD P COMBI A	324		✓	
UNITRONIC® BUS EIB	326		✓	
UNITRONIC® BUS EIB COMBI	326		✓	
UNITRONIC® BUS EIB-H	326		✓	
UNITRONIC® SENSOR	361		✓	
UNITRONIC® SENSOR FD	361		✓	
Coaxial RG	385		✓	
ETHERLINE® H CAT. 5e	390		✓	
ETHERLINE® P CAT. 5e	390		✓	
ETHERLINE® H Flex CAT. 5e	391		✓	
ETHERLINE® P Flex CAT. 5e	391		✓	
ETHERLINE® H-H CAT. 5e			✓	
ETHERLINE® Cat. 5 FRNC HYBRID	394		✓	
ETHERLINE® FD P FC CAT. 5			✓	
ETHERLINE® PN Cat. 5e Y	397		✓	
ETHERLINE® PN Cat. 5e YY	397		✓	
ETHERLINE® Y FC CAT. 5			✓	
ETHERLINE® PN CAT. 5 Y FLEX FC	398		✓	
ETHERLINE® Y CAT. 5e BK	400		✓	
ETHERLINE® TORSION CAT. 5	401		✓	
ETHERLINE® Cat. 6 _A P	405		✓	
ETHERLINE® Cat. 7 P	405		✓	
ETHERLINE® FD P CAT. 6	407		✓	
ETHERLINE® CAT. 6 _A H	405		✓	
ETHERLINE® CAT. 7 H	405		✓	
ETHERLINE® CAT. 6 _A Y	405		✓	
ETHERLINE® CAT. 7 Y	405		✓	
UNITRONIC® LAN 200 U/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e	426		✓	
UNITRONIC® LAN 200 U/UTP Cat. 5e LSZH	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e LSZH	426		✓	
UNITRONIC® LAN 250 U/UTP Cat. 6	427		✓	
UNITRONIC® LAN 250 U/UTP Cat. 6 LSZH	427		✓	
UNITRONIC® LAN 250 F/UTP Cat. 6 LSZH	427		✓	
UNITRONIC® LAN 500 S/FTP Cat. 6 _A	428		✓	
UNITRONIC® LAN 500 U/FTP Cat. 6 _A LSZH	428		✓	
UNITRONIC® LAN 500 F/FTP Cat. 6 _A LSZH	428		✓	
UNITRONIC® LAN 1000 S/FTP Cat. 7 LSZH	429		✓	
UNITRONIC® LAN 1000 S/FTP Cat. 7 duplex	429		✓	
UNITRONIC® LAN 1200 S/FTP Cat. 7 _A LSZH	430		✓	
UNITRONIC® LAN 1500 S/FTP Cat. 7 _A LSZH	431		✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e FLEX	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e FLEX	426		✓	
UNITRONIC® LAN 600 S/FTP Cat. 7 Y FLEX			✓	
UNITRONIC® LAN 200 F/UTP Cat. 5e LSZH FLEX	426		✓	
UNITRONIC® LAN 200 SF/UTP Cat. 5e LSZH FLEX	426		✓	

Таблица отражает наличие сертификатов на момент сдачи каталога в печать. Актуальный статус по сертификации нашей продукции Вы можете узнать у нас.