

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² /Ø G: mit Schutzleiter			Sprachen	Kenncode Stelle	DoP-Leistungserklärung	Kenncode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
		Number cores,	Cross-Sect. mm ² /Ø	G: with								
Lapp Art.no.	Description	Number cores,	Cross-Sect. mm ² /Ø	G: with	Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
4725051K	H05Z-K 90°C EMBOSS 1X0,5 WH	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725061K	H05Z-K 90°C EMBOSS 1X0,5 GY	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725071K	H05Z-K 90°C EMBOSS 1X0,5 VT	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725081K	H05Z-K 90°C EMBOSS 1X0,5 PK	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725091K	H05Z-K 90°C EMBOSS 1X0,5 OG	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725111K	H05Z-K 90°C EMBOSS 1X0,5 YE	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725121K	H05Z-K 90°C EMBOSS 1X0,5 GN	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725141K	H05Z-K 90°C EMBOSS 1X0,5 DBU	1	X	0,5	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725002	H05Z-K 90°C 1X0,75 GNYE	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725012	H05Z-K 90°C 1X0,75 BK	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725022	H05Z-K 90°C 1X0,75 BU	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725032	H05Z-K 90°C 1X0,75 BN	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725042	H05Z-K 90°C 1X0,75 RD	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725052	H05Z-K 90°C 1X0,75 WH	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725062	H05Z-K 90°C 1X0,75 GY	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725072	H05Z-K 90°C 1X0,75 VT	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725082	H05Z-K 90°C 1X0,75 PK	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725092	H05Z-K 90°C 1X0,75 OG	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725112	H05Z-K 90°C 1X0,75 YE	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725122	H05Z-K 90°C 1X0,75 GN	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725142	H05Z-K 90°C 1X0,75 DBU	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725002K	H05Z-K 90°C EMBOSS 1X0,75 GNYE	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725012K	H05Z-K 90°C EMBOSS 1X0,75 BK	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725022K	H05Z-K 90°C EMBOSS 1X0,75 BU	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725032K	H05Z-K 90°C EMBOSS 1X0,75 BN	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725042K	H05Z-K 90°C EMBOSS 1X0,75 RD	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725052K	H05Z-K 90°C EMBOSS 1X0,75 WH	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725062K	H05Z-K 90°C EMBOSS 1X0,75 GY	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725072K	H05Z-K 90°C EMBOSS 1X0,75 VT	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725082K	H05Z-K 90°C EMBOSS 1X0,75 PK	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725092K	H05Z-K 90°C EMBOSS 1X0,75 OG	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725112K	H05Z-K 90°C EMBOSS 1X0,75 YE	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725122K	H05Z-K 90°C EMBOSS 1X0,75 GN	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725142K	H05Z-K 90°C EMBOSS 1X0,75 DBU	1	X	0,75	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725003	H05Z-K 90°C 1X1 GNYE	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725013	H05Z-K 90°C 1X1 BK	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725023	H05Z-K 90°C 1X1 BU	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725033	H05Z-K 90°C 1X1 BN	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725043	H05Z-K 90°C 1X1 RD	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725053	H05Z-K 90°C 1X1 WH	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725063	H05Z-K 90°C 1X1 GY	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725073	H05Z-K 90°C 1X1 VT	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725083	H05Z-K 90°C 1X1 PK	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725093	H05Z-K 90°C 1X1 OG	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725113	H05Z-K 90°C 1X1 YE	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725123	H05Z-K 90°C 1X1 GN	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725143	H05Z-K 90°C 1X1 DBU	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4725003K	H05Z-K 90°C EMBOSS 1X1 GNYE	1	X	1	DE/EN	0767	UILCPRDoP17 4725001-1 A	H05Z-K/X05Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter	Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø G: with	Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
4726007	H07Z-K 90°C 1X25 GNYE	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726017	H07Z-K 90°C 1X25 BK	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726027	H07Z-K 90°C 1X25 BU	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726037	H07Z-K 90°C 1X25 BN	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726047	H07Z-K 90°C 1X25 RD	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726057	H07Z-K 90°C 1X25 WH	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726067	H07Z-K 90°C 1X25 GY	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726077	H07Z-K 90°C 1X25 VT	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726087	H07Z-K 90°C 1X25 PK	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726097	H07Z-K 90°C 1X25 OG	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726117	X07Z-K 90°C 1X25 YE	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726127	X07Z-K 90°C 1X25 GN	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726147	H07Z-K 90°C 1X25 DBU	1 X 25	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726008	H07Z-K 90°C 1X35 GNYE	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726018	H07Z-K 90°C 1X35 BK	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726028	H07Z-K 90°C 1X35 BU	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726038	H07Z-K 90°C 1X35 BN	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726048	H07Z-K 90°C 1X35 RD	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726058	H07Z-K 90°C 1X35 WH	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726068	H07Z-K 90°C 1X35 GY	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726078	H07Z-K 90°C 1X35 VT	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726088	H07Z-K 90°C 1X35 PK	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726098	H07Z-K 90°C 1X35 OG	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726118	X07Z-K 90°C 1X35 YE	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726128	X07Z-K 90°C 1X35 GN	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726148	H07Z-K 90°C 1X35 DBU	1 X 35	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726009	H07Z-K 90°C 1X50 GNYE	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726019	H07Z-K 90°C 1X50 BK	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726029	H07Z-K 90°C 1X50 BU	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726039	H07Z-K 90°C 1X50 BN	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726049	H07Z-K 90°C 1X50 RD	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726059	H07Z-K 90°C 1X50 WH	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726069	H07Z-K 90°C 1X50 GY	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726079	H07Z-K 90°C 1X50 VT	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726089	H07Z-K 90°C 1X50 PK	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726099	H07Z-K 90°C 1X50 OG	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726119	X07Z-K 90°C 1X50 YE	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726129	X07Z-K 90°C 1X50 GN	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4726149	H07Z-K 90°C 1X50 DBU	1 X 50	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727001	H07Z-K 90°C 1x70 GNYE	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727011	H07Z-K 90°C 1x70 BK	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727021	H07Z-K 90°C 1x70 BU	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727031	H07Z-K 90°C 1x70 BN	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727041	H07Z-K 90°C 1x70 RD	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727051	H07Z-K 90°C 1x70 WH	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727061	H07Z-K 90°C 1x70 GY	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727071	H07Z-K 90°C 1x70 VT	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727081	H07Z-K 90°C 1x70 PK	1 X 70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter			Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl. Stoffe
		Number of cores,	Cross-Sect. mm ² / Ø	G								
Lapp Art.no.	Description	Number of cores,	Cross-Sect. mm ² / Ø	G	Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
4727091	H07Z-K 90°C 1x70 OG	1	X	70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727111	X07Z-K 90°C 1x70 YE	1	X	70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727121	X07Z-K 90°C 1x70 GN	1	X	70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
4727141	H07Z-K 90°C 1x70 DBU	1	X	70	DE/EN	0767	UILCPRDoP17 4726001-1 A	H07Z-K/X07Z-K-1	17	EN 50575:2014 + A1:2016	Eca	NPD
16000003	NYM-J 3G1,5	3	G	1,5			DoP Download	Various				
16000013	NYM-J 4G1,5	4	G	1,5			DoP Download	Various				
16000023	NYM-J 5G1,5	5	G	1,5			DoP Download	Various				
16000003	NYM-J 7G1,5	7	G	1,5			DoP Download	Various				
16000213	NYM-J 3G2,5	3	G	2,5			DoP Download	Various				
16000053	NYM-J 4G2,5	4	G	2,5			DoP Download	Various				
16000063	NYM-J 5G2,5	5	G	2,5			DoP Download	Various				
16000071	NYM-J 7G2,5	7	G	2,5			DoP Download	Various				
16010223	NYM-J 3G4	3	G	4			DoP Download	Various				
16000313	NYM-J 4G4	4	G	4			DoP Download	Various				
16000513	NYM-J 5G4	5	G	4			DoP Download	Various				
16010233	NYM-J 3G6	3	G	6			DoP Download	Various				
16000323	NYM-J 4G6	4	G	6			DoP Download	Various				
16000523	NYM-J 5G6	5	G	6			DoP Download	Various				
1600011	NYM-J 1G10	1	G	10			DoP Download	Various				
16000333	NYM-J 4G10	4	G	10			DoP Download	Various				
16000533	NYM-J 5G10	5	G	10			DoP Download	Various				
1600012	NYM-J 1G16	1	G	16			DoP Download	Various				
16000543	NYM-J 5G16	5	G	16			DoP Download	Various				
16000353	NYM-J 4G25	4	G	25			DoP Download	Various				
16000553	NYM-J 5G25	5	G	25			DoP Download	Various				
16020003	(N)HXMH 3G1,5	3	G	1,5			DoP Download	Various				
16020013	(N)HXMH 4G1,5	4	G	1,5			DoP Download	Various				
16020023	(N)HXMH 5G1,5	5	G	1,5			DoP Download	Various				
1602003	(N)HXMH 7G1,5	7	G	1,5			DoP Download	Various				
16020103	(N)HXMH 3G2,5	3	G	2,5			DoP Download	Various				
16020123	(N)HXMH 5G2,5	5	G	2,5			DoP Download	Various				
30017654	N2XH-O 2X1,5re	2	X	1,5			DoP Download	Various				
30017659	N2XH-J 3X1,5re	3	X	1,5			DoP Download	Various				
35002466	N2XH-O 3X1,5re	3	X	1,5			DoP Download	Various				
30017671	N2XH-J 4X1,5re	4	X	1,5			DoP Download	Various				
30017683	N2XH-J 5X1,5re	5	X	1,5			DoP Download	Various				
30017690	N2XH-J 7X1,5re	7	X	1,5			DoP Download	Various				
3017612	N2XH-J 10X1,5re	10	X	1,5			DoP Download	Various				
30017693	N2XH-J 12X1,5re	12	X	1,5			DoP Download	Various				
3017615	N2XH-J 14X1,5re	14	X	1,5			DoP Download	Various				
3017617	N2XH-J 19X1,5re	19	X	1,5			DoP Download	Various				
3017619	N2XH-J 24X1,5re	24	X	1,5			DoP Download	Various				
3017621	N2XH-J 30X1,5re	30	X	1,5			DoP Download	Various				
30017655	N2XH-O 2X2,5re	2	X	2,5			DoP Download	Various				
1550581	N2XH-O 3X2,5re	3	X	2,5			DoP Download	Various				
30017660	N2XH-J 3X2,5re	3	X	2,5			DoP Download	Various				
30017672	N2XH-J 4X2,5re	4	X	2,5			DoP Download	Various				
30017684	N2XH-J 5X2,5re	5	X	2,5			DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter		Sprachen	Text						
					Text1	Text2	Text3	Text4	Text5	Text6	Text7
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø G: with		Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
30017691	N2XH-J 7X2,5re	7	X	2,5		DoP Download	Various				
3017613	N2XH-J 10X2,5re	10	X	2,5		DoP Download	Various				
30017694	N2XH-J 12X2,5re	12	X	2,5		DoP Download	Various				
3017616	N2XH-J 14X2,5re	14	X	2,5		DoP Download	Various				
3017618	N2XH-J 19X2,5re	19	X	2,5		DoP Download	Various				
3017620	N2XH-J 24X2,5re	24	X	2,5		DoP Download	Various				
3017622	N2XH-J 30X2,5re	30	X	2,5		DoP Download	Various				
30017656	N2XH-O 2X4re	2	X	4		DoP Download	Various				
30017661	N2XH-J 3X4re	3	X	4		DoP Download	Various				
30017673	N2XH-J 4X4re	4	X	4		DoP Download	Various				
30017685	N2XH-J 5X4re	5	X	4		DoP Download	Various				
30017692	N2XH-J 7X4re	7	X	4		DoP Download	Various				
3017614	N2XH-J 12X4re	12	X	4		DoP Download	Various				
30017657	N2XH-O 2X6re	2	X	6		DoP Download	Various				
30017662	N2XH-J 3X6re	3	X	6		DoP Download	Various				
30017674	N2XH-J 4X6re	4	X	6		DoP Download	Various				
30017686	N2XH-J 5X6re	5	X	6		DoP Download	Various				
1550708	N2XH-J 7X6	7	X	6		DoP Download	Various				
30017658	N2XH-O 2X10re	2	X	10		DoP Download	Various				
30017663	N2XH-J 3X10re	3	X	10		DoP Download	Various				
30017675	N2XH-J 4X10re	4	X	10		DoP Download	Various				
30017687	N2XH-J 5X10re	5	X	10		DoP Download	Various				
1550707	N2XH-J 7X10	7	X	10		DoP Download	Various				
1550561	N2XH-O 1X16re	1	X	16		DoP Download	Various				
1550585	N2XH-J 1X16re	1	X	16		DoP Download	Various				
30017647	N2XH-O 1X16rm	1	X	16		DoP Download	Various				
1550578	N2XH-O 2X16re	2	X	16		DoP Download	Various				
3017604	N2XH-O 2X16rm	2	X	16		DoP Download	Various				
1550601	N2XH-J 3X16re	3	X	16		DoP Download	Various				
30017664	N2XH-J 3X16rm	3	X	16		DoP Download	Various				
1550616	N2XH-J 4X16re	4	X	16		DoP Download	Various				
30017676	N2XH-J 4X16rm	4	X	16		DoP Download	Various				
1550631	N2XH-J 5X16re	5	X	16		DoP Download	Various				
30017688	N2XH-J 5X16rm	5	X	16		DoP Download	Various				
1112940	N2XH-J 1X25rm	1	X	25		DoP Download	Various				
30017648	N2XH-O 1X25rm	1	X	25		DoP Download	Various				
3017605	N2XH-O 2X25rm	2	X	25		DoP Download	Various				
1550649	N2XH-J (sektor) 3X50/25sm	3	X	25		DoP Download	Various				
30017665	N2XH-J 3X25rm	3	X	25		DoP Download	Various				
30017677	N2XH-J 4X25rm	4	X	25		DoP Download	Various				
30017689	N2XH-J 5X25rm	5	X	25		DoP Download	Various				
1112941	N2XH-J 1X35rm	1	X	35		DoP Download	Various				
30017649	N2XH-O 1X35rm	1	X	35		DoP Download	Various				
1550650	N2XH-J (sektor) 3X70/35sm	3	X	35		DoP Download	Various				
30017666	N2XH-J 3X35rm	3	X	35		DoP Download	Various				
1550618	N2XH-J (sektor) 4X35sm	4	X	35		DoP Download	Various				
30017678	N2XH-J 4X35rm	4	X	35		DoP Download	Various				
1550633	N2XH-J 5X35rm	5	X	35		DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter		Sprachen	Text1	Text2	Text3	Text4	Text5	Text6	Text7
					Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø G: with	Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances	
1112942	N2XH-J 1X50rm	1	X	50		DoP Download		Various			
30017650	N2XH-O 1X50rm	1	X	50		DoP Download		Various			
1550651	N2XH-J (sektor) 3X95/50sm	3	X	50		DoP Download		Various			
30017667	N2XH-J 3X50rm	3	X	50		DoP Download		Various			
1550619	N2XH-J (sektor) 4X50sm	4	X	50		DoP Download		Various			
1112943	N2XH-J 1X70rm	1	X	70		DoP Download		Various			
30017651	N2XH-O 1X70rm	1	X	70		DoP Download		Various			
1550605	N2XH-J (sektor) 3X70sm	3	X	70		DoP Download		Various			
1550652	N2XH-J (sektor) 3X120/70sm	3	X	70		DoP Download		Various			
1550653	N2XH-J (sektor) 3X150/70sm	3	X	70		DoP Download		Various			
30017668	N2XH-J 3X70rm	3	X	70		DoP Download		Various			
1550620	N2XH-J (sektor) 4X70sm	4	X	70		DoP Download		Various			
1112944	N2XH-J 1X95rm	1	X	95		DoP Download		Various			
30017652	N2XH-O 1X95rm	1	X	95		DoP Download		Various			
1550606	N2XH-J (sektor) 3X95sm	3	X	95		DoP Download		Various			
1550654	N2XH-J (sektor) 3X185/95sm	3	X	95		DoP Download		Various			
1550621	N2XH-J (sektor) 4X95sm	4	X	95		DoP Download		Various			
1112945	N2XH-J 1X120rm	1	X	120		DoP Download		Various			
30017653	N2XH-O 1X120rm	1	X	120		DoP Download		Various			
1550607	N2XH-J (sektor) 3X120sm	3	X	120		DoP Download		Various			
1550655	N2XH-J (sektor) 3X240/120sm	3	X	120		DoP Download		Various			
1550622	N2XH-J (sektor) 4X120sm	4	X	120		DoP Download		Various			
1112946	N2XH-J 1X150rm	1	X	150		DoP Download		Various			
30017601	N2XH-O 1X150rm	1	X	150		DoP Download		Various			
1550608	N2XH-J (sektor) 3X150sm	3	X	150		DoP Download		Various			
1550623	N2XH-J (sektor) 4X150sm	4	X	150		DoP Download		Various			
1112947	N2XH-J 1X185rm	1	X	185		DoP Download		Various			
30017602	N2XH-O 1X185rm	1	X	185		DoP Download		Various			
1550609	N2XH-J (sektor) 3X185sm	3	X	185		DoP Download		Various			
1550624	N2XH-J (sektor) 4X185sm	4	X	185		DoP Download		Various			
1112948	N2XH-J 1X240rm	1	X	240		DoP Download		Various			
30017603	N2XH-O 1X240rm	1	X	240		DoP Download		Various			
1550610	N2XH-J (sektor) 3X240sm	3	X	240		DoP Download		Various			
1550625	N2XH-J (sektor) 4X240sm	4	X	240		DoP Download		Various			
1112935	N2XH-O 1X300rm	1	X	300		DoP Download		Various			
1112949	N2XH-J 1X300rm	1	X	300		DoP Download		Various			
15502003	NYI-O 2X1,5re	2	X	1,5		DoP Download		Various			
15500013	NYI-J 3G1,5re	3	G	1,5		DoP Download		Various			
15500023	NYI-J 4G1,5re	4	G	1,5		DoP Download		Various			
15500033	NYI-J 5G1,5re	5	G	1,5		DoP Download		Various			
15500004	NYI-J 7G1,5re	7	G	1,5		DoP Download		Various			
15500005	NYI-J 10G1,5re	10	G	1,5		DoP Download		Various			
15500006	NYI-J 12G1,5re	12	G	1,5		DoP Download		Various			
15500084	NYI-J 14G1,5re	14	G	1,5		DoP Download		Various			
15500007	NYI-J 16G1,5re	16	G	1,5		DoP Download		Various			
15500008	NYI-J 19G1,5re	19	G	1,5		DoP Download		Various			
15500009	NYI-J 24G1,5re	24	G	1,5		DoP Download		Various			
15500086	NYI-J 30G1,5re	30	G	1,5		DoP Download		Various			

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter		Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
		Number of cores, Cross-Sect. mm ² / Ø G: with									
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø G: with		Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
15502193	NYI-O 2X2,5	2	X	2,5		DoP Download	Various				
15500103	NYI-J 3G2,5re	3	G	2,5		DoP Download	Various				
15500113	NYI-J 4G2,5re	4	G	2,5		DoP Download	Various				
15500123	NYI-J 5G2,5re	5	G	2,5		DoP Download	Various				
1550013	NYI-J 7G2,5re	7	G	2,5		DoP Download	Various				
1550090	NYI-J 10G2,5re	10	G	2,5		DoP Download	Various				
1550091	NYI-J 12G2,5re	12	G	2,5		DoP Download	Various				
1550092	NYI-J 14G2,5re	14	G	2,5		DoP Download	Various				
1550094	NYI-J 19G2,5re	19	G	2,5		DoP Download	Various				
1550096	NYI-J 24G2,5re	24	G	2,5		DoP Download	Various				
1550097	NYI-J 30G2,5re	30	G	2,5		DoP Download	Various				
15502203	NYI-O 2X4re	2	X	4		DoP Download	Various				
15500583	NYI-J 3G4re	3	G	4		DoP Download	Various				
15500203	NYI-J 4G4re	4	G	4		DoP Download	Various				
15500263	NYI-J 5G4re	5	G	4		DoP Download	Various				
15502213	NYI-O 2X6re	2	X	6		DoP Download	Various				
15500593	NYI-J 3G6re	3	G	6		DoP Download	Various				
15500213	NYI-J 4G6re	4	G	6		DoP Download	Various				
15500273	NYI-J 5G6re	5	G	6		DoP Download	Various				
1550040	NYI-J 1G10re	1	G	10		DoP Download	Various				
1550205	NYI-O 1X10re	1	X	10		DoP Download	Various				
15502223	NYI-O 2X10re	2	X	10		DoP Download	Various				
15500603	NYI-J 3G10re	3	G	10		DoP Download	Various				
15500223	NYI-J 4G10re	4	G	10		DoP Download	Various				
15500823	NYI-J 5G10re	5	G	10		DoP Download	Various				
1550034	NYI-J 1G16re	1	G	16		DoP Download	Various				
1550206	NYI-O 1X16re	1	X	16		DoP Download	Various				
15500613	NYI-J 3G16re	3	G	16		DoP Download	Various				
15500233	NYI-J 4G16re	4	G	16		DoP Download	Various				
15502533	NYI-O 4X16re	4	X	16		DoP Download	Various				
15500833	NYI-J 5G16re	5	G	16		DoP Download	Various				
1550030	NYI-J 1G25rm	1	G	25		DoP Download	Various				
1550207	NYI-O 1X25rm	1	X	25		DoP Download	Various				
15500713	NYI-J 3G25rm/16re	3	G	25		DoP Download	Various				
15500243	NYI-J 4G25rm	4	G	25		DoP Download	Various				
15502543	NYI-O 4X25rm	4	X	25		DoP Download	Various				
1550038	NYI-J 1G35rm	1	G	35		DoP Download	Various				
1550208	NYI-O 1X35rm	1	X	35		DoP Download	Various				
15500153	NYI-J (sektor) 3G35sm/16re	3	G	35		DoP Download	Various				
15500753	NYI-J (sektor) 4G35sm	4	G	35		DoP Download	Various				
1550032	NYI-J 1G50rm	1	G	50		DoP Download	Various				
1550209	NYI-O 1X50rm	1	X	50		DoP Download	Various				
15500163	NYI-J (sektor) 3G50sm/25rm	3	G	50		DoP Download	Various				
15500253	NYI-J (sektor) 4G50sm	4	G	50		DoP Download	Various				
15502563	NYI-O (sektor) 4X50sm	4	X	50		DoP Download	Various				
1550033	NYI-J 1G70rm	1	G	70		DoP Download	Various				
1550210	NYI-O 1X70rm	1	X	70		DoP Download	Various				
15500173	NYI-J (sektor) 3G70sm/35sm	3	G	70		DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter	Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
15500763	NYI-J (sektor) 4G70sm	4 G 70			DoP Download	Various				
15502573	NYI-O (sektor) 4X70sm	4 X 70			DoP Download	Various				
1550211	NYI-O 1X95rm	1 X 95			DoP Download	Various				
15500183	NYI-J (sektor) 3G95sm/50sm	3 G 95			DoP Download	Various				
15500773	NYI-J (sektor) 4G95sm	4 G 95			DoP Download	Various				
15502583	NYI-O (sektor) 4X95sm	4 X 95			DoP Download	Various				
1550035	NYI-J 1G120rm	1 G 120			DoP Download	Various				
1550212	NYI-O 1X120rm	1 X 120			DoP Download	Various				
15500723	NYI-J (sektor) 3G120sm/70sm	3 G 120			DoP Download	Various				
15500783	NYI-J (sektor) 4G120sm	4 G 120			DoP Download	Various				
1550213	NYI-O 1X150rm	1 X 150			DoP Download	Various				
15500733	NYI-J (sektor) 3G150sm/70sm	3 G 150			DoP Download	Various				
15500793	NYI-J (sektor) 4G150sm	4 G 150			DoP Download	Various				
1550037	NYI-J 1G185rm	1 G 185			DoP Download	Various				
1550214	NYI-O 1X185rm	1 X 185			DoP Download	Various				
15500743	NYI-J (sektor) 3G185sm/95sm	3 G 185			DoP Download	Various				
15500803	NYI-J (sektor) 4G185sm	4 G 185			DoP Download	Various				
1550215	NYI-O 1X240rm	1 X 240			DoP Download	Various				
15500193	NYI-J (sektor) 3G240sm/120sm	3 G 240			DoP Download	Various				
15500813	NYI-J (sektor) 4G240sm	4 G 240			DoP Download	Various				
1550216	NYI-O 1X300rm	1 X 300			DoP Download	Various				
1591301	J-Y(ST)Y...LG 2x2x0,6	2x2 x 0,6			DoP Download	Various				
1591302	J-Y(ST)Y...LG 3x2x0,6	3x2 x 0,6			DoP Download	Various				
1591303	J-Y(ST)Y...LG 4x2x0,6	4x2 x 0,6			DoP Download	Various				
1591304	J-Y(ST)Y...LG 5x2x0,6	5x2 x 0,6			DoP Download	Various				
1591305	J-Y(ST)Y...LG 6x2x0,6	6x2 x 0,6			DoP Download	Various				
1591306	J-Y(ST)Y...LG 8x2x0,6	8x2 x 0,6			DoP Download	Various				
1591307	J-Y(ST)Y...LG 10x2x0,6	10x2 x 0,6			DoP Download	Various				
1591308	J-Y(ST)Y...LG 12x2x0,6	12x2 x 0,6			DoP Download	Various				
1591310	J-Y(ST)Y...LG 16x2x0,6	16x2 x 0,6			DoP Download	Various				
1591311	J-Y(ST)Y...LG 20x2x0,6	20x2 x 0,6			DoP Download	Various				
1591312	J-Y(ST)Y...LG 24x2x0,6	24x2 x 0,6			DoP Download	Various				
1591313	J-Y(ST)Y...LG 30x2x0,6	30x2 x 0,6			DoP Download	Various				
1591315	J-Y(ST)Y...LG 50x2x0,6	50x2 x 0,6			DoP Download	Various				
1591318	J-Y(ST)Y...LG 100x2x0,6	100x2 x 0,6			DoP Download	Various				
1591500	J-Y(ST)Y...LG 1X2X0,8	1x2 x 0,8			DoP Download	Various				
1591501	J-Y(ST)Y...LG 2X2X0,8	2x2 x 0,8			DoP Download	Various				
1591502	J-Y(ST)Y...LG 3X2X0,8	3x2 x 0,8			DoP Download	Various				
1591503	J-Y(ST)Y...LG 4X2X0,8	4x2 x 0,8			DoP Download	Various				
1591505	J-Y(ST)Y...LG 6X2X0,8	6x2 x 0,8			DoP Download	Various				
1591506	J-Y(ST)Y...LG 8X2X0,8	8x2 x 0,8			DoP Download	Various				
1591507	J-Y(ST)Y...LG 10X2X0,8	10x2 x 0,8			DoP Download	Various				
1591508	J-Y(ST)Y...LG 12X2X0,8	12x2 x 0,8			DoP Download	Various				
1591511	J-Y(ST)Y...LG 20X2X0,8	20x2 x 0,8			DoP Download	Various				
1708001	J-Y(ST)Y...LG 1X2X0,8 BMK	1x2 x 0,8			DoP Download	Various				
1708002	J-Y(ST)Y...LG 2X2X0,8 BMK	2x2 x 0,8			DoP Download	Various				
1708004	J-Y(ST)Y...LG 4X2X0,8 BMK	4x2 x 0,8			DoP Download	Various				
1708010	J-Y(ST)Y...LG 10X2X0,8 BMK	10x2 x 0,8			DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter	Sprachen	Text1	Text2	Text3	Text4	Text5	Text6	Text7
				Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl.Stoffe
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø G: with	Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
30017695	N2XCH 2x1,5 RE/1,5	2 X 1,5			DoP Download	Various				
30017701	N2XCH 3x1,5 RE/1,5	3 X 1,5			DoP Download	Various				
30017716	N2XCH 4x1,5 RE/1,5	4 X 1,5			DoP Download	Various				
30017730	N2XCH 7x1,5 RE/1,5	7 X 1,5			DoP Download	Various				
1550696	N2XCH 10 x 1,5 / 2,5 re	10 X 1,5			DoP Download	Various				
30017735	N2XCH 12x1,5 RE/2,5	12 X 1,5			DoP Download	Various				
1550701	N2XCH 16 x 1,5 / 4 re	16 X 1,5			DoP Download	Various				
30017738	N2XCH 24x1,5 RE/6	24 X 1,5			DoP Download	Various				
30017740	N2XCH 30x1,5 RE/6	30 X 1,5			DoP Download	Various				
30017696	N2XCH 2x2,5 RE/2,5	2 X 2,5			DoP Download	Various				
30017702	N2XCH 3x2,5 RE/2,5	3 X 2,5			DoP Download	Various				
30017717	N2XCH 4x2,5 RE/2,5	4 X 2,5			DoP Download	Various				
30017731	N2XCH 7x2,5 RE/2,5	7 X 2,5			DoP Download	Various				
1550697	N2XCH 10 x 2,5 / 4 re	10 X 2,5			DoP Download	Various				
30017736	N2XCH 12x2,5 RE/4	12 X 2,5			DoP Download	Various				
1550702	N2XCH 16 x 2,5 / 6 re	16 X 2,5			DoP Download	Various				
30017739	N2XCH 24x2,5 RE/10	24 X 2,5			DoP Download	Various				
3017741	N2XCH 30x2,5 RE/10	30 X 2,5			DoP Download	Various				
30017697	N2XCH 2X4 re/4	2 X 4			DoP Download	Various				
30017703	N2XCH 3x4 RE/4	3 X 4			DoP Download	Various				
30017718	N2XCH 4x4 RE/4	4 X 4			DoP Download	Various				
30017733	N2XCH 7x4 RE/4	7 X 4			DoP Download	Various				
30017737	N2XCH 12x4 RE/6	12 X 4			DoP Download	Various				
30017698	N2XCH 2X6 re/6	2 X 6			DoP Download	Various				
30017704	N2XCH 3x6 RE/6	3 X 6			DoP Download	Various				
30017719	N2XCH 4x6 RE/6	4 X 6			DoP Download	Various				
30017734	N2XCH 7x6 RE/6	7 X 6			DoP Download	Various				
30017699	N2XCH 2X10 re/10	2 X 10			DoP Download	Various				
30017705	N2XCH 3x10 RE/10	3 X 10			DoP Download	Various				
30017720	N2XCH 4x10 RE/10	4 X 10			DoP Download	Various				
1550661	N2XCH 2 x 16 / 16 re	2 X 16			DoP Download	Various				
30017700	N2XCH 2X16 rm/16	2 X 16			DoP Download	Various				
1550667	N2XCH 3 x 16 / 16 re	3 X 16			DoP Download	Various				
30017706	N2XCH 3x16 RM/16	3 X 16			DoP Download	Various				
30017721	N2XCH 4x16 RM/16	4 X 16			DoP Download	Various				
1550682	N2XCH 4 x 16 / 16 re	4 X 16			DoP Download	Various				
30017707	N2XCH 3x25 RM/16	3 X 25			DoP Download	Various				
30017722	N2XCH 4x25 RM/16	4 X 25			DoP Download	Various				
30017708	N2XCH 3x35 RM/16	3 X 35			DoP Download	Various				
30017723	N2XCH 4X35 RM/16	4 X 35			DoP Download	Various				
30017709	N2XCH 3X50 rm/25	3 X 50			DoP Download	Various				
1550670	N2XCH 3 x 50 / 25 sm	3 X 50			DoP Download	Various				
30017724	N2XCH 4x50 RM/25	4 X 50			DoP Download	Various				
1550685	N2XCH 4 x 50 / 25 sm	4 X 50			DoP Download	Various				
1550671	N2XCH 3 x 70 / 35 sm	3 X 70			DoP Download	Various				
1550686	N2XCH 4 x 70 / 35 sm	4 X 70			DoP Download	Various				
1550672	N2XCH 3 x 95 / 50 sm	3 X 95			DoP Download	Various				
1550687	N2XCH 4 x 95 / 50 sm	4 X 95			DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² / Ø G: mit Schutzleiter		Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl. Stoffe
		3	X								
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² / Ø		Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
1550673	N2XCH 3 x 120 / 70 sm	3	X	120		DoP Download	Various				
1550688	N2XCH 4 x 120 / 70 sm	4	X	120		DoP Download	Various				
1550674	N2XCH 3 x 150 / 70 sm	3	X	150		DoP Download	Various				
1550689	N2XCH 4 x 150 / 70 sm	4	X	150		DoP Download	Various				
1550675	N2XCH 3 x 185 / 95 sm	3	X	185		DoP Download	Various				
1550690	N2XCH 4 x 185 / 95 sm	4	X	185		DoP Download	Various				
1550676	N2XCH 3 x 240 / 120 sm	3	X	240		DoP Download	Various				
1550691	N2XCH 4 x 240 / 120 sm	4	X	240		DoP Download	Various				
1552010	NAYY-J 4G35 re	4	G	35		DoP Download	Various				
1552011	NAYY-J 4G50 se	4	G	50		DoP Download	Various				
1552012	NAYY-J 4G70 se	4	G	70		DoP Download	Various				
1552013	NAYY-J 4G95 se	4	G	95		DoP Download	Various				
1552014	NAYY-J 4G120 se	4	G	120		DoP Download	Various				
3036550	NAYY-O 1X150 RM	1	X	150		DoP Download	Various				
1552015	NAYY-J 4x150 se	4	X	150		DoP Download	Various				
3036551	NAYY-O 1x185 RM BK	1	X	185		DoP Download	Various				
1552016	NAYY-J 4G185 se	4	G	185		DoP Download	Various				
3036552	NAYY-O 1x240 RM BK	1	X	240		DoP Download	Various				
1552017	NAYY-J 4G240 se	4	G	240		DoP Download	Various				
1552022	NAYY-O 1X300 RM	1	X	300		DoP Download	Various				
15505003	NYCWY 2X10 re/10	2	X	10		DoP Download	Various				
15505263	NYCWY 3X10 re/10	3	X	10		DoP Download	Various				
15505403	NYCWY 4X10 re/10	4	X	10		DoP Download	Various				
15505273	NYCWY 3X16 re/16	3	X	16		DoP Download	Various				
15505413	NYCWY 4X16 re/16	4	X	16		DoP Download	Various				
15505283	NYCWY 3X25 rm/25	3	X	25		DoP Download	Various				
15505423	NYCWY 4X25 rm/16	4	X	25		DoP Download	Various				
15505303	NYCWY 3X35 sm/35	3	X	35		DoP Download	Various				
15505433	NYCWY 4X35 sm/16	4	X	35		DoP Download	Various				
15505163	NYCWY 3X50 sm/50	3	X	50		DoP Download	Various				
15505443	NYCWY 4X50 sm/25	4	X	50		DoP Download	Various				
15505453	NYCWY 4X70 sm/35	4	X	70		DoP Download	Various				
15505143	NYCWY 3X95 sm/50	3	X	95		DoP Download	Various				
15505323	NYCWY 3X95 sm/95	3	X	95		DoP Download	Various				
15505463	NYCWY 4X95 sm/50	4	X	95		DoP Download	Various				
15505153	NYCWY 3X120 sm/70	3	X	120		DoP Download	Various				
15505473	NYCWY 4X120 sm/70	4	X	120		DoP Download	Various				
15505353	NYCWY 3X150 sm/70	3	X	150		DoP Download	Various				
15505483	NYCWY 4X150 sm/70	4	X	150		DoP Download	Various				
15505173	NYCWY 3X185 sm/95	3	X	185		DoP Download	Various				
15503003	NYCY 2X1,5 re /1,5	2	X	1,5		DoP Download	Various				
15503103	NYCY 3X1,5 re /1,5	3	X	1,5		DoP Download	Various				
15503203	NYCY 4X1,5 re/1,5	4	X	1,5		DoP Download	Various				
1550330	NYCY 7X1,5 re/2,5	7	X	1,5		DoP Download	Various				
1550332	NYCY 12X1,5 re/2,5	12	X	1,5		DoP Download	Various				
1550337	NYCY 24X1,5 re/6	24	X	1,5		DoP Download	Various				
15503113	NYCY 3X2,5 re/2,5	3	X	2,5		DoP Download	Various				
15503213	NYCY 4X2,5 re/2,5	4	X	2,5		DoP Download	Various				

Lapp Art.nr.	Bezeichnung	Anzahl Adern, Querschnitt mm ² /Ø G: mit Schutzleiter		Sprachen	Kennkode Stelle	DoP-Leistungserklärung	Kennkode Produkttyp	Erstmalige Kennzeichn., Jahr	Europäische Norm	Leistungserklär. Brandverhalten	Leistungserklär. Gefährl. Stoffe
Lapp Art.no.	Description	Number of cores, Cross-Sect. mm ² /Ø G: with		Languages	IdentCode Body	DoP-Declaration of Performance	IdentCode Product type	First time labeling, year	European Standard	Declar.o.Perform. Reaction-to-fire	Declar.o.Perform. Hazard.Substances
1550350	NYCY 7X2,5 re/2,5	7	X	2,5		DoP Download	Various				
1550355	NYCY 16X2,5 re/6	16	X	2,5		DoP Download	Various				
15503223	NYCY 4X4 re/4	4	X	4		DoP Download	Various				
15503233	NYCY 4X6 re/6	4	X	4		DoP Download	Various				
0032470	RD-Y(ST)Y 2x2x0,5 GY	2x2	x	0,5		DoP Download	Various				
0032471	RD-Y(ST)Y 4x2x0,5 GY	4x2	x	0,5		DoP Download	Various				
0032472	RD-Y(ST)Y 8x2x0,5 GY	8x2	x	0,5		DoP Download	Various				
0032474	RD-Y(ST)Y 16x2x0,5 GY	16x2	x	0,5		DoP Download	Various				
0032475	RD-Y(ST)Y 24x2x0,5 GY	24x2	x	0,5		DoP Download	Various				
0032477	RD-Y(ST)Y 48x2x0,5 GY	48x2	x	0,5		DoP Download	Various				
0034190	JE-Y(ST)Y...BD 2x2x0,8	2x2	x	0,8		DoP Download	Various				
0034191	JE-Y(ST)Y...BD 4x2x0,8	4x2	x	0,8		DoP Download	Various				
0034192	JE-Y(ST)Y...BD 8x2x0,8	8x2	x	0,8		DoP Download	Various				
0034193	JE-Y(ST)Y...BD 12x2x0,8	12x2	x	0,8		DoP Download	Various				
0034194	JE-Y(ST)Y...BD 16x2x0,8	16x2	x	0,8		DoP Download	Various				
0034195	JE-Y(ST)Y...BD 20x2x0,8	20x2	x	0,8		DoP Download	Various				
0034197	JE-Y(ST)Y...BD 40x2x0,8	40x2	x	0,8		DoP Download	Various				
0034120	JE-Y(ST)Y...BD EB 2X2X0,8	2x2	x	0,8		DoP Download	Various				
0034121	JE-Y(ST)Y...BD EB 4X2X0,8	4x2	x	0,8		DoP Download	Various				
0034122	JE-Y(ST)Y...BD EB 8X2X0,8	8x2	x	0,8		DoP Download	Various				
0034123	JE-Y(ST)Y...BD EB 12X2X0,8	12x2	x	0,8		DoP Download	Various				
0034125	JE-Y(ST)Y...BD EB 20X2X0,8	20x2	x	0,8		DoP Download	Various				
0034126	JE-Y(ST)Y...BD EB 32X2X0,8	32x2	x	0,8		DoP Download	Various				
0034200	JE-LIYCY...BD 2x2x0,5	2x2	x	0,5		DoP Download	Various				
0034201	JE-LIYCY...BD 4x2x0,5	4x2	x	0,5		DoP Download	Various				
0034202	JE-LIYCY...BD 8x2x0,5	8x2	x	0,5		DoP Download	Various				
0034208	JE-LIYCY...BD 12x2x0,5	12x2	x	0,5		DoP Download	Various				
0034203	JE-LIYCY...BD 16x2x0,5	16x2	x	0,5		DoP Download	Various				
0034210	JE-LIYCY...BD 20x2x0,5	20x2	x	0,5		DoP Download	Various				
0034204	JE-LIYCY...BD 24x2x0,5	24x2	x	0,5		DoP Download	Various				
0034212	JE-LIYCY...BD 32x2x0,5	32x2	x	0,5		DoP Download	Various				
0034220	JE-LIYCY...BD EB 2X2X0,5	2x2	x	0,5		DoP Download	Various				
0034221	JE-LIYCY...BD EB 4X2X0,5	4x2	x	0,5		DoP Download	Various				
0034222	JE-LIYCY...BD EB 8X2X0,5	8x2	x	0,5		DoP Download	Various				
0034223	JE-LIYCY...BD EB 12X2X0,5	12x2	x	0,5		DoP Download	Various				
0034224	JE-LIYCY...BD EB 16X2X0,5	16x2	x	0,5		DoP Download	Various				
0034225	JE-LIYCY...BD EB 20X2X0,5	20x2	x	0,5		DoP Download	Various				
0034226	JE-LIYCY...BD EB 24X2X0,5	24x2	x	0,5		DoP Download	Various				
0034227	JE-LIYCY...BD EB 32X2X0,5	32x2	x	0,5		DoP Download	Various				
0034228	JE-LIYCY...BD EB 40X2X0,5	40x2	x	0,5		DoP Download	Various				
0034171	J-2Y(ST)Y...ST III BD 2X2X0,6	2x2	x	0,6		DoP Download	Various				
0034173	J-2Y(ST)Y...ST III BD 4X2X0,6	4x2	x	0,6		DoP Download	Various				
0034176	J-2Y(ST)Y...ST III BD 10X2X0,6	10x2	x	0,6		DoP Download	Various				
0034178	J-2Y(ST)Y...ST III BD 20X2X0,6	20x2	x	0,6		DoP Download	Various				