



QCRV.E79903 Outlet Bushings and Fittings

If you notice a change to your QCRV Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings

[See General Information for Outlet Bushings and Fittings](#)

U I LAPP GMBH

E79903

SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY

Liquid-tight flexible cord fittings "Skintop BS Series" Model(s) BS 1/2 NPT, BS 3/4 NPT, BS 7/8 UNF, BS PF 1/2, BS PF 5/8, BS-13.5, BS-16, BS-21, BS-M20x1.5, BS-M25x1.5, BSM 20 x 1.5, BSM 25 x 1.5, BSM 7/8 UNF

Liquid-tight flexible cord fittings "Skintop BSR Series" Model(s) BSR 1/2 NPT, BSR 3/4 NPT, BSR 7/8 UNF, BSR PF 1/2, BSR PF 5/8, BSR-13.5, BSR-16, BSR-21, BSR-M20x1.5, BSR-M25x1.5

Liquid-tight flexible cord fittings "Skintop BT Series" Model(s) BT 1/2 NPT, BT 1/2 PF, BT 13.5, BT 16, BT 21, BT 3/4 NPT, BT 5/8 PF, BT 7/8 UNF, BT-M20x1.5, BT-M25x1.5

Liquid-tight flexible cord fittings "Skintop BTR Series" Model(s) BTR 1/2 NPT, BTR 1/2 PF, BTR 13.5, BTR 21, BTR 3/4 NPT, BTR 5/8 PF, BTR 7/8 UNF, BTR-16, BTR-M20x1.5, BTR-M25x1.5

Liquid-tight flexible cord fittings "Skintop PF Series" Model(s) PF-13.5, PF-16, PF-Flex 13.5, PF-Flex 16

Liquid-tight flexible cord fittings "Skintop PFR Series" Model(s) PFR-13.5, PFR-16, PFR-Flex 13.5, PFR-Flex 16

Liquid-tight flexible cord fittings "Skintop Series" Model(s) BS-M32x1.5, BSR-M32x1.5, CLICK 20, CLICK 25, CLICK 32, CLICK BS 20, CLICK BS 25, CLICK BS 32, CLICK BSR 20, CLICK BSR 25, CLICK BSR 32, CLICK-R 20, CLICK-R 25, CLICK-R 32, MS-M 20x1.5, MS-M 25x1.5, MS-M 40x1.5, MS-M 50x1.5, MS-M 63x1.5, MS-M 63x1.5 plus, MS-M 75x1.5, MS-M ATEX 20x1.5, MS-M ATEX 25x1.5, MS-M ATEX 32x1.5, MS-M ATEX 40x1.5, MS-M ATEX 50x1.5, MS-M ATEX 63x1.5, MS-M BRUSH 25x1.5, MS-M BRUSH 32x1.5, MS-M BRUSH 40x1.5, MS-M BRUSH 50x1.5, MS-M BRUSH 63x1.5, MS-M BRUSH 63x1.5 plus, MS-M BRUSH 75x1.5, MS-M BRUSH 75x1.5 plus, MS-M-XL 20x1.5, MS-M-XL 32x1.5, MS-M-XL 40x1.5, MS-M-XL 50x1.5, MS-M-XL25x1.5, MS-M32x1.5, MS-NPT BRUSH 1, MS-NPT BRUSH 1-1/2, MS-NPT BRUSH 1-1/4, MS-NPT BRUSH 1/2, MS-NPT BRUSH 2, MS-NPT BRUSH 2 plus, MS-NPT BRUSH 3/4, MS-NPT-1, MS-NPT-1-1/4, MS-NPT-1-1/2, MS-NPT-2, MS-NPT1/2, MS-NPT3/4, MS-SC-M 20x1.5, MS-SC-M 25x1.5, MS-SC-M 32x1.5, MS-SC-M 40x1.5, MS-SC-M 50x2.5, MS-SC-M-XL 20x1.5, MS-SC-M-XL 25x1.5, MS-SC-M-XL 32x1.5, MS-SC-M-XL 40x1.5, MS-SC-M-XL 50x1.5, MS-SC-NPT 1, MS-SC-NPT 1-1/2, MS-SC-NPT 1-1/4, MS-SC-NPT 1/2, MS-SC-NPT 3/4, MSR-M 20x1.5, MSR-M 25x1.5, MSR-M 32x1.5, MSR-M 40x1.5, MSR-M 50x1.5, MSR-M 63x1.5, MSR-M 75x1.5, MSR-M ATEX 20x1.5, MSR-M ATEX 25x1.5, MSR-M ATEX 32x1.5, MSR-M ATEX 40x1.5, MSR-M ATEX 50x1.5, MSR-M ATEX 63x1.5, MSR-M-XL 20x1.5, MSR-M-XL 25x1.5, MSR-M-XL 32x1.5, MSR-M-XL 40x1.5, MSR-M-XL 50x1.5, MSR-NPT-1, MSR-NPT-1-1/4, MSR-NPT-1-1/2, MSR-NPT-2, MSR-NPT1/2, MSR-NPT3/4, ST-M32x1.5, ST-M40x1.5, ST-M50x1.5, ST-M63x1.5, STR-M32x1.5, STR-M40x1.5, STR-M50x1.5, STR-M63x1.5

Liquid-tight flexible cord fittings "Skintop ST Series" Model(s) ST 1 NPT, ST 1/2 NPT, ST 3/4 NPT, ST 7/8 UNF, ST M20 x 1.5, ST M25 x 1.5, ST-M20x1.5, ST-M25x1.5, ST-Pg13.5, ST-Pg16, ST-Pg21, ST-Pg36, ST-Pg48

Liquid-tight flexible cord fittings "Skintop STPG Series" Model(s) STPG-13.5, STPG-16, STPG-21, STPG-36, STPG-48

Liquid-tight flexible cord fittings "Skintop STR Series" Model(s) STR 1 NPT, STR 1/2 NPT, STR 3/4 NPT, STR 7/8 UNF, STR-M20x1.5, STR-M25x1.5, STR-M25x1.5, STR-Pg13.5, STR-Pg16, STR-Pg21, STR-Pg36, STR-Pg48

Outlet Bushings and Fittings Model(s) 53113540, 53113550, 53806744, 53806745, 53806755, 53806783, 53806784, 53806802

Investigated to ANSI/UL 514B 6th ed.(last revised 2014-06-04)

Outlet Bushings and Fittings Model(s) 53806731, 53806732

[Last Updated](#) on 2017-09-12

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



QCRV2.E79903 Outlet Bushings and Fittings - Component

If you notice a change to your QCRV2 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings - Component

[See General Information for Outlet Bushings and Fittings - Component](#)

U I LAPP GMBH

E79903

SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY

Liquid-tight flexible cord connectors "Skintop Series" Model(s) BS-M12x1.5, BS-M16X1.5, BSR-M12x1.5, BSR-M16X1.5, CLICK 12, CLICK 16, CLICK BS 12, CLICK BS 16, CLICK BSR 12, CLICK BSR 16, CLICK-R 12, CLICK-R 16, ST-M12x1.5, ST-M16x1.5, STR-M12x1.5, STR-M16X1.5

Liquid-tight flexible cord connectors Model(s) Skintop Solar M12, Skintop Solar M16, Skintop Solar plus M12, Skintop Solar plus M16

Liquid-tight flexible cord fittings "Skintop BS Series" Model(s) BS-11, BS-13.5, BS-29, BS-3/8 NPT, BS-7, BS-9, BS-M16x1.5, BS-PF 3/8

Liquid-tight flexible cord fittings "Skintop BSR Series" Model(s) BSR-11, BSR-29, BSR-3/8 NPT, BSR-7, BSR-9, BSR-M16x1.5, BSR-PF 3/8

Liquid-tight flexible cord fittings "Skintop BT Series " Model(s) BT-11, BT-3/8 NPT, BT-3/8 PF, BT-9, BT-M16x1.5

Liquid-tight flexible cord fittings "Skintop BTR Series " Model(s) BTR -11, BTR -3/8 NPT, BTR -3/8 PF, BTR -9, BTR -M16x1.5

Liquid-tight flexible cord fittings "Skintop PF Series " Model(s) PF-9, PF-Flex 9

Liquid-tight flexible cord fittings "Skintop PFR Series " Model(s) PFR-9, PFR-Flex 9

Liquid-tight flexible cord fittings "Skintop Series" Model(s) MS-M 12x1.5, MS-M 16x1.5, MS-M ATEX 12x1.5, MS-M ATEX 16x1.5, MS-M-XL 12x1.5, MS-NPT-1/4, MS-NPT-3/8, MS-SC-M 12x1.5, MS-SC-M 16x1.5, MS-SC-M-XL 12x1.5, MS-SC-M-XL 16x1.5, MS-SC-NPT 3/8, MSR-M 12x1.5, MSR-M 16x1.5, MSR-M ATEX 12x1.5, MSR-M ATEX 16x1.5, MSR-M-XL 12x1.5, MSR-M-XL 16x1.5, MSR-NPT-1/4, MSR-NPT-3/8

Liquid-tight flexible cord fittings "Skintop ST Series " Model(s) ST-3/8 NPT, ST-M16x1.5, ST-Pg11, ST-Pg13.5, ST-Pg29, ST-Pg42, ST-Pg7, ST-Pg9

Liquid-tight flexible cord fittings "Skintop STPG Series " Model(s) STPG-11, STPG-13.5, STPG-29, STPG-42, STPG-7, STPG-9

Liquid-tight flexible cord fittings "Skintop STR Series " Model(s) STR-3/8 NPT, STR-M16x1.5, STR-Pg11, STR-Pg29, STR-Pg42, STR-Pg7, STR-Pg9

Investigated to ANSI/UL 514B 6th ed.(last revised 2014-06-04)

Outlet Bushings and Fittings Model(s) 53105100, 53105110, 53105120, 53105130, 53105200, 53105210, 53105220, 53105230, 53105300, 53105301, 53105302, 53105303, 53113500, 53113510, 53113520, 53113530, 53113560, 53113570, 53113600, 53113610, 53113620, 53113630, 53113640, 53113650, 53113660, 53113670, 53806720, 53806722, 53806724, 53806726, 53806728, 53806739, 53806740, 53806741, 53806742, 53806743, 53806749, 53806750, 53806751, 53806752, 53806753, 53806754, 53806778, 53806779, 53806780, 53806781, 53806782, 53806796, 53806797, 53806798, 53806799, 53806800, 53806801

Marking: Company name and model designation.

[Last Updated](#) on 2017-09-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



QCRV7.E79903

Outlet Bushings and Fittings Certified for Canada

If you notice a change to your QCRV7 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings Certified for Canada

[See General Information for Outlet Bushings and Fittings Certified for Canada](#)

U I LAPP GMBH

E79903

SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY

Liquid-tight flexible cord fittings "Skintop BS Series" Model(s) BS 1/2 NPT, BS 3/4 NPT, BS 7/8 UNF, BS PF 1/2, BS PF 5/8, BS-13.5, BS-16, BS-21, BS-M20x1.5, BS-M25x1.5, BSM 20 x 1.5, BSM 25 x 1.5, BSM 7/8 UNF

Liquid-tight flexible cord fittings "Skintop BSR Series" Model(s) BSR 1/2 NPT, BSR 3/4 NPT, BSR 7/8 UNF, BSR PF 1/2, BSR PF 5/8, BSR-13.5, BSR-16, BSR-21, BSR-M20x1.5, BSR-M25x1.5

Liquid-tight flexible cord fittings "Skintop BT Series" Model(s) BT 1/2 NPT, BT 1/2 PF, BT 13.5, BT 16, BT 21, BT 3/4 NPT, BT 5/8 PF, BT 7/8 UNF, BT-M20x1.5, BT-M25x1.5

Liquid-tight flexible cord fittings "Skintop BTR Series" Model(s) BTR 1/2 NPT, BTR 1/2 PF, BTR 13.5, BTR 21, BTR 3/4 NPT, BTR 5/8 PF, BTR 7/8 UNF, BTR- 16, BTR-M20x1.5, BTR-M25x1.5

Liquid-tight flexible cord fittings "Skintop PF Series" Model(s) PF-13.5, PF-16, PF-Flex 13.5, PF-Flex 16

Liquid-tight flexible cord fittings "Skintop PFR Series" Model(s) PFR-13.5, PFR-16, PFR-Flex 13.5, PFR-Flex 16

Liquid-tight flexible cord fittings "Skintop Series" Model(s) BS-M32x1.5, BSR-M32x1.5, CLICK 20, CLICK 25, CLICK 32, CLICK BS 20, CLICK BS 25, CLICK BS 32, CLICK BSR 20, CLICK BSR 25, CLICK BSR 32, CLICK-R 20, CLICK-R 25, CLICK-R 32, MS-M 20x1.5, MS-M 25x1.5, MS-M 40x1.5, MS-M 50x1.5, MS-M 63x1.5, MS-M 63x1.5 plus, MS-M 75x1.5, MS-M ATEX 20x1.5, MS-M ATEX 25x1.5, MS-M ATEX 32x1.5, MS-M ATEX 40x1.5, MS-M ATEX 50x1.5, MS-M ATEX 63x1.5, MS-M BRUSH 25x1.5, MS-M BRUSH 32x1.5, MS-M BRUSH 40x1.5, MS-M BRUSH 50x1.5, MS-M BRUSH 63x1.5, MS-M BRUSH 63x1.5 plus, MS-M BRUSH 75x1.5, MS-M BRUSH 75x1.5 plus, MS-M-XL 20x1.5, MS-M-XL 32x1.5, MS-M-XL 40x1.5, MS-M-XL 50x1.5, MS-M-XL25x1.5, MS-M32x1.5, MS-NPT BRUSH 1, MS-NPT BRUSH 1-1/2, MS-NPT BRUSH 1-1/4, MS-NPT BRUSH 1/2, MS-NPT BRUSH 2, MS-NPT BRUSH 2 plus, MS-NPT BRUSH 3/4, MS-NPT-1, MS-NPT-1-1/4, MS-NPT-1-1/2, MS-NPT-2, MS-NPT1/2, MS-NPT3/4, MS-SC-M 20x1.5, MS-SC-M 25x1.5, MS-SC-M 32x1.5, MS-SC-M 40x1.5, MS-SC-M 50x2.5, MS-SC-M-XL 20x1.5, MS-SC-M-XL 25x1.5, MS-SC-M-XL 32x1.5, MS-SC-M-XL 40x1.5, MS-SC-M-XL 50x1.5, MS-SC-NPT 1, MS-SC-NPT 1-1/2, MS-SC-NPT 1-1/4, MS-SC-NPT 1/2, MS-SC-NPT 3/4, MSR-M 20x1.5, MSR-M 25x1.5, MSR-M 32x1.5, MSR-M 40x1.5, MSR-M 50x1.5, MSR-M 63x1.5, MSR-M 75x1.5, MSR-M ATEX 20x1.5, MSR-M ATEX 25x1.5, MSR-M ATEX 32x1.5, MSR-M ATEX 40x1.5, MSR-M ATEX 50x1.5, MSR-M ATEX 63x1.5, MSR-M-XL 20x1.5, MSR-M-XL 25x1.5, MSR-M-XL 32x1.5, MSR-M-XL 40x1.5, MSR-M-XL 50x1.5, MSR-NPT-1, MSR-NPT-1-1/4, MSR-NPT-1-1/2, MSR-NPT-2, MSR-NPT1/2, MSR-NPT3/4, ST-M32x1.5, ST-M40x1.5, ST-M50x1.5, ST-M63x1.5, STR-M32x1.5, STR-M40x1.5, STR-M50x1.5, STR-M63x1.5

Liquid-tight flexible cord fittings "Skintop ST Series" Model(s) ST 1 NPT, ST 1/2 NPT, ST 3/4 NPT, ST 7/8 UNF, ST M20 x 1.5, ST M25 x 1.5, ST-M20x1.5, ST-M25x1.5, ST-Pg13.5, ST-Pg16, ST-Pg21, ST-Pg36, ST-Pg48

Liquid-tight flexible cord fittings "Skintop STPG Series" Model(s) STPG-13.5, STPG-16, STPG-21, STPG-36, STPG-48

Liquid-tight flexible cord fittings "Skintop STR Series" Model(s) STR 1 NPT, STR 1/2 NPT, STR 3/4 NPT, STR 7/8 UNF, STR-M20x1.5, STR-M25Mx1.5, STR-M25x1.5, STR-Pg13.5, STR-Pg16, STR-Pg21, STR-Pg36, STR-Pg48

Outlet Bushings and Fittings Model(s) 53113540, 53113550, 53806744, 53806745, 53806755, 53806783, 53806784, 53806802

Investigated to CSA-C22.2 No. 18.3 (2004 and/or 2012)

Outlet Bushings and Fittings Model(s) 53806731, 53806732

[Last Updated](#) on 2017-09-12

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".

**QCRV8.E79903****Outlet Bushings and Fittings Certified for Canada - Component**

If you notice a change to your QCRV8 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings Certified for Canada - Component

[See General Information for Outlet Bushings and Fittings Certified for Canada - Component](#)

U I LAPP GMBH

E79903

SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY

Liquid-tight flexible cord connectors "Skintop Series" Model(s) BS-M12x1.5, BS-M16x1.5, BSR-M12x1.5, BSR-M16x1.5, CLICK 12, CLICK 16, CLICK BS 12, CLICK BS 16, CLICK BSR 12, CLICK BSR 16, CLICK-R 12, CLICK-R 16, ST-M12x1.5, ST-M16x1.5, STR-M12x1.5, STR-M16x1.5

Liquid-tight flexible cord connectors Model(s) Skintop Solar M12, Skintop Solar M16, Skintop Solar plus M12, Skintop Solar plus M16

Liquid-tight flexible cord fittings "Skintop BS Series" Model(s) BS-11, BS-13.5, BS-29, BS-3/8 NPT, BS-7, BS-9, BS-M16x1.5, BS-PF 3/8

Liquid-tight flexible cord fittings "Skintop BSR Series" Model(s) BSR-11, BSR-29, BSR-3/8 NPT, BSR-7, BSR-9, BSR-M16x1.5, BSR-PF 3/8

Liquid-tight flexible cord fittings "Skintop BT Series " Model(s) BT-11, BT-3/8 NPT, BT-3/8 PF, BT-9, BT-M16x1.5

Liquid-tight flexible cord fittings "Skintop BTR Series " Model(s) BTR -11, BTR -3/8 NPT, BTR -3/8 PF, BTR -9, BTR -M16x1.5

Liquid-tight flexible cord fittings "Skintop PF Series " Model(s) PF-9, PF-Flex 9

Liquid-tight flexible cord fittings "Skintop PFR Series " Model(s) PFR-9, PFR-Flex 9

Liquid-tight flexible cord fittings "Skintop Series" Model(s) MS-M 12x1.5, MS-M 16x1.5, MS-M ATEX 12x1.5, MS-M ATEX 16x1.5, MS-M-XL 12x1.5, MS-M-XL 16x1.5, MS-NPT-1/4, MS-NPT-3/8, MS-SC-M 12x1.5, MS-SC-M 16x1.5, MS-SC-M-XL 12x1.5, MS-SC-M-XL 16x1.5, MS-SC-NPT 3/8, MSR-M 12x1.5, MSR-M 16x1.5, MSR-M ATEX 12x1.5, MSR-M ATEX 16x1.5, MSR-M-XL 12x1.5, MSR-M-XL 16x1.5, MSR-NPT-1/4, MSR-NPT-3/8

Liquid-tight flexible cord fittings "Skintop ST Series " Model(s) ST-3/8 NPT, ST-M16x1.5, ST-Pg11, ST-Pg13.5, ST-Pg29, ST-Pg42, ST-Pg7, ST-Pg9

Liquid-tight flexible cord fittings "Skintop STPG Series " Model(s) STPG-11, STPG-13.5, STPG-29, STPG-42, STPG-7, STPG-9

Liquid-tight flexible cord fittings "Skintop STR Series " Model(s) STR-3/8 NPT, STR-M16x1.5, STR-Pg11, STR-Pg29, STR-Pg42, STR-Pg7, STR-Pg9

Investigated to CSA-C22.2 No. 18.3 (2004 and/or 2012)

Outlet Bushings and Fittings Model(s) 53105100, 53105110, 53105120, 53105130, 53105200, 53105210, 53105220, 53105230, 53105300, 53105301, 53105302, 53105303, 53113500, 53113510, 53113520, 53113530, 53113560, 53113570, 53113600, 53113610, 53113620, 53113630, 53113640, 53113650, 53113660, 53113670, 53806720, 53806722, 53806724, 53806726, 53806728, 53806739, 53806740, 53806741, 53806742, 53806743, 53806749, 53806750, 53806751, 53806752, 53806753, 53806754, 53806778, 53806779, 53806780, 53806781, 53806782, 53806796, 53806797, 53806798, 53806799, 53806800, 53806801



Marking: Company name, model designation and the Recognized Component Mark for Canada, 

[Last Updated](#) on 2017-09-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".